Cenmak Automotive

Quality Management System

CERTIFICATE

Registration Number : KorQ-084195

MSA Certification Co., Ltd. hereby certifies that the company

CENMAK OTOMOTIV SANAYI VE TICARET LIMITED SIRKETI

2822 SOKAK NO:27/201 1.SANAYI SITESI KONAK IZMIR TURKEY

For the scope of

Manufacture and Sales of Automotive Spare Parts

Has established and applies a

Quality Management System

And an audit performed by MSA has verified that this management system fulfils the requirements of the following standard:

ISO 9001: 2000

DIN EN ISO 9001: 2000

(Excluding Clause: 7.3 Design & Development)

Certificate Issue Date :	**18 November 2008**	~ **Certificate Expiry Date :**	**17 November 2009**
	Initial Certification Date		18 November 2008
	MSA Certification Date		18 November 2008
	Certification Period		3 Years

Robert Lee

Scheme Manager

MSA Certification Co., Ltd.

website: http://www.msa-cert.com

e-mail: msa@msa-cert.com

TGA TRÄGERGEMEINSCHAFT FÜR AKKREDITIERUNG GERMAN ASSOCIATION FOR ACCREDITATION GMBH

TGA-ZM-02-06-00

This certificate is the property of MSA Certification Co., Ltd. and shall be returned upon request by MSA Certification Co., Ltd. FMP26/03(Rev.2)

DIN EN ISO 9001: 2000
Registration Number: KorQ-084195

TGA TRÄGERGEMEINSCHAFT
FÜR AKKREDITIERUNG
GERMAN ASSOCIATION FOR
ACCREDITATION GMBH

2.2 Technical Terms of the Piston





- Cast full skirt piston

- Forged full skirt piston

- Ring belt piston

- Segment strip piston

- Ring-carrier piston with cooling channel

- Segment strip piston with ring carrier

On the piston head information is given on the largest skirt dimension and ideal piston clearance. The nominal dimension of the cylinder bore is derived from these two dimensions.

engine front



engine rear



Piston diameter

Assembly clearance
Assembly direction

Trade mark
Date of manufacture

Example:

Piston ∅	84,00 mm
Sp	0,04 mm
Cyl-∅	84,04 mm

2.6 Gap Dimension and Top Dead Centre



See pictogram line in Section 3. Instructions for using the catalogue.

Gap Dimension

Gap dimension "B" is the excess or recess, i.e. the projection or retraction, of the piston at the top dead centre with respect to the sealing face of the cylinder block. The thickness of the cylinder-head gasket and any recess in the cylinder head are included in the measurement.



Piston excess or piston recess dimension at the top dead centre for different engine versions

Dimension "C" is to be understood as the excess or projection (identified by "+") or the recess (identified by "-") of the piston at the top dead centre in relation to the cylinder block sealing face. The seal thickness or geometric shapes of the cylinder head are not considered.





For engines with wet cylinder liners, the projection or recess of the piston is likewise measured in relation to the cylinder block face. A projection of the liner or any land edges are not considered.



In the case of air-cooled cylinders, the dimension "C" relates to the distance between piston crown and the support of the cylinder head at the air-cooled cylinder.



Anodized pistons:

For pistons with anodized piston crown, the crown must not be turned to adjust the gap dimension. These pistons are recognizable by the black colour of the crown surface. Certain piston types with anodized crowns have, besides the standard piston, pistons with reduced compression height for adjustment of the gap. In most cases, the compression piston dimension is staged from 0.2–0.6 mm.

2.4 Cylinder Liners

Thanks to our experience of many decades with the interacting sliding parts, i.e. pistons, piston rings and cylinder liners, the original cylinder liners are ideally adapted and constitute the optimum solution in terms of wear, service life and heat dissipation.

Our range comprises dry or wet cylinder liners for the engines of all current manufacturers, either made of centrifugal casting, premachined or finish machined, in line with the specific engine types.

Dry Cylinder Liner

Wet Cylinder Liner

2.5 Kit-Sets

The original Kit-Sets, comprising piston, piston rings, piston pins, piston pin retainers and cylinder liners, with seals, if required, has been composed ready for installation. As a replacement part requiring no further work, the Kit-Set must be fitted as delivered in the package. Arbitrary exchange of cylinders and pistons may cause trouble in the engine.

Original Kit-Sets are engine parts of highest precision. They are, therefore, most carefully packed. During transportation and handling, hard blows and other damage should be avoided. Prior to installation, the Original Kit-Sets should be checked again for its proper composition.

Excessive spreading of the piston ring during fitment can cause permanent deformation. Removal and refitment causes loss of performance.

The piston rings, therefore, should not be removed before the assembly of the piston.

The various piston ring types and abbreviations are listed below:

(See also "Installation of Rings – Step by Step")



R Rectangular

ET Half keystone ring

T Keystone ring 6°/15°



M Taper faced ring

SM Slightly taper ring

N Napier ring

NM Typer faced napier ring



S Slotted oil control ring



G Double bevelled oil control ring

D Bevelled-edge oil control ring

SSF Oil control ring with spiral expander



GSF Spiral exp. top bevelled oil control ring

DSF Double-bevelled spiral expander ring



SLF Multi piece steel-rail oil control ring

UF U-Flex ring



SEF Slotted oil control ring with expander

ALFA ROMEO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6301001				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	78,00	105.116	Alfa 75
	Comp. Height	33,70		Alfetta Giullia Ti
	Total Lenght	82,50		1600 Spider
	Dome Height	15,80		Sprint
	Bowl Dept			Sprint GT
	Valve Pocket			
	Pin Diameter	22,00 / 67,50		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x4,00		
Cenmak Number	Item		GOE Number	Ø mm
6302001	Piston Ring Set Std.			78,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	105.116	Alfa 75
				Alfetta Giullia Ti
	1,75	NM		1600 Spider
				Sprint
	4,00	DSF CR		Sprint GT
Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6303001				
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	78,00	105.116	Alfa 75
	B - Skirt Diameter Ø	84,00		Alfetta Giullia Ti
	C - Overall Lenght	150,00		1600 Spider
	D - Flange Ø	94,00		Sprint
	E - Flange Height	95,50		Sprint GT
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

ALFA ROMEO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6301005	105410203101 105410203102 10541020310201 105480203010/01	91 421 600	063 18 00	IP 666185
				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80.00	105.48	1750
	Comp. Height	33,25	105.35	Sprint Berlina
	Total Lenght	80,10	195.23	Veloce GT
	Dome Height	13,35		Alfetta
	Bowl Dept			Giuletta
	Valve Pocket			Alfa 90
	Pin Diameter	22,00 / 68,50		Alfa 75
	Type of Design			
	Piston Ring Thickness	1,50x1,75x4,00		

Cenmak Number	Item		GOE Number	Ø mm
6302005	Piston Ring Set Std.			80,00
,Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	105.48	1750
			105.35	Sprint Berlina
			195.23	Veloce GT
	1,75	NM		
				Alfetta
				Giuletta
	4,00	DSF CR		Alfa 90
				Alfa 75

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6303005	1100201101E00	84 499 110	063 WN 05	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	80,00	105.48	1750
	B - Skirt Diameter Ø	85,00	105.35	Sprint Berlina
	C - Overall Lenght	156,00	195.23	Veloce GT
	D - Flange Ø	94,00		Alfetta
	E - Flange Height	107,50		Giuletta
	F - Fire Lip			Alfa 90
				Alfa 75

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

ALFA ROMEO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6301010				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,00	116.33	Alfetta
	Comp. Height	32,75		Giuletta
	Total Lenght	81,00		GTV 2.0
	Dome Height	14,75		Alfa 75 2.0
	Bowl Dept			2.0 GTI
	Valve Pocket			
	Pin Diameter	22,00 / 68,50		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x4,50		

Cenmak Number	Item		GOE Number	Ø mm
6302010	Piston Ring Set Std.			84,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	116.33	Alfetta
				Giuletta
				GTV 2.0
	1,75	NM		Alfa 75 2.0
				2.0 GTI
	4,50	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6303010				
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	84,00	116.33	Alfetta
	B - Skirt Diameter Ø	89,00		Giuletta
	C - Overall Lenght	152,00		GTV 2.0
	D - Flange Ø	98,00		Alfa 75 2.0
				2.0 GTI
	E - Flange Height	152,00		
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

ALFA ROMEO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6301015	701763	91 672 600	063 27 01	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,00	301.28	Sprint Alfa 33
	Comp. Height	34,50		
	Total Lenght	67,50		
	Dome Height	-5,00		
	Bowl Dept			
	Valve Pocket			
	Pin Diameter	21,00 / 63,50		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x4,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6301020				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,00	301.28	Sprint Alfa 33
	Comp. Height	37,50		
	Total Lenght	70,50		
	Dome Height			
	Bowl Dept	-5,00		
	Valve Pocket			
	Pin Diameter	21,00 / 63,50		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x4,00		

Cenmak Number	Item		GOE Number	Ø mm
6302015	Piston Ring Set Std.			84,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	301.28	Sprint Alfa 33
	1,75	NM		
	4,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

ALFA ROMEO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6301025				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	92,00	VM 08 B	ALFA 164 2.5 TD
	Comp. Height	51,20	VM 31 B	
	Total Lenght	86,00	VM 32 B	
	Dome Height		VM 425 SLIRA	
	Bowl Dept	-3,70	VM 84 A	
	Valve Pocket			
	Pin Diameter	30,00 / 75,70		
	Type of Design	ALFIN		
		ANODIZED		
	Piston Ring Thickness	1,50x1,75x4,00		

Cenmak Number	Item		GOE Number	Ø mm
6301025	Piston Ring Set Std.			92,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	T CR	VM 08 B	ALFA 164 2.5 TD
			VM 31 B	
			VM 32 B	
	2,00	NM	VM 425 SLIRA	
			VM 84 A	
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6303025	20240060	89 185 110	489 WN 01	
	20242010			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	92,00	VM 08 B	ALFA 164 2.5 TD
	B - Skirt Diameter Ø	103,00	VM 31 B	
	C - Overall Lenght	168,00	VM 32 B	
	D - Flange Ø	110,00	VM 425 SLIRA	
	E - Flange Height	8,90	VM 84 A	
	F - Fire Lip	1,20		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
03401001	52107065	93 159 600	029 44 00	20204
	052107065AD			
	052107065C			
	052107065E			
	052107065J			
	052107065L			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	69,51	1,1 Ltr	Audi 50
	Comp. Height	40,20		
	Total Lenght	67,20		
	Dome Height			
	Bowl Dept	-4,00		
	Valve Pocket			
	Pin Diameter	20,00 / 70,00		
	Type of Design			
	Piston Ring Thickness	1,75x2,00x4,00		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
03401002	052107081A	93 159 620	029 44 12	20204
	052107081AB			
	052107081AD			
	052107081B			
	052107081C			
	052107081E			
	052107081J			
	052107081L			
	056107081L			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	70,01	1,1 Ltr	Audi 50
	Comp. Height	39,95		
	Total Lenght	66,95		
	Dome Height			
	Bowl Dept	-4,00		
	Valve Pocket			
	Pin Diameter	20,00 / 70,00		
	Type of Design			
	Piston Ring Thickness	1,75x2,00x4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
03401003	052107091AD	93 159 620	029 44 13	20204
	052107091B			
	052107091C			
	052107091E			
	052107091J			
	052107091L			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	70,51	1,1 Ltr	Audi 50
Comp. Height	39,95		
Total Lenght	66,95		
Dome Height			
Bowl Dept	-4,00		
Valve Pocket			
Pin Diameter	20,00 / 70,00		
Type of Design			
Piston Ring Thickness	1,75x2,00x4,00		

CenmakNumber	Item	GOE Number	Ø mm
3402001	Piston Ring Set Std.	08-108600-10	69,51
3402002	Piston Ring Set +0,50	08-108600-10	70,01
3402003	Piston Ring Set +1,00	08-108600-10	70,51

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	1,1 Ltr	Audi 50
	2,00	NM		
	4,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401010	052107065AA	93 084 600	029 48 00	20510
	052107065AE			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	75,00	1,3 Ltr	Audi 80
	Comp. Height	38,55		Audi Fox
	Total Lenght	66,55		
	Dome Height			
	Bowl Dept			
	Valve Pocket			
	Pin Diameter	20,00 / 63,00		
	Type of Design			
	Piston Ring Thickness	1,75x2,00x4,00		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401011	052107071AA	93 084 610	029 48 00	20510
	052107071AE			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	75,50	1,3 Ltr	Audi 80
	Comp. Height	38,30		Audi Fox
	Total Lenght	66,30		
	Dome Height			
	Bowl Dept			
	Valve Pocket			
	Pin Diameter	20,00 / 63,00		
	Type of Design			
	Piston Ring Thickness	1,75x2,00x4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401012	052107081AA	93 084 620	029 48 00	20510
	052107081AE			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	76,00	1,3 Ltr	Audi 80
Comp. Height	38,30		Audi Fox
Total Lenght	66,30		
Dome Height			
Bowl Dept			
Valve Pocket			
Pin Diameter	20,00 / 63,00		
Type of Design			
Piston Ring Thickness	1,75x2,00x4,00		

CenmakNumber	Item	GOE Number	Ø mm
3402010	Piston Ring Set Std.	08-404200-10	75,00
3402011	Piston Ring Set +0,50	08-404200-10	75,50
3402012	Piston Ring Set +1,00	08-404200-10	76,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	1,3 Ltr	Audi 80
				Audi Fox
	2,00	NM		
	4,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401015		93 260 600	029 55 00	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	76,50	1,6 Ltr	Audi 80 D
Comp. Height	41,70	2,0 Ltr	Audi 100 5 D
Total Lenght	71,70		
Dome Height			
Bowl Dept			
Valve Pocket	-1,60		
Pin Diameter	24,00 / 64,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	1,75x2,00x3,00		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401016	068107081BA	93 260 610	029 55 01	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	77,00	1,6 Ltr	Audi 80 D
Comp. Height	41,70	2,0 Ltr	Audi 100 5 D
Total Lenght	71,70		
Dome Height			
Bowl Dept			
Valve Pocket	-1,60		
Pin Diameter	24,00 / 64,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	1,75x2,00x3,00		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401017		93 260 620	029 55 02	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	77,50	1,6 Ltr	Audi 80 D
Comp. Height	41,70	2,0 Ltr	Audi 100 5 D
Total Lenght	71,70		
Dome Height			
Bowl Dept			
Valve Pocket	-1,60		
Pin Diameter	24,00 / 64,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	1,75x2,00x3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401020		93 541 630		



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	77,00	1,6 Ltr	Audi 80 D
Comp. Height	41,45	2,0 Ltr	Audi 100 5 D
Total Lenght	71,70		
Dome Height			
Bowl Dept			
Valve Pocket	-1,60		
Pin Diameter	24,00 / 64,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	1,75x2,00x3,00		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401021		93 541 640		



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	77,50	1,6 Ltr	Audi 80 D
Comp. Height	41,45	2,0 Ltr	Audi 100 5 D
Total Lenght	71,70		
Dome Height			
Bowl Dept			
Valve Pocket	-1,60		
Pin Diameter	24,00 / 64,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	1,75x2,00x3,00		

CenmakNumber	Item	GOE Number	Ø mm
3402015	Piston Ring Set Std.	08-405200-00	76,50
3402016	Piston Ring Set +0,50	08-405205-00	77,00
3402017	Piston Ring Set +1,00	08-405207-00	77,50

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	1,3 Ltr	Audi 80
				Audi Fox
	2,00	N		
	3,00	DSF CR		

AUDI

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3403015		89 163 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	76,50	1,3 Ltr	Audi 80
	B - Skirt Diameter Ø	79,50		Audi Fox
	C - Overall Lenght	145,00		
	D - Flange Ø	81,50		
	E - Flange Height	4,70		
	F - Fire Lip			

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401025	049107065D	93 039 600	034 63 00	
	049107065M			
	049107065T			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	79,50	1,6 Ltr	Audi 80 GTE
	Comp. Height	40,70		
	Total Lenght	72,70		
	Dome Height			
	Bowl Dept	-8,30		
	Valve Pocket			
	Pin Diameter	22,00 / 63,00		
	Type of Design			
	Piston Ring Thickness	1,75x2,00x4,00		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401026	049107081D	93 039 620	034 63 02	
	049107081M			
	049107081T			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,00	1,6 Ltr	Audi 80 GTE
	Comp. Height	40,40		
	Total Lenght	72,40		
	Dome Height			
	Bowl Dept	-8,30		
	Valve Pocket			
	Pin Diameter	22,00 / 63,00		
	Type of Design			
	Piston Ring Thickness	1,75x2,00x4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401027	049107091D	93 039 640	034 63 03	
	049107091M			
	049107091T			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,50	1,6 Ltr	Audi 80 GTE
	Comp. Height	40,40		
	Total Lenght	72,40		
	Dome Height			
	Bowl Dept	-8,30		
	Valve Pocket			
	Pin Diameter	22,00 / 63,00		
	Type of Design			
	Piston Ring Thickness	1,75x2,00x4,00		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401030	049107065A	93 356 600	034 54 00	
	049107065AF			
	049107065F			
	049107065J			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	79,50	1,6 Ltr	Audi 80
	Comp. Height	41,80		Audi 100
	Total Lenght	73,80		Audi Fox
	Dome Height			
	Bowl Dept	-6,10		
	Valve Pocket			
	Pin Diameter	22,00 / 63,00		
	Type of Design			
	Piston Ring Thickness	1,75x2,00x4,00		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401031	049107081AF	93 356 620	034 54 02	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,00	1,6 Ltr	Audi 80
	Comp. Height	41,50		Audi 100
	Total Lenght	73,50		Audi Fox
	Dome Height			
	Bowl Dept	-6,10		
	Valve Pocket			
	Pin Diameter	22,00 / 63,00		
	Type of Design			
	Piston Ring Thickness	1,75x2,00x4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401032	049107091A	93 356 640	034 54 03	
	049107091AF			
	049107091F			
	049107091G			
	049107091J			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	80,50	1,6 Ltr	Audi 80
Comp. Height	41,50		Audi 100
Total Lenght	73,50		Audi Fox
Dome Height			
Bowl Dept	-6,10		
Valve Pocket			
Pin Diameter	22,00 / 63,00		
Type of Design			
Piston Ring Thickness	1,75x2,00x4,00		

CenmakNumber	Item	GOE Number	Ø mm
3402025	Piston Ring Set Std.	08-404100-10	79,50
3402026	Piston Ring Set +0,50	08-404107-10	80,00
3402027	Piston Ring Set +1,00	08-404111-10	80,50

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	1,6 Ltr	Audi 80
				Audi 100
	2,00	NM		Audi Fox
				Audi 80 GTE
	4,00	DSF CR		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401035		91 386 600		



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	79,50	AAS	2370 ccm
Comp. Height	39,65		
Total Lenght	65,70		
Dome Height			
Bowl Dept	-1,90		
Valve Pocket			
Pin Diameter	24,00 / 64,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	1,75x2,00x3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401036		91 386 620		



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	80	AAS	2370 ccm
Comp. Height	39,4		
Total Lenght	65,7		
Dome Height			
Bowl Dept	-1,9		
Valve Pocket			
Pin Diameter	24,00 / 64,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	1,75x2,00x3,00		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401037		91 386 640		



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	80,5	AAS	2370 ccm
Comp. Height	39,4		
Total Lenght	65,7		
Dome Height			
Bowl Dept	-1,9		
Valve Pocket			
Pin Diameter	24,00 / 64,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	1,75x2,00x3,00		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401040		91 429 600		



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	79,5	AAZ	1896 ccm
Comp. Height	45,65		
Total Lenght	71,7		
Dome Height			
Bowl Dept	-1,9		
Valve Pocket			
Pin Diameter	26,00 / 66,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	1,75x2,00x3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3101041		91 429 620		

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,00	AAZ	1896 ccm
	Comp. Height	45,40		
	Total Lenght	71,70		
	Dome Height			
	Bowl Dept	-1,90		
	Valve Pocket			
	Pin Diameter	26,00 / 66,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	1,75x2,00x3,00		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401042		91 429 640		

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,50	AAZ	1896 ccm
	Comp. Height	45,40		
	Total Lenght	71,70		
	Dome Height			
	Bowl Dept	-1,90		
	Valve Pocket			
	Pin Diameter	26,00 / 66,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	1,75x2,00x3,00		

CenmakNumber	Item	GOE Number	Ø mm
3402035	Piston Ring Set Std.		79,50
3402036	Piston Ring Set +0,50		80,00
3402037	Piston Ring Set +1,00		80,50

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	AAZ	1896 ccm
			AAS	2370 ccm
	2,00	NM		
	3,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3403035		89 434 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	79,50	AAZ	1896 ccm
	B - Skirt Diameter Ø	82,50	AAS	2370 ccm
	C - Overall Lenght	152,00		
	D - Flange Ø	85,50		
	E - Flange Height	4,70		
	F - Fire Lip			

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401050	026107103C	93 875 600	034 77 00	
	026107103H			
	065107065Q			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,00	1,8 Ltr	Audi 80
	Comp. Height	32,20		Audi 100
	Total Lenght	62,50		
	Dome Height	1,30		
	Bowl Dept	-8,10		
	Bowl Ø	60,00		
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401051	065107071Q	93 875 610	034 77 01	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,25	1,8 Ltr	Audi 80
	Comp. Height	31,90		Audi 100
	Total Lenght	62,20		
	Dome Height	1,30		
	Bowl Dept	-8,10		
	Bowl Ø	60,00		
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401052	065107081Q	93 875 620	034 77 02	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,5	1,8 Ltr	Audi 80
	Comp. Height	31,9		Audi 100
	Total Lenght	62,2		
	Dome Height	1,3		
	Bowl Dept	-8,1		
	Bowl Ø	60		
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401055	026107103A	93 872 600	034 76 00	
	026107103M			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81	1,6 Ltr	Audi 80
	Comp. Height	35,6		
	Total Lenght	66,8		
	Dome Height	2,2		
	Bowl Dept	-2,3		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401056	026107105M	93 872 610	034 76 01	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,25	1,6 Ltr	Audi 80
	Comp. Height	35,3		
	Total Lenght	66,5		
	Dome Height	2,2		
	Bowl Dept	-2,3		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401057	026107107M	93 872 620	034 76 02	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,50	1,6 Ltr	Audi 80
	Comp. Height	35,30		
	Total Lenght	66,50		
	Dome Height	2,20		
	Bowl Dept	-2,30		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401060	026107065N	93 876 600	034 78 00	
	026107103N			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,00	1,8 Ltr	
	Comp. Height	32,20		
	Total Lenght	62,50		
	Dome Height	1,30		
	Bowl Dept	-8,10		
	Bowl Ø	59,60		
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

CenmakNumber	O.E.M. Number	KS Number	Mahle Number	AE Number
3401061	026107071N	93 876 610	034 78 01	
	026107105N			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,25	1,8 Ltr	
	Comp. Height	31,90		
	Total Lenght	62,20		
	Dome Height	1,30		
	Bowl Dept	-8,10		
	Bowl Ø	59,60		
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3401062	026107081N	93 876 620	034 78 02	
	026107107N			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,50	1,8 Ltr	
	Comp. Height	31,90		
	Total Lenght	62,20		
	Dome Height	1,30		
	Bowl Dept	-8,10		
	Bowl Ø	59,60		
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3401065	026107103J	93 871 600	034 53 00	
	034107065H			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,00	2,0 Ltr	Audi 80 5
	Comp. Height	35,60		Audi 90 5
	Total Lenght	66,80		Audi 100 5
	Dome Height	2,20		Coupe GT 5
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3401066	034107071H	93 871 610	034 53 01	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,25	2,0 Ltr	Audi 80 5
	Comp. Height	35,30		Audi 90 5
	Total Lenght	66,50		Audi 100 5
	Dome Height	2,20		Coupe GT 5
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3401067	026107107E	93 871 620	034 53 02	
	034107081H			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,50	2,0 Ltr	Audi 80 5
	Comp. Height	35,30		Audi 90 5
	Total Lenght	66,50		Audi 100 5
	Dome Height	2,20		Coupe GT 5
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3401070	026198151C	93 825 600	034 74 00	
	034107065C			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,00	2,2 Ltr.	Audi 90
	Comp. Height	32,20		Audi 100
	Total Lenght	62,30		Audi 200
	Dome Height	1,10		Coupe GT
	Bowl Dept	-4,60		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3401071	026198153A	93 825 610	034 74 01	
	026198153B			
	034107071C			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,25	2,2 Ltr.	Audi 90
	Comp. Height	31,90		Audi 100
	Total Lenght	62,00		Audi 200
	Dome Height	1,10		Coupe GT
	Bowl Dept	-4,60		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3401072	026198155A	93 825 620	034 74 02	
	034107081C			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,50	2,2 Ltr.	Audi 90
	Comp. Height	31,90		Audi 100
	Total Lenght	62,00		Audi 200
	Dome Height	1,10		Coupe GT
	Bowl Dept	-4,60		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3401075	026107065J	93 874 600	034 79 00	
	034107065D			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,00	2,2 Ltr.	Coupe GT
	Comp. Height	32,20		
	Total Lenght	62,30		
	Dome Height	1,10		
	Bowl Dept	-8,10		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3401076	026107071J	93 874 610	034 79 01	
	034107071D			
	034107105D			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,25	2,2 Ltr.	Coupe GT
	Comp. Height	31,90		
	Total Lenght	62,00		
	Dome Height	1,10		
	Bowl Dept	-8,10		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50x1,75x3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3401077	026107081J	93 874 620	034 79 01	
	034107081D			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	81,50	2,2 Ltr.	Coupe GT
Comp. Height	31,90		
Total Lenght	62,00		
Dome Height	1,10		
Bowl Dept	-8,10		
Bowl Ø			
Valve Pocket			
Pin Diameter	20,00 / 57,00		
Type of Design			
Piston Ring Thickness	1,50x1,75x3,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3401080	026107103B	93 928 600	034 75 00	
	026107103D			
	026107103P			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	81,00	1,8 Ltr	Audi 80
Comp. Height	32,20		Audi 80 GLE
Total Lenght	62,50		Audi 100
Dome Height	1,30		Coupe GT
Bowl Dept	-4,40		
Bowl Ø			
Valve Pocket			
Pin Diameter	20,00 / 57,00		
Type of Design			
Piston Ring Thickness	1,50x1,75x3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

AUDI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3401081	026107071B	93 928 610	034 75 01	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	81,25	1,8 Ltr	Audi 80
Comp. Height	31,90		Audi 80 GLE
Total Lenght	62,20		Audi 100
Dome Height	1,30		Coupe GT
Bowl Dept	-4,40		
Bowl Ø			
Valve Pocket			
Pin Diameter	20,00 / 57,00		
Type of Design			
Piston Ring Thickness	1,50x1,75x3,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3401082	026107081D	93 928 620	034 75 02	
	026107107P			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	81,50	1,8 Ltr	Audi 80
Comp. Height	31,90		Audi 80 GLE
Total Lenght	62,20		Audi 100
Dome Height	1,30		Coupe GT
Bowl Dept	-4,40		
Bowl Ø			
Valve Pocket			
Pin Diameter	20,00 / 57,00		
Type of Design			
Piston Ring Thickness	1,50x1,75x3,00		

Cenmak Number	Item	GOE Number	Ø mm
3402050	Piston Ring Set Std.	08-109700-10	81,00
3402051	Piston Ring Set +0,25	08-109705-10	81,25
3402052	Piston Ring Set +0,50	08-109707-10	81,50

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	1,8 Ltr	Audi 80 5
			2,0 Ltr	Audi 90 5
	1,75	NM		Audi 100 5
				Coupe GT 5
	3,00	DSF CR		Audi 80
				Audi 80 GLE
				Audi 100
				Coupe GT

AUDI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3401085		94 429 700		

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,00	2641 ccm	
	Comp. Height	45,75		
	Total Lenght	69,75		
	Dome Height			
	Bowl Dept	-17,25		
	Bowl Ø	39,60		
	Valve Pocket	-1,35		
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	2,50 x 2,00 x 3,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3401086		94 429 720		

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,50	2641 ccm	
	Comp. Height	45,50		
	Total Lenght	69,50		
	Dome Height			
	Bowl Dept	-17,25		
	Bowl Ø	39,60		
	Valve Pocket	-1,35		
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	2,50 x 2,00 x 3,00		

Cenmak Number	Item	GOE Number	Ø mm
3402085	Piston Ring Set Std.	08-501500-00	81,00
3402086	Piston Ring Set +0,50	08-501500-00	81,50

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,5	R CR	2641 ccm	
	2,00	NM CR		
	3,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

BEDFORD				
Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6901005		91 680 600		A350398
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	103,18	220 A	
	Comp. Height	71,30	220 N	
	Total Lenght	118,70	330 A	
	Dome Height		330 N	
	Bowl Dept	-21,45		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	34,925 / 88,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38 x 2,38 x 4,74		
Cenmak Number	Item		GOE Number	Ø mm
6902005	Piston Ring Set Std.		R41080	103,18
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	220 A	
			220 N	
			330 A	
	2,38	NM	330 N	
	4,74	DSF CR		
Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6903005	7191818	88 041 190	069 WV 03	SU497301
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	103,18	220 A	
	B - Skirt Diameter Ø	107,95	220 N	
	C - Overall Lenght	216,30	330 A	
	D - Flange Ø	111,13	330 N	
	E - Flange Height	4,76	10.220	
	F - Fire Lip		W 330	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

BEDFORD

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6901010	2716930-2716933	93 918 700	069 18 10	350083
	2716935-2716936			
	2716937-2716939			
	2716940-7173147			
	7204361-7204362			
	7204363-7206012			
	7206015-7206016			
	9961514-9961516			
	9961517-9961933			
	9961983-91002673			
	91002675-91002676			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	103,18	10.220	KCC10, KBC 10
Comp. Height	71,50	W 330	KAC 10, KF-LC 5
Total Lenght	118,70		KD-LC 5, KE-LC 5
Dome Height			KF-SC 5, KG-SC 5
Bowl Dept	-21,40		KG-LC 5, EJM 2/3
Bowl Ø			EJN 3, EFR 1
Valve Pocket			EJR 3, DJM 2/3
Pin Diameter	34,925 / 88,00		DJN 2/3, DJN 3
Type of Design			1961 --> 1983
Piston Ring Thickness	2,38 x 2,38 x 2,38 x 4,74 x 4,74		

Cenmak Number	Item		GOE Number	Ø mm
6902010	Piston Ring Set Std.		R57140	103,18

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	10.220	KCC10, KBC 10
			W 330	KAC 10, KF-LC 5
				KD-LC 5, KE-LC 5
	2,38	R		KF-SC 5, KG-SC 5
				KG-LC 5, EJM 2/3
				EJN 3, EFR 1
	2,38	NM		EJR 3, DJM 2/3
				DJN 2/3, DJN 3
				1961 --> 1983
	4,74	D		
	4,74	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

BEDFORD

Cenmak Number	Item		GOE Number	Ø mm
6902015	Piston Ring Set Std.		R57150	103,18

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R	10.220	KCC10, KBC 10
			W 330	KAC 10, KF-LC 5
				KD-LC 5, KE-LC 5
	2,38	R		KF-SC 5, KG-SC 5
				KG-LC 5, EJM 2/3
				EJN 3, EFR 1
	2,38	NM		EJR 3, DJM 2/3
				DJN 2/3, DJN 3
				1961 --> 1983
	4,74	D		
	4,74	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6901020				554505

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	115,89	466.70	
	Comp. Height	75,80		
	Total Lenght	122,40		
	Dome Height			
	Bowl Dept	-23,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	38,10 / 98,50		
	Type of Design			
	Piston Ring Thickness	2,38 x 2,38 x 2,38 x 4,74 x 4,74		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

BERLIET / SAVIEM / RVI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20901001	6993122	91 404 600	592 07 00	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	98,00	599, LE 01	Super Galion
Comp. Height	75,38	1967 ---> 1971	Super Goélette
Total Lenght	119,38		SG 2, SG 4
Dome Height			SR 220-440
Bowl Dept	-34		SB 2
Bowl Ø			
Valve Pocket			
Pin Diameter	36,00 / 84,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	3,0 x 2,5 x 2,5x 4,5		

Cenmak Number	Item		OEM Number	Ø mm
20902001	Piston Ring Set Std.			98,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3	T CR	599, LE 01	Super Galion
			1967 ---> 1971	Super Goélette
				SG 2, SG 4
	2,5	M		SR 220-440
				SB 2
	2,5	NM		
	4,5	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20903001	5000040179	88 580 110	592 WN 03	



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	98,00	599, LE 01	Super Galion
B - Skirt Diameter Ø	106,75	1967 ---> 1971	Super Goélette
C - Overall Lenght	218,70		SG 2, SG 4
D - Flange Ø	119,00		SR 220-440
E - Flange Height	8,00		SB 2
F - Fire Lip	0,70		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

BERLIET / SAVIEM / RVI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20901005	5000336191	92 499 600	592 30 00	PI7962100
	5000336301			
	5000336302			
	5000793443			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	102,00	720.05	SG 5, SM 5
	Comp. Height	75,58	720.08	JK 60, JK 65
	Total Lenght	120,60	720.12	JK 75, 90 B 6/7/8
	Dome Height			1972 --->1986
	Bowl Dept	-37,95		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	36,00 / 86,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 2,5x 5,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20901010				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	102,00	720.05	SG 5
	Comp. Height	75,58	720.08	
	Total Lenght	120,60	720.12	
	Dome Height			
	Bowl Dept	-37,95		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	36,00 / 86,00		
	Type of Design	ALFIN		
	Piston Ring Thickness	3,0 x 2,5x 5,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20903005	5000044122	89 441 110	592 WN 05	CH5331200
	5000044314			
	5000044440			
	5000044644			
	5000202738			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	102,00	720.05	SG 5, SM 5
	B - Skirt Diameter Ø	114,00	720.08	JK 60, JK 65
	C - Overall Lenght	220,70	720.12	JK 75, 90 B 6/7/8
	D - Flange Ø	120,70		1972 --->1986
	E - Flange Height	8,00		
	F - Fire Lip	0,70		

BERLIET / SAVIEM / RVI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20901015				PI4691500



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	102,00	MIDR 06.02.12	S 150 13
Comp. Height	78,25	MIDS 06.02.12	Midliner M 160
Total Lenght	123,25		PP 160
Dome Height			1986 --->
Bowl Dept	-20,70		
Bowl Ø			
Valve Pocket	-1,40		
Pin Diameter	42,00 / 83,80		
Type of Design	ALFIN		
Piston Ring Thickness	3,0 x 2,5x 5,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20902015	5000336162	89 173 110	592 WN 09	CH5332200



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	102,00	MIDR 06.02.12	S 150 13
B - Skirt Diameter Ø	114,00	MIDS 06.02.12	Midliner M 160
C - Overall Lenght	234,00		PP 160
D - Flange Ø	122,50		1986 --->
E - Flange Height	8,00		
F - Fire Lip	0,80		

Cenmak Number	Item		OEM Number	Ø mm
20902005	Piston Ring Set Std.			102,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	720.05	SG 5, SM 5
			720.08	JK 60, JK 65
			720.12	JK 75, 90 B 6/7/8
	2,50	M	MIDR 06.02.12	S 150 13
			MIDS 06.02.12	Midliner M 160
				PP 160
	5,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

BERLIET / SAVIEM / RVI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20901020	5001823199	94 724 600	592 34 90	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	102,00	MIDR 06.02.26	S 220 TI
Comp. Height	71,18	Turbocharged	S 220
Total Lenght	108,18	Intercooler	Midliner
Dome Height			1990 --->
Bowl Dept	-20,79		
Bowl Ø			
Valve Pocket	- 0,50 / - 2,00		
Pin Diameter	42,00 / 83,00		
Type of Design	ALFIN		
Piston Ring Thickness	3,0 x 2,5x 4,00		

Cenmak Number	Item		OEM Number	Ø mm
20902020	Piston Ring Set Std.			102,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	MIDR 06.02.26	S 220 TI
			Turbocharged	S 220
			Intercooler	Midliner
	2,50	M		1990 --->
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20903020		89 464 110	592 WN 11	



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	102,00	MIDR 06.02.26	S 220 TI
B - Skirt Diameter Ø	114,00	Turbocharged	S 220
C - Overall Lenght	218,00	Intercooler	Midliner
D - Flange Ø	122,50		1990 --->
E - Flange Height	8,00		
F - Fire Lip	0,80		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

BERLIET / SAVIEM / RVI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20901030		93 504 700	209 24 00	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	135,00	MIDR 635.40	
Comp. Height	90,30		
Total Lenght	170,20		
Dome Height			
Bowl Dept	-29,12		
Bowl Ø	78,00		
Valve Pocket	-0,80		
Pin Diameter	55,00 / 112,00		
Type of Design			
Piston Ring Thickness	3,50 x 3,00 x 4,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20901035		90 947 700	209 41 00	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	135,00	MIDR 635.40 G	
Comp. Height	90,30	MIDR 635.40 H	
Total Lenght	170,10		
Dome Height			
Bowl Dept	-26,00		
Bowl Ø	78,00		
Valve Pocket	-0,80		
Pin Diameter	55,00 / 112,00		
Type of Design			
Piston Ring Thickness	3,50 x 3,00 x 4,00		

Cenmak Number	Item		OEM Number	Ø mm
20902030	Piston Ring Set Std.		5000793333	135,00





Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,50	T CR	MIDR 635.40	
			MIDR 635.40 G	
			MIDR 635.40 H	
	3,00	R IF CR		
	4,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

BERLIET / SAVIEM / RVI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20903030	146539	88 031 110	209 WT 07	
	154954			
	773478			



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	135,00	MIDR 635.40	
B - Skirt Diameter Ø	143,00	MIDR 635.40 G	
C - Overall Lenght	286,00	MIDR 635.40 H	
D - Flange Ø	147,00		
E - Flange Height	7,00		
F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20903035		89 085 110		



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	135,00	MIDR 635.40	
B - Skirt Diameter Ø	143,00	MIDR 635.40 G	
C - Overall Lenght	286,00	MIDR 635.40 H	
D - Flange Ø	147,00		
E - Flange Height	7,30		
F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20903040		89 374 110		



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	135,00	MIDR 635.40	
B - Skirt Diameter Ø	143,25	MIDR 635.40 G	
C - Overall Lenght	286,00	MIDR 635.40 H	
D - Flange Ø	147,00		
E - Flange Height	7,30		
F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

BMW

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8101001	11251262365	92 790 600	082 36 00	
	11251262472			
	11251262473			
	11251262527			
	11251267365			
	1,12513E+11			

Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	84,00	E 21	316
Comp. Height	46,70		
Total Lenght	84,70		
Dome Height	6,00		
Bowl Dept			
Bowl Ø			
Valve Pocket			
Pin Diameter	22,00 / 69,00		
Type of Design			
Piston Ring Thickness	1,75 x 2,00 x 4,00		

Cenmak Number	Item		GOE Number	Ø mm
8102001	Piston Ring Set Std.		08-702100-00	84,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R IF CR	E 21	316
				318
	2,00	M		
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8101005	11251179541	90 429 600	081 17 00	
	11251721621			
	11251727711			
	11251739009			

Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	84,00	M40B16ME.8	316 i
Comp. Height	41,15		
Total Lenght	67,15		
Dome Height			
Bowl Dept	-2,75		
Bowl Ø			
Valve Pocket			
Pin Diameter	22,00 / 54,00		
Type of Design			
Piston Ring Thickness	1,50 x 1,75 x 3,00		

BMW

Cenmak Number	Item		GOE Number	Ø mm
8102005	Piston Ring Set Std.		08-702600-00	84,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,50	R IF CR	M40B16ME.8	316 i
				318 i
	1,75	N		
	3,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

CATERPILLER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
12701001	9L6979	93 232 600	127 31 00	900197
	9L8556			
	9L9104			
	9L9222			
	9L9363			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	114,30	1160	Scraper & Two
	Comp. Height	58,93	3160	Wheel Loader 613
	Total Lenght	93,23	3208	
	Dome Height			Excavator 225
	Bowl Dept	-20,93		
	Valve Pocket			
	Pin Diameter	38,10 / 81,40		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16 x 2,77		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
12701005		90 255 600		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	114,30	1160	Scraper & Two
	Comp. Height	58,93	3160	Wheel Loader 613
	Total Lenght	93,23	3208	
	Dome Height			Excavator 225
	Bowl Dept	-20,93		
	Valve Pocket			
	Pin Diameter	38,10 / 81,40		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38 x 2,38 x 4,74		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
12701010	4N0502	93 251 600		
	6N4220			
	6N4222			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	114,30	3204	
	Comp. Height	58,90		
	Total Lenght	93,20		
	Dome Height			
	Bowl Dept	-11,80		
	Valve Pocket	-4,60		
	Pin Diameter	38,10 / 81,40		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16 x 2,78		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

CATERPILLER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
12701015	2F2256-4F5225	90 189 600	127 30 00	
	7F2255-7F2257			
	7F4459-8F8570			
	8H2000-8H2001			
	8H2005-8H2007			
	8M2000-9F6049			
	9F6639-9H1257			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	114,30	D 330 A	Crawler Dozer
Comp. Height	95,50	D 330 B	D4C, D4D, D5
Total Lenght	139,70	1673	D6B, D6C, D7F
Dome Height		D 333	
Bowl Dept	-12,50	D 333 A	Truck Type Loader
Valve Pocket	-6,40		951, 951B, 955F
Pin Diameter	38,10 / 94,80		955H, 955K
Type of Design	**ALFIN**		977H, 977K
Piston Ring Thickness	3,16 x 2,38 x 5,55		Wheel Type Loader
			922B, 944A, 950
			966A, 966B
			Motor Grader
			112, 112E, 112F
			12E, 12F, 14D, 14E

Cenmak Number	Item		OEM Number	Ø mm
12702001	Piston Ring Set Std.		3S4029	114,30
			3S3079	
			4M8165	
			8S3258	
			9S8704	

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,16	R CR	D 330 A	
			D 330 B	
			1673	
	2,38	R IF CR	D 333	
			D 333 A	
	5,54	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

CATERPILLER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
12701020	9L6979-9L8556	93 232 600	127 31 00	900197
	9L9104-9L9222			
	9L9363			

Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	114,30	3208	INDUSTRIAL
Comp. Height	58,88		TRUCK
Total Lenght	93,22		MARINE
Dome Height			
Bowl Dept	-21,03		
Valve Pocket			
Pin Diameter	38,10 / 81,30		
Type of Design	**ALFIN**		
Piston Ring Thickness	3,17 x 3,17 x 2,78		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
12701025	1P0239-2P6270	93 178 600	127 58 00	900207
	2P6271-2P6272			
	3Y0651-4N9258			
	7S6791-9N1303			
	9N5250-9N5251			
	9N5404			

Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	120,65	D 330 C	
Comp. Height	73,90	D 3304	
Total Lenght	115,05	D 333 C	
Dome Height		1673	
Bowl Dept	-14,20	D 3306	
Valve Pocket	-6,67 / -7,25		
Pin Diameter	43,18 / 95,90		
Type of Design	**ALFIN**		
Piston Ring Thickness	3,16 x 2,38 x 5,54		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

CATERPILLER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
12701030	1P0439-1P439	93 611 600	127 58 00	900207
	4N4029-5C0702			
	5S2886-5S2887			
	5S9017-7N9184			
	8N3181-8N3183			
	9S2260-9S8913			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	120,65	D 3304	
Comp. Height	73,90	D 3306	
Total Lenght	115,05		
Dome Height			
Bowl Dept	-14,20		
Valve Pocket	0,920		
Pin Diameter	38,12 / 94,80		
Type of Design	**ALFIN**		
Piston Ring Thickness	3,16 x 2,38 x 5,54		

Cenmak Number	Item		OEM Number	Ø mm
12702025	Piston Ring Set Std.		9S3068	120,65

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,15	R CR	D 3304	
			D 3306	
	2,38	R IW CR		
	5,52	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
12701035	2W1711-2W3313-8N2533	90 262 600		



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	120,65	D 3306	
Comp. Height	73,90		
Total Lenght	129,90		
Dome Height			
Bowl Dept	-19,80		
Bowl Ø	85,09		
Valve Pocket	-2,10		
Pin Diameter	43,18 / 95,90		
Type of Design	**ALFIN**		
Piston Ring Thickness	3,12 x 3,12 x 3,16		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

CATERPILLER

Cenmak Number	Item		OEM Number	Ø mm
12702035	Piston Ring Set Std.		2W1709	120,65

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,12	T CR	D 3306	
	3,12	T IW CR		
	3,15	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
12701040	2W9053	90 273 600		
	8N1496			
	8N1607			

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	137,16	D 3408	
	Comp. Height	88,00	D 3412	
	Total Lenght	137,50		
	Dome Height			
	Bowl Dept	-16,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	50,80 / 111,90		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,97 x 3,11 x 3,15		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
12701045	8N1605	90 271 600		

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	137,16	D 3406	
	Comp. Height	88,00		
	Total Lenght	137,50		
	Dome Height			
	Bowl Dept	-17,80		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	50,80 / 111,90		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,97 x 3,11 x 3,15		

CATERPILLER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
12701050	7N3634	93 888 600		
	8N0843			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	137,16	D 3406	
Comp. Height	90,00	D 3408	
Total Lenght	139,50	D 3412	
Dome Height			
Bowl Dept	-16,50		
Bowl Ø			
Valve Pocket	-2,00		
Pin Diameter	50,80 / 100,70		
Type of Design	**ALFIN**		
Piston Ring Thickness	3,16 x 3,16 x 3,16		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
12701055	8N0844	93 409 600		



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	137,16	D 3408	
Comp. Height	90,00	D 3412	
Total Lenght	139,50		
Dome Height			
Bowl Dept	-18,50		
Bowl Ø	-2,00		
Valve Pocket			
Pin Diameter	50,80 / 114,90		
Type of Design	**ALFIN**		
Piston Ring Thickness	3,16 x 3,16 x 3,16		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
12701060	6N9682-8N0932	91 375 600		



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	137,16	D 346	
Comp. Height	104,47	D 348	
Total Lenght	157,30	D 349	
Dome Height			
Bowl Dept	-19,20		
Bowl Ø			
Valve Pocket	-5,30 / -5,90		
Pin Diameter	50,80 / 109		
Type of Design	**ALFIN**		
Piston Ring Thickness	2,38 x 2,38 x 6,335		

CATERPILLER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
12701065	3S4044-5S1192	93 692 600	127 65 00	
	6N8649-7N0738			
	8N0840-8N5536			
	8N8648-8N8649			
	8S2660-9N0838			
	9N2875-9S2266			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	137,16	D 343	
	Comp. Height	104,47	D 343 A	
	Total Lenght	157,30	D 1693	
	Dome Height		D 3304	
	Bowl Dept			
	Bowl Ø			
	Valve Pocket	-5,62 / -5,72		
	Pin Diameter	50,80 / 114,90		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16 x 3,16 x 3,16		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
12701070	1H5624-1H5625	92 509 600	127 40 00	900189
	1M3495-3S4040			
	4H9987-4M9112			
	6H6745-8H7981			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	146,05	D 339	
	Comp. Height	131,76	D 342 C	
	Total Lenght	208,00	D 342 T	
	Dome Height		D 13000	
	Bowl Dept	-21,70	D 364	
	Bowl Ø		D 375	
	Valve Pocket	-6,70	D 375 D	
	Pin Diameter	60,703 / 120,30	D 386	
	Type of Design	**ALFIN**	D 397	
	Piston Ring Thickness	4,76 x 2,38 x 6,35	D 397 D	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

CATERPILLER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
12701075	4N6815-7N1367	93 313 600	127 41 00	900120



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	146,05	D 342	
Comp. Height	131,76		
Total Lenght	208,00		
Dome Height			
Bowl Dept	-21,70		
Bowl Ø			
Valve Pocket	-6,70		
Pin Diameter	60,703 / 120,30		
Type of Design	**ALFIN**		
Piston Ring Thickness	3,97 x 3,97 x 6,35		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

CITROEN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3101001	5426570G-5486818B-95486818	93 198 600	031 54 00	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	74,00	M 28 CV	Acadiane
Comp. Height	34,90	2 CV AZ 6	
Total Lenght	77,40	Ami 6.AM2 / AMB2	
Dome Height	12,50		
Bowl Dept	-13,50		
Bowl Ø			
Valve Pocket			
Pin Diameter	20,00 / 63,80		
Type of Design			
Piston Ring Thickness	1,75 x 2,00 x 3,50		

Cenmak Number	Item		GOE Number	Ø mm
3102001	Piston Ring Set Std.		08-147100-10	74,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R IW CR	M 28 CV	Acadiane
			2 CV AZ 6	
			Ami 6.AM2 / AMB2	
	2,00	M		
	3,50	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3101005		93 784 600	039 78 00	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	80,00	161 A	17 D
Comp. Height	46,80	XUD 7	BX 17 RD
Total Lenght	84,50		C 15 D
Dome Height			BXD
Bowl Dept	-2,00		Visa RD 17 D
Bowl Ø			
Valve Pocket			
Pin Diameter	25,00 / 69,80		
Type of Design			
Piston Ring Thickness	2,00 x 2,00 x 3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

CITROEN

Cenmak Number	Item		GOE Number	Ø mm
3102005	Piston Ring Set Std.		08-321500-00	80,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	161 A	17 D
			XUD 7	BX 17 RD
				C 15 D
	2,00	M		BXD
				Visa RD 17 D
	3,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3103005		89 316 190		

	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	80,00	161 A	17 D
	B - Skirt Diameter Ø	83,00	XUD 7	BX 17 RD
	C - Overall Lenght	154,00		C 15 D
	D - Flange Ø	86,00		BXD
	E - Flange Height	4,50		Visa RD 17 D
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3101010	95624464	93 648 600	039 24 00	

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	83,00	162	BX 19 D
	Comp. Height	46,80	XUD 9	
	Total Lenght	84,30		
	Dome Height			
	Bowl Dept	-2,20		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	25,00 / 72,00		
	Type of Design			
	Piston Ring Thickness	2,00 x 2,00 x 3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

CITROEN

Cenmak Number	Item		GOE Number	Ø mm
3102010	Piston Ring Set Std.		08-152000-00	83,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	162	BX 19 D
			XUD 9	
	2,00	M		
	3,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3101015	95644418	93 141 600	039 94 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	83,00	XUD 9 TE	ZX
	Comp. Height	46,80		BX
	Total Lenght	19,30		XANTIA
	Dome Height			
	Bowl Dept	-3,50		
	Bowl Ø			
	Valve Pocket	-2,20		
	Pin Diameter	25,00 / 72,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,50 x 2,00 x 3,00		

Cenmak Number	Item		GOE Number	Ø mm
3102015	Piston Ring Set Std		08-325500-00	83,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,50	T CR	XUD 9 TE	ZX
				BX
				XANTIA
	2,00	N		
	3,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

CITROEN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3101020	95624932	93 846 800	039 76 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	83,00	171 BZ / C	BX 15
	Comp. Height	37,50	XU 5S	BX 16
	Total Lenght	67,50		
	Dome Height			
	Bowl Dept	-2,10		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	22,00 / 66,20		
	Type of Design			
	Piston Ring Thickness	1,75 x 1,75 x 4,00		

Cenmak Number	Item		GOE Number	Ø mm
3102020	Piston Ring Set Std.		08-151200-10	83,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	171 BZ / C	BX 15
			XU 5S	BX 16
	1,75	M		
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3103010		89 301 110		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	83,00	171 BZ / C	BX 15
	B - Skirt Diameter Ø	88,60	XU 5S	BX 16
	C - Overall Lenght	141,00	XUD 9 TE	ZX
	D - Flange Ø	97,00	162	BX
	E - Flange Height	95,19	XUD 9	XANTIA
	F - Fire Lip			BX 19 D

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

CITROEN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3103015		89 184 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	83,00	171 BZ / C	BX 15
	B - Skirt Diameter Ø	86,00	XU 5S	BX 16
	C - Overall Lenght	153,60	XUD 9 TE	ZX
	D - Flange Ø		162	BX
	E - Flange Height		XUD 9	XANTIA
	F - Fire Lip			BX 19 D

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3301025	5451026-5451388	92 862 600	031 39 00	
	5451389-5463388			
	5463389			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	90,00	1B 22.615	C32
	Comp. Height	56,00	M 22/621	C35
	Total Lenght	95,00		CX 2200
	Dome Height			
	Bowl Dept	-4,90		
	Bowl Ø			
	Valve Pocket	-2,95		
	Pin Diameter	30,00 / 78,00		
	Type of Design			
	Piston Ring Thickness	2,00 x 2,00 x 4,00		

Cenmak Number	Item		GOE Number	Ø mm
3302025	Piston Ring Set Std.		08-146100-10	90,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	1B 22.615	C32
			M 22/621	C35
				CX 2200
	2,00	M		
	4,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

CITROEN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3103025		89 003 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	90,00	1B 22.615	C32
	B - Skirt Diameter Ø	94,06	M 22/621	C35
	C - Overall Lenght	165,00		CX 2200
	D - Flange Ø			
	E - Flange Height			
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3103030		89 031 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	90,00	1B 22.615	C32
	B - Skirt Diameter Ø	94,50	M 22/621	C35
	C - Overall Lenght	164,50		CX 2200
	D - Flange Ø	96,00		
	E - Flange Height	5,00		
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3101035	95571336	93 844 700	031 82 00	
	E52280013E1			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	93,00	CRD 93	CX 25D
	Comp. Height	52,75	M22.629	C35 RD
	Total Lenght	95,00	M25.629	
	Dome Height		M25.660	
	Bowl Dept	-7,40	M25.661	
	Bowl Ø			
	Valve Pocket	-5,45		
	Pin Diameter	30,00 / 78,00		
	Type of Design			
	Piston Ring Thickness	2,50 x 2,00 x 4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

CITROEN

Cenmak Number	Item		GOE Number	Ø mm
3302035	Piston Ring Set Std.		08-152700-00	93,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,50	R CR	CRD 93	CX 25D
			M22.629	C35 RD
			M25.629	
	2,00	N	M25.660	
			M25.661	
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3103035		89 073 190		
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	93,00	CRD 93	CX 25D
	B - Skirt Diameter Ø	97,50	M22.629	C35 RD
	C - Overall Lenght	163,00	M25.629	
	D - Flange Ø	99,00	M25.660	
	E - Flange Height	5,00	M25.661	
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

DAF

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
21301001	234868-239292	90 904 600	137 16 00	
	239297-680864			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,61	DD 575	100
	Comp. Height	81,90	DS 575	900
	Total Lenght	132,70	DSD 575	1100
	Dome Height			1600
	Bowl Dept	-24,80		1800
	Bowl Ø			1900
	Valve Pocket	-2,40		1960
	Pin Diameter	33,026 / 88,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38x2,38x2,38x6,35x6,35		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
21201005				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,61	DD 575	100
	Comp. Height	73,03	DS 575	900
	Total Lenght	122,07	DSD 575	1100
	Dome Height			1600
	Bowl Dept	-23,05		1800
	Bowl Ø			1900
	Valve Pocket	-2,30		1960
	Pin Diameter	33,026 / 87,90		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38x2,38x2,38x6,35x6,35		

Cenmak Number	Item		GOE Number	Ø mm
21302001	Piston Ring Set Std.		08-164500-10	100,61
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R IF CR	DD 575	100
			DS 575	900
			DSD 575	1100
	2,38	M IF		1600
				1800
				1900
	2,38	NM		1960
	6,35	DSF		
	6,35	D		

DAF

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
21303001	0210376/1	88 253 110	137 WT 02	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	100,61	DD 575	100
	B - Skirt Diameter Ø	105,69	DS 575	900
	C - Overall Lenght	238,80	DSD 575	1100
	D - Flange Ø	115,12		1600
	E - Flange Height	12,74		1800
	F - Fire Lip			1900
				1960

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
21301010	682130	90 547 600	213 24 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	104,18	DNS 620	1100
	Comp. Height	80,00	DNT 620	1300
	Total Lenght	130,00		1700
	Dome Height			1900
	Bowl Dept	-23,50		FA 1300 NT 10
	Bowl Ø	60,00		FA 1700 NT 10
	Valve Pocket			
	Pin Diameter	42,00 / 87,50		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,50 x 4,00		

Cenmak Number	Item		GOE Number	Ø mm
21302010	Piston Ring Set Std.		08-741600-00	104,18
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	DNS 620	1100
			DNT 620	1300
				1700
	2,50	M		1900
				FA 1300 NT 10
				FA 1700 NT 10
	4,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

DAF

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
21301015	680857-1456148	91 571 600	213 22 00	A350063
	244856-507430			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	104,18	DF 615	900
Comp. Height	81,92	DT 615	1100
Total Lenght	132,72	DTD 615	1200
Dome Height			1300
Bowl Dept	-24,84		1400
Bowl Ø	60,20		1500
Valve Pocket	-2,30		1600
Pin Diameter	38,00 / 88,00		1690
Type of Design	**ALFIN**		1800
Piston Ring Thickness	2,5 x 2,5 x 2,5 x 6,0 x 6,0		1970

Cenmak Number	Item		GOE Number	Ø mm
21302015	Piston Ring Set Std.		08-164500-10	104,18

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	DF 615	900
			DT 615	1100
			DTD 615	1200
	2,50	M IF		1300
				1400
				1500
	2,50	NM		1600
				1690
				1800
	6,00	DSF		1970
	6,00	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
21302010	220095-212275	88 547 110	213 WT 01	SJ351350



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	104,18	DD 575	100, 900
B - Skirt Diameter Ø	109,01	DS 575	1100-1200
C - Overall Lenght	239,00	DSD 575	1300-1400
D - Flange Ø	117,00	DF 615	1500-1600
E - Flange Height	8,10	DT 615	1690-1800
F - Fire Lip		DTD 615	1960, 1970-1900

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

DAF

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
21301020	680859-631068-631086	93 028 600	213 32 00	A350167
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	118,00	DH 825	2000
	Comp. Height	95,00		2005
	Total Lenght	152,00		2100
	Dome Height			2105
	Bowl Dept	-26,30		
	Bowl Ø	61,00		
	Valve Pocket			
	Pin Diameter	42,00 / 99,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,5 x 3 x 3 x 6		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
21301025	680860-614823	90 112 600	213 33 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	118,00	DHR 825	1602
	Comp. Height	95,00	DHT 825	2000
	Total Lenght	152,00	DHS 825	2200
	Dome Height		DHU 825	2005
	Bowl Dept	-26,30	DHTD 825	2100
	Bowl Ø	64,84		2105
	Valve Pocket			2205
	Pin Diameter	42,00 / 99,00		2300
	Type of Design	**ALFIN**		2305
	Piston Ring Thickness	3,5 x 3 x 3 x 6		2500
				2505
				2525

Cenmak Number	Item		GOE Number	Ø mm
21302020	Piston Ring Set Std.		08-182500-10	118,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,50	T CR	DH 825	1602
			DHR 825	2000
			DHT 825	2005
	3,00	M CR	DHS 825	2005
			DHU 825	2100
			DHTD 825	2105
	3,00	M		2200
				2205
				2300
	6,00	DSF CR		2305
				2500
				2505, 2525

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

DAF

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
21303020	159288-240474	88 624 110	213 WT 02	
	241116-257340			
	396855			



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	118,00	DH 825	1602
B - Skirt Diameter Ø	123,50	DHR 825	2000
C - Overall Lenght	262,00	DHT 825	2005
D - Flange Ø	133,60	DHS 825	2005
E - Flange Height	10,05	DHU 825	2100
F - Fire Lip		DHTD 825	2105
			2200
			2205
			2300
			2305
			2500
			2505, 2525

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
21303025	159280	89 442 110		



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	118,00	DH 825	1602
B - Skirt Diameter Ø	123,75	DHR 825	2000
C - Overall Lenght	262,00	DHT 825	2005
D - Flange Ø	133,60	DHS 825	2005
E - Flange Height	10,05	DHU 825	2100
F - Fire Lip		DHTD 825	2105
			2200
			2205
			2300
			2305
			2500
			2505, 2525

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

DAF

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
21301030	683166-356888	92 130 600	213 61 00	A350008
	622249-680862			
	681336-682068			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	130,00	DK 1160	280
Comp. Height	101,00	DKA 1160	310
Total Lenght	169,50	DKL 1160	350
Dome Height		DKDL 1160	360
Bowl Dept	-29,34	DKB 1160	447
Bowl Ø	71,50		450, 460
Valve Pocket	-4,00		464, 475
Pin Diameter	48,00 / 111,00		500, 540
Type of Design	**ALFIN**		2400
Piston Ring Thickness	3,16x3,16x3,16x6,33		2600
			2605
			2800

Cenmak Number	Item		GOE Number	Ø mm
21302030	Piston Ring Set Std.		08-174100-10	130,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,16	T CR	DK 1160	280
			DKA 1160	310
			DKL 1160	350
	3,16	M CR	DKDL 1160	360
			DKB 1160	447
				450, 460
	3,16	M CR		464, 475
				500, 540
				2400
	6,33	DSF CR		2600
				2605
				2800

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

DAF

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
21301035	681963-683163	94 448 600	213 63 00	
	683598-1384904			
	1299794/01-681647			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	130,00	WS 225	
	Comp. Height	101,00	WS 259	
	Total Lenght	155,00	WS 282	
	Dome Height			
	Bowl Dept	-29,42		
	Bowl Ø	75,00		
	Valve Pocket	-0,80/1,50		
	Pin Diameter	52,00 / 106		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	4,00 x 3,16 x 4,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
21301040	96531-683169	94 447 600	213 62 10	
	683599-1299793/01			
	1384902-682544			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	130,00	WS 295	
	Comp. Height	101,00	WS 242 G	
	Total Lenght	155,00		
	Dome Height			
	Bowl Dept	-26,32		
	Bowl Ø	79,00		
	Valve Pocket	-0,80/1,50		
	Pin Diameter	52,00 / 106		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	4,00 x 3,16 x 4,00		

Cenmak Number	Item		GOE Number	Ø mm
21302035	Piston Ring Set Std.		08-743400-00	130,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	4,00	T CR	WS 225	
			WS 259	
			WS 282	
	3,16	M CR	WS 295	
			WS 242 G	
	4,00	DSF CR		

DAF

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
21303030	394080-241054	88 640 110	213 WT 03	
	256960-394080			
	396080			



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	130,00	DK 1160	280
B - Skirt Diameter Ø	136,00	DKA 1160	310
C - Overall Lenght	288,50	DKL 1160	350
D - Flange Ø	143,60	DKDL 1160	360
E - Flange Height	10,05	DKB 1160	447
F - Fire Lip		WS 225	450, 460
		WS 259	464, 475
		WS 282	500, 540
		WS 295	2400
		WS 242 G	2600
			2605
			2800

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
21303035	159289-256960	89 413 110		



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	130,00	DK 1160	280
B - Skirt Diameter Ø	130,26	DKA 1160	310
C - Overall Lenght	288,50	DKL 1160	350
D - Flange Ø	144,00	DKDL 1160	360
E - Flange Height	10,05	DKB 1160	447
F - Fire Lip		WS 225	450, 460
		WS 259	464, 475
		WS 282	500, 540
		WS 295	2400
		WS 242 G	2600
			2605
			2800

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

DAVID BROWN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9101001				181704
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	92,08	30 D	900 Series
	Comp. Height	60,39	30 TD	950 Series
	Total Lenght	99,21	50 D	
	Dome Height		50 TD	
	Bowl Dept	-16,916		
	Bowl Ø	53,5		
	Valve Pocket	36,00 / - 4,50		
	Pin Diameter	31,75		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x2,38x4,76		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9101005	K902667-K902668			350006
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	92,08	AD4/47	990 Series
	Comp. Height	60,39		
	Total Lenght	99,21		
	Dome Height			
	Bowl Dept	-16,916		
	Bowl Ø	57,1		
	Valve Pocket	Ø40,00 / - 5,00		
	Pin Diameter	31,75		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x2,38x4,76		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
	K921788-K943880			
9101010	K943884-K943887			583206
	K949474			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,05	AD3/55	780, 880
	Comp. Height	60,38	AD4/55	885, 1190, 1194
	Total Lenght	99,21		995, 996
	Dome Height			1200, 1210, 1212
	Bowl Dept	-19,291		1290, 1294
	Bowl Ø	58,75		1390, 1394
	Valve Pocket	-5,436		
	Pin Diameter	31,75 / 87,00		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x2,38x4,76		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

DAVID BROWN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9101015	K949721-K943883-K943891			586006
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,05	AD3/49	770 Series
	Comp. Height	66,73	AD4/49	990 Series
	Total Lenght	111,91		
	Dome Height			
	Bowl Dept	-15,913		
	Bowl Ø	58,75		
	Valve Pocket	-5,436		
	Pin Diameter	31,75 / 87,00		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x2,38x4,76		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9101020	K944573			A350188
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,05	AD4/55	1394T
	Comp. Height	60,38	AD4/55T	1410
	Total Lenght	105,56	AD6/55	1412
	Dome Height		AD6/55T	1490
	Bowl Dept	-20,244		1494
	Bowl Ø	58,75		1690
	Valve Pocket	-5,436		1694
	Pin Diameter	31,75 / 87,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38x2,38x2,38x4,76		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9101025	K206954			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,05	AD6/55	1594
	Comp. Height	60,38		
	Total Lenght	105,56		
	Dome Height			
	Bowl Dept	-20,244		
	Bowl Ø	58,75		
	Valve Pocket	-5,436		
	Pin Diameter	31,75 / 87,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38x2,38x2,38x4,76		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

DAVID BROWN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9103010	K964857			SU351121
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	100,05	AD3/55	780, 880
	B - Skirt Diameter Ø	105,08	AD4/55	885, 1190, 1194
	C - Overall Lenght	212,20	AD3/49	995, 996
	D - Flange Ø		AD4/49	1200, 1210, 1212
	E - Flange Height		AD4/55	1290, 1294
	F - Fire Lip		AD4/55T	1390, 1394
			AD6/55	770 Series
			AD6/55T	990 Series
				1394T, 1410, 1594
				1412, 1490, 1494
				1690, 1694

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701000	1900587-1900884-1900885	90 451 700	007 20 00	666324
	1900886-1900932-4271876			
	4271877-4271878-5880462			
	5880463-5880464-5881664-5881665			

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	65,00	100 G.000	127
	Comp. Height	30,75	100 G.002	850 S
	Total Lenght	61,25	100 GC.000	850
	Dome Height		100 GF.000	900
	Bowl Dept		100 GF.0C.0	Fiorino
	Bowl Ø		100 GL.0N.0	Panda 45
	Valve Pocket		100 GL 3.000	Uno 45
	Pin Diameter	19,99 / 54,00	100 GL.000	
	Type of Design		100 GL .3C.0	
	Piston Ring Thickness	1,75 x 2,00 x 3,947	100 GL.9N.0	
			100 GS.00	

Cenmak Number	Item		GOE Number	Ø mm
00702000	Piston Ring Set Std.		08-209800-10	65,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,75	R CR	100 G.000	127
			100 G.002	850 S
			100 GC.000	850
	2,00	NM	100 GF.000	900
			100 GF.0C.0	Fiorino
			100 GL.0N.0	Panda 45
	3,947	DSF CR	100 GL 3.000	Uno 45
			100 GL.000	
			100 GL .3C.0	
			100 GL.9N.0	
			100 GS.00	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701005				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	68,00	103 D 000	1100
	Comp. Height	46,00	103 E 000	1100 R
	Total Lenght	72,00	103 H 000	1100 T
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	21,99 / 56,00		
	Type of Design			
	Piston Ring Thickness	2,50 x 2,50 x 3,947		

Cenmak Number	Item		GOE Number	Ø mm
00702005	Piston Ring Set Std.			68,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	103 D 000	1100
			103 E 000	1100 R
			103 H 000	1100 T
	2,50	NM		
	3,947	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701010				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	68,00		
	Comp. Height	42,85		
	Total Lenght	76,83		
	Dome Height	-6,85		
	Bowl Dept			
	Bowl Ø			
	Valve Pocket	-2,14		
	Pin Diameter	20,00 / 57,50		
	Type of Design			
	Piston Ring Thickness	2,00 x 2,00 x 4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	Item		GOE Number	Ø mm
00702010	Piston Ring Set Std.			68,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R CR		
	2,00	NM		
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	Mondial Number
00701015	5882320-5888771-5888772	94 348 600	008 99 00	66.40.4.9436
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	70,00	156 A 2.. KAT	Uno 45
	Comp. Height	33,85		Panda 1000
	Total Lenght	57,65		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket	-0,50		
	Pin Diameter	17,99 / 53,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 1,50 x 3,00		

Cenmak Number	Item		GOE Number	Ø mm
00702015	Piston Ring Set Std.		08-154200-00	70,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,50	R CR	156 A 2.. KAT	Uno 45
				Panda 1000
	1,50	NM		
	3,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701020	4128850-4128855	90 392 600	007 47 00	664425
	70016750-70016770			
	901984-901985-901986			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	72,00	116 000	
Comp. Height	37,00	116 C.000	
Total Lenght	90,90		
Dome Height	10,90		
Bowl Dept			
Bowl Ø			
Valve Pocket	-1,80		
Pin Diameter	21,99 / 59,50		
Type of Design			
Piston Ring Thickness	2,00 x 2,00 x 3,947		

Cenmak Number	Item		GOE Number	Ø mm
00702020	Piston Ring Set Std.		08-200400-00	72,00

Ring Type	Diamention mm			Used in Vehicles
	2,00	R CR	156 A 2.. KAT	1300
	2,00	NM		
	3,947	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701025	1900387-1900388-1900389 1900581-1900583-1900960 1900961-1900962-4168488 4168489-4168490-5880499 5880500-5880501 70013700-70013770 902153-902237-902238-902239	90 548 600	007 49 00	665733

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	73,00	124 A.000	124
	Comp. Height	37,75	124 B.000	238
	Total Lenght	79,85	124 B.040	
	Dome Height	2,80	124 BL.016	
	Bowl Dept		124 FA.000	
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	21,99 / 64,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00 x 3,947		

Cenmak Number	Item		GOE Number	Ø mm
00702025	Piston Ring Set Std.		08-201600-10	73,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,50	R CR	124 A.000	124
			124 B.000	238
			124 B.040	
	2,00	NM	124 BL.016	
			124 FA.000	
	3,947	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701030	4394930-5880758 5880759-5880760	93 145 600	008 57 00	667061



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	76,00	127 A.000	127
Comp. Height	35,55	127 A.046	Ritmo 60
Total Lenght	76,05	127 AB.ON 0	
Dome Height	0,50	127 AB.1C.0	
Bowl Dept		127 AE.OA.0	
Bowl Ø		127 A6.054	
Valve Pocket	-4,00		
Pin Diameter	21,99 / 67,00		
Type of Design			
Piston Ring Thickness	1,50 x 2,00 x 3,947		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701035	5881065-5881066-5881067	93 848 600	008 54 00	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	76,00	138 A.000	147
Comp. Height	35,55	1,3 Ltr.	Uno
Total Lenght	76,05		Ritmo 60
Dome Height	0,50		
Bowl Dept			
Bowl Ø			
Valve Pocket	-3,2		
Pin Diameter	19,99 / 65,50		
Type of Design			
Piston Ring Thickness	1,50 x 2,00 x 3,947		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701040	5888212-5888213	92 916 600		



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	76,00	131 A.000	131
Comp. Height	38,45	131 A 6.000	1300 Mirafori
Total Lenght	77,95		
Dome Height	0,50		
Bowl Dept			
Bowl Ø			
Valve Pocket			
Pin Diameter	21,99 / 61,00		
Type of Design			
Piston Ring Thickness	1,50 x 2,00 x 3,947		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701045				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	76,00	1301 ccm	131 Berline
	Comp. Height	38,45		131 Supermirafori
	Total Lenght	77,87		131 Panaroma
	Dome Height	4,91		
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	21,99 / 61,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00 x 3,947		

Cenmak Number	Item		GOE Number	Ø mm
00702030	Piston Ring Set Std.		08-268700-00	76,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	127 A.000	127
			127 A.046	131
			127 AB.ON 0	147
	2,00	NM	127 AB.1C.0	Uno
			127 AE.OA.0	Ritmo 60
			127 A6.054	Fiorino
	3,947	DSF CR	138 A.000	Duna 60 / 70
			131 A 6.000	
			131 A.000	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703030				
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	76,00	1301 ccm	131 Berline
	B - Skirt Diameter Ø	81,08		131 Supermirafori
	C - Overall Lenght	134,3		131 Panaroma
	D - Flange Ø			
	E - Flange Height			
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701050	4461942-5881361	93 497 600	007 32 00	
	5881362-5881363			
	5888972-5888973-5888974			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	76,00	127 A5.000	127 D
Comp. Height	47,15	127 AB.5C.0	Panda D
Total Lenght	79,15		Uno D
Dome Height	4,90		
Bowl Dept			
Bowl Ø			
Valve Pocket			
Pin Diameter	21,99 / 64,50		
Type of Design	**ALFIN**		
Piston Ring Thickness	2,50 x 2,00 x 3,00		

Cenmak Number	Item		GOE Number	Ø mm
00702050	Piston Ring Set Std.		08-215200-10	76,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	T CR	127 A5.000	127 D
			127 AB.5C.0	Panda D
				Uno D
	2,00	M		
	3,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703050		89 160 190		



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	76,00	127 A5.000	127 D
B - Skirt Diameter Ø	79,00	127 AB.5C.0	Panda D
C - Overall Lenght	135,50		Uno D
D - Flange Ø			
E - Flange Height			
F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701055				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	78,00	131 C	131
	Comp. Height	38,55	131 C1.000	Supermirafori
	Total Lenght	78,00		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	21,99 / 60,70		
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00 x 3,947		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701060				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	78,00	131 C	131
	Comp. Height	38,55	131 C1.000	Supermirafori
	Total Lenght	78,00		
	Dome Height	3,65		
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	21,99 / 60,70		
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00 x 3,947		

Cenmak Number	Item		GOE Number	Ø mm
00702055	Piston Ring Set Std.			78,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	131 C	131
			131 C1.000	Supermirafori
	2,00	NM		
	3,947	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701062				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,00	1600 ccm	131
	Comp. Height	38,89		
	Total Lenght	67,22		
	Dome Height	4,90		
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	21,99 / 67,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00 x 3,947		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701065	19002502-19002624-19002640	91 587 600	007 58 00	
	1900265-1900266-1900502			
	1900503-1900504-1900624			
	4203753-4255847-4255848			
	4255849-5880529-5880530			
	5880531-5881548-5881549			
	5881550-5882482-5882483			
	5882484-72145010			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,00	128 A.000	128 Sport Coupe
	Comp. Height	34,70	128 AC 5.000	Ritmo 60
	Total Lenght	77,30	128 BB.0A0	Uno 55
	Dome Height	0,60	138 A.000	Strada
	Bowl Dept		138 B.000	
	Bowl Ø		138 AE.0A.0	
	Valve Pocket	-2,60		
	Pin Diameter	21,99 / 70,80		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	1,50 x 2,00 x 3,947		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701070				



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	80,00	124 AC/AAC3/AZ2	124 Special T
Comp. Height	37,75		124 Sport Coupe
Total Lenght	79,80		Spider
Dome Height			241 T
Bowl Dept			1100 T4
Bowl Ø			
Valve Pocket			
Pin Diameter	21,99 / 70,80		
Type of Design			
Piston Ring Thickness	1,50 x 2,00 x 3,947		

Cenmak Number	Item		GOE Number	Ø mm
00702070	Piston Ring Set Std.		08-230100-10	80,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	131 C	131
			131 C1.000	Supermirafori
			128 A.000	128 Sport Coupe
	2,00	NM	128 AC 5.000	Ritmo 60
			128 BB.0A0	Uno 55
			138 A.000	Strada
	3,947	DSF CR	138 B.000	124 Special T
			138 AE.0A.0	124 Sport Coupe
			124 AC/AAC3/AZ2	241 T

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	GOE Number
00701075				87.70735STD.



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	80,50	138	Şahin
Comp. Height	33,20	Tofaş 1400 ccm.	
Total Lenght	65,15	91 RON	
Dome Height			
Bowl Dept	-2,90		
Bowl Ø			
Valve Pocket			
Pin Diameter	21,99 / 58,00		
Type of Design			
Piston Ring Thickness	1,50 x 1,75 x 3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	Item		GOE Number	Ø mm
00702075	Piston Ring Set Std.		06-835700-00	80,50
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,50	R CR	Tofaş 1400 ccm.	Şahin
	1,75	NM		
	3,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701080	5984205	93 916 600		
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	82,60	149 B3.000	Uno 60 D
	Comp. Height	42,6O	149 A1.000	Duna D
	Total Lenght	84,2O	M 707 AT 19.0	Ritmo D
	Dome Height	2,4O	199 A1.000	Regata D
	Bowl Dept			Ritmo TDS
	Bowl Ø			Regata TDS
	Valve Pocket			
	Pin Diameter	25,00 / 69,30		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,50 x 2,00 x 4,00		

Cenmak Number	Item		GOE Number	Ø mm
00702080	Piston Ring Set Std.		08-782300-00	82,60
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,50	T CR	149 B3.000	Uno 60 D
			149 A1.000	Duna D
			M 707 AT 19.0	Ritmo D
	2,00	NM	199 A1.000	Regata D
				Ritmo TDS
				Regata TDS
	4,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703080		89 094 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	82,60	149 B3.000	Uno 60 D
	B - Skirt Diameter Ø	86,00	149 A1.000	Duna D
	C - Overall Lenght	147,50	M 707 AT 19.0	Ritmo D
	D - Flange Ø		199 A1.000	Regata D
	E - Flange Height			Ritmo TDS
	F - Fire Lip			Regata TDS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701085				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	82,60	138 TD.000	Ritmo TD
	Comp. Height	42,20	149 A1.000	Regata TD
	Total Lenght	76,00		
	Dome Height	2,50		
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	26,00 / 69,30		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,00 x 3,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701090		90 613 600		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	82,60	160 A6.000	Tipo TD
	Comp. Height	42,40	280 A1.000	Tempra TD
	Total Lenght	76,00		Ducato TD
	Dome Height	2,50		
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	26,00 / 69,30		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,00 x 3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	Item		GOE Number	Ø mm
00702085	Piston Ring Set Std.		08-783800-00	82,60
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,00	T CR	138 TD.000	Ritmo TD
			149 A1.000	Regata TD
			160 A6.000	Tipo TD
	2,00	NM	280 A1.000	Tempra TD
				Ducato TD
				Regata TDS
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703085		89 424 190		
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	82,60	138 TD.000	Ritmo TD
	B - Skirt Diameter Ø	86,00	149 A1.000	Regata TD
	C - Overall Lenght	147,50	160 A6.000	Tipo TD
	D - Flange Ø	89,00	280 A1.000	Tempra TD
	E - Flange Height	4,50		Ducato TD
	F - Fire Lip			Regata TDS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703090				
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	82,60	138 TD.000	Ritmo TD
	B - Skirt Diameter Ø	87,00	149 A1.000	Regata TD
	C - Overall Lenght	154,00	160 A6.000	Tipo TD
	D - Flange Ø	90,00	280 A1.000	Tempra TD
	E - Flange Height	4,60		Ducato TD
	F - Fire Lip			Regata TDS

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701095	5881190-5881191 5881192-5968841	93 561 600	008 63 00	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	83,00	138 B6.000	Ritmo D
Comp. Height	45,90	138 A5.000	Regata D
Total Lenght	85,00	M 700 AA.17.0	
Dome Height			
Bowl Dept	-2,90		
Bowl Ø			
Valve Pocket			
Pin Diameter	25,00 / 71,10		
Type of Design	**ALFIN**		
Piston Ring Thickness	2,50 x 2,00 x 4,00		

Cenmak Number	Item		GOE Number	Ø mm
00702095	Piston Ring Set Std.		08-215100-10	83,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	T CR	138 B6.000	Ritmo D
			138 A5.000	Regata D
			M 700 AA.17.0	
	2,00	NM		
	4.00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703095		89 094 190		



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	83,00	138 B6.000	Ritmo D
B - Skirt Diameter Ø	86,00	138 A5.000	Regata D
C - Overall Lenght	147,50	M 700 AA.17.0	
D - Flange Ø			
E - Flange Height			
F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701100	0007760-4238575-4277059	92 425 600	007 75 00	666361
	4277060-4277610-5880221			
	5880223-5880607-5880608			
	5880609-59535			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,00	132 AB.000	132 Special
	Comp. Height	38,45	132 A1.000	
	Total Lenght	79,55	132 AB.1AO	
	Dome Height	1,60	132 B1.000	
	Bowl Dept		132 BB.1AO	
	Bowl Ø		132 C1.000	
	Valve Pocket			
	Pin Diameter	21,99 / 68,10		
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00 x 3,947		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701105	4363111-5880748	93 279 600	008 66 00	667173
	5880749-5880750			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,00	132 DB.2A.O	132 - 2000
	Comp. Height	38,45	131 A1.000	131 Racing
	Total Lenght	77,95	131 B2.000	Argetta 2000-100
	Dome Height		131 C4.000	Argetta 2000-120
	Bowl Dept		132 B2.000	
	Bowl Ø		1321 D1.000	
	Valve Pocket		132 C3.000	
	Pin Diameter	21,99 / 68,10	132 C3.054	
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00 x 3,947		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701110	000751-5880139-5880249-5880250	92 915 600	008 65 00	666709
	5880565-5880566-5880567-5880622			
	5880623-5880624-5880731-5880732			
	5880733			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	84,00	131 A1.000	131 Mirafori
Comp. Height	38,50	131 A.000	Brava (USA)
Total Lenght	78,00		
Dome Height			
Bowl Dept			
Bowl Ø			
Valve Pocket			
Pin Diameter	21,99 / 69,00		
Type of Design			
Piston Ring Thickness	1,50 x 2,00 x 3,947		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701115	5881065-5881066-5881067	93 948 600	008 54 00	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	84,00	149 A.000	
Comp. Height	38,50	131 A GL	
Total Lenght	78,00	M 203 AA.16.0	
Dome Height			
Bowl Dept			
Bowl Ø			
Valve Pocket			
Pin Diameter	21,99 / 69,00		
Type of Design			
Piston Ring Thickness	1,50 x 2,00 x 3,947		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	Item		GOE Number	Ø mm
00702100	Piston Ring Set Std.		08-215100-10	84,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,50	R CR	131 A GL	132 Special
			131 A.000	132 - 2000
			131 A1.000	131 Racing
	2,00	NM	131 A1.000	Argetta 2000-100
			131 B2.000	Argetta 2000-120
			131 C4.000	131 Mirafori
	3,947	DSF CR	132 A1.000	Brava (USA)
			132 AB.000	
			132 AB.1AO	
			132 B1.000	
			132 B2.000	
			132 BB.1AO	
			132 C1.000	
			132 C3.000	
			132 C3.054	
			132 DB.2A.O	
			1321 D1.000	
			149 A.000	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701120	1900795-1900796-1900797-1900797	93 449 600	007 80 00	666298
	4256977-4256978-4256979-4271498			
	4310575-4310576-4310577-5880040			
	5880541-5880547-5880548-5880549			

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	86,00	128 A1.000	128 Rallye
	Comp. Height	34,70	128 AR.000	128 Sport Coupe
	Total Lenght	77,30	128 AC.000	128 3P
	Dome Height	0,60	128 BB 1A.0	X1-9
	Bowl Dept		128 AS.000	
	Bowl Ø			
	Valve Pocket	-3,50		
	Pin Diameter	21,99 / 69,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00 x 3,947		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	Item		GOE Number	Ø mm
00702120	Piston Ring Set Std.		08-206400-10	86,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,50	R CR	128 A1.000	128 Rallye
			128 AR.000	128 Sport Coupe
			128 AC.000	128 3P
	2,00	NM	128 BB 1A.0	X1-9
			128 AS.000	
	3,947	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701125	5881016-5881017-5881018-5881019	93 302 600	008 71 00	666942
	5881273-5881274-5881275-5881791			
	5881792-5881793			
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	86,40	138 AS.000	X 1/9 Bertone
	Comp. Height	34,45	128 AS.000	Ritmo
	Total Lenght	73,95	138 A2.000	Cabrio
	Dome Height		138 B3.048	Ritmo 75
	Bowl Dept			Regata 75
	Bowl Ø			Uno SX
	Valve Pocket	-2,49		
	Pin Diameter	21,99 / 69,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00 x 3,947		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701130	5880912-5880913-5880914-5881803	93 301 600	008 72 00	667199
	5882951-5882952-5882953-81191545			
	81191547-81191549			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	86,40	138 A1.000	Ritmo 65
Comp. Height	34,15	138 B2.000	Ritmo 70
Total Lenght	73,65	M 200 AA.13.0	Strada (USA)
Dome Height		128 A3.000	Uno 70
Bowl Dept			Regata 70
Bowl Ø			Ritmo Super 75
Valve Pocket	-2,41		
Pin Diameter	21,99 / 69,00		
Type of Design			
Piston Ring Thickness	1,50 x 2,00 x 3,947		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701135	5881784-5881785-5881786	90 699 600	008 74 00	
	5882918-5882919-5882920			
	5890243-5890244-5890245			
	5959093			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	86,40	138 B3.000	Ritmo 85 S
Comp. Height	35,00		Regata 85
Total Lenght	74,50		Uno SX
Dome Height			
Bowl Dept	-0,60		
Bowl Ø			
Valve Pocket	-3,28		
Pin Diameter	21,99 / 69,00		
Type of Design			
Piston Ring Thickness	1,50 x 2,00 x 3,947		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701140				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	86,40	138 A1.000	Ritmo 65L, CL
	Comp. Height	34,70	138 A3.000	Ritmo Super 75
	Total Lenght	74,00		X1/9
	Dome Height			Strada 65
	Bowl Dept			Strada 70
	Bowl Ø			
	Valve Pocket	-3,65		
	Pin Diameter	21,99 / 69,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00 x 3,947		

Cenmak Number	Item		GOE Number	Ø mm
00702125	Piston Ring Set Std.		08-209700-00	86,40
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	128 A3.000	Regata 70
			128 AS.000	Cabrio
			138 A1.000	Regata 75
	2,00	NM	138 A2.000	Regata 85
			138 A3.000	Ritmo
			138 AS.000	Ritmo 65
	3,947	DSF CR	138 B2.000	Ritmo 65L, CL
			138 B3.000	Ritmo 70
			138 B3.048	Ritmo 75
			M 200 AA.13.0	Ritmo 85 S
				Ritmo Super 75
				Strada (USA)
				Strada 65
				Strada 70
				Uno 70
				Uno SX
				X 1/9 Bertone
				X1/9

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701145	7303499	93 883 600	008 06 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	93,00	8144.67	Argenta D
	Comp. Height	54,00		Croma D
	Total Lenght	88,00		
	Dome Height			
	Bowl Dept	-2,20		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	32,00 / 75,000		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,00 x 3,00		

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701150	98443923-99443923	90 681 600	008 94 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	93,00	8140.27.200	Turbo Daily 35.10
	Comp. Height	58,75	8140.27.2101	Daily 40
	Total Lenght	96,75		Daily 45
	Dome Height			
	Bowl Dept	-17,90		
	Bowl Ø	38,00		
	Valve Pocket			
	Pin Diameter	32,00 / 75,000		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,00 x 3,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701155	1907696-4825853-7303023-7303024	93 123 600	008 05 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	93,00	8140.21	Ducato 14
	Comp. Height	58,75	8144.21	Ducato 18
	Total Lenght	96,75		
	Dome Height			
	Bowl Dept	-17,90		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	32,00 / 75,000		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,00 x 3,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701160				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	93,00		
	Comp. Height	53,95		
	Total Lenght	88,90		
	Dome Height			
	Bowl Dept	-2,10		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	32,00 / 75,000		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,00 x 3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703145	4706491-7301804	89 066 190	007 WV 39	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	93,00	8140.21	Argenta D
	B - Skirt Diameter Ø	96,00	8140.27.200	Croma D
	C - Overall Lenght	167,00	8140.27.2101	Daily 40
	D - Flange Ø		8144.21	Daily 45
	E - Flange Height		8144.67	Ducato 14
	F - Fire Lip			Ducato 18
				Turbo Daily 35.10

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703150	3003473-7302135-7302453	89 183 190	007 WV 43	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	93,00	8140.21	Argenta D
	B - Skirt Diameter Ø	96,00	8140.27.200	Croma D
	C - Overall Lenght	167,30	8140.27.2101	Daily 40
	D - Flange Ø	98,90	8144.21	Daily 45
	E - Flange Height	5,00	8144.67	Ducato 14
	F - Fire Lip			Ducato 18
				Turbo Daily 35.10

Cenmak Number	Item		GOE Number	Ø mm
00702145	Piston Ring Set Std.		08-245200-00	93,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	T CR	8140.21	Argenta D
			8140.27.200	Croma D
			8140.27.2101	Daily 40
	2,00	NM	8144.21	Daily 45
			8144.67	Ducato 14
				Ducato 18
	4,00	DSF CR		Turbo Daily 35.10

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701165	7300680-7300884-7301393-7301400 7301503-7301808-7301813-7301818 7301923-7302290-7701349710	93 378 600	007 98 00	A 667324



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	93,00	8142.61	Daily / Grinta 30
Comp. Height	55,00	8144.61	30.F.8
Total Lenght	90,00	8140.61.200	32.F.8
Dome Height		8140.61.230	35.F.8
Bowl Dept	-2,20	8140.61.300	40.F.8
Bowl Ø			90 T
Valve Pocket			238 E
Pin Diameter	32,00 / 75,000		Ducato 13
Type of Design	**ALFIN**		Autocaro
Piston Ring Thickness	3,00 x 2,00 x 4,00		131 Mirafori D
			132 D
			Argetta D
			Campagnola D

Cenmak Number	Item		GOE Number	Ø mm
00702165	Piston Ring Set Std.		08-214500-10	93,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	8142.61	Daily / Grinta 30
			8144.61	30.F.8
			8140.61.200	32.F.8
	2,00	NM	8140.61.230	35.F.8
			8140.61.300	40.F.8
				90 T
	4,00	DSF CR		238 E
				Ducato 13
				Autocaro
				131 Mirafori D
				132 D
				Argetta D
				Campagnola D

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701170	1900393-1900403-1900691	91 476 600	007 85 00	
	1900692-1900701-1909199			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	95,00	802000	225, 250, 255
	Comp. Height	59,65	8025.01	300, 350, 355
	Total Lenght	101,65	803000	400, 420, 450
	Dome Height		8035.01	455, 460, 470
	Bowl Dept	-23,50	804000	480, 500, 550
	Bowl Ø		8045.01	555, 615N2
	Valve Pocket		806000	625N2, 650N2
	Pin Diameter	32,00 / 84,00	8065.01.000	662N2, 900
	Type of Design			314.2, 416A, 418AL
	Piston Ring Thickness	2,50 x 2,50 x 5,50		FL4C, AD4

Cenmak Number	Item		GOE Number	Ø mm
00702170	Piston Ring Set Std.		08-214500-10	95,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	802000	225, 250, 255
			8025.01	300, 350, 355
			803000	400, 420, 450
	2,50	NM	8035.01	455, 460, 470
			804000	480, 500, 550
			8045.01	555, 615N2
	5,50	DSF CR	806000	625N2, 650N2
			8065.01.000	662N2, 900
				314.2, 416A, 418AL
				FL4C, AD4

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703170		88 593 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	95,00	802000	225, 250, 255
	B - Skirt Diameter Ø	99,00	8025.01	300, 350, 355
	C - Overall Lenght	187,50	803000	400, 420, 450
	D - Flange Ø		8035.01	455, 460, 470
	E - Flange Height		804000	480, 500, 550
	F - Fire Lip		8045.01	555, 615N2
			806000	625N2, 650N2
			8065.01.000	662N2, 900
				314.2, 416A, 418AL
				FL4C, AD4

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703175		88 699 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	95,00	802000	225, 250, 255
	B - Skirt Diameter Ø	99,50	8025.01	300, 350, 355
	C - Overall Lenght	187,50	803000	400, 420, 450
	D - Flange Ø		8035.01	455, 460, 470
	E - Flange Height		804000	480, 500, 550
	F - Fire Lip		8045.01	555, 615N2
			806000	625N2, 650N2
			8065.01.000	662N2, 900
				314.2, 416A, 418AL
				FL4C, AD4

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703180		88 800 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	95,00	802000	225, 250, 255
	B - Skirt Diameter Ø	100,00	8025.01	300, 350, 355
	C - Overall Lenght	187,50	803000	400, 420, 450
	D - Flange Ø		8035.01	455, 460, 470
	E - Flange Height		804000	480, 500, 550
	F - Fire Lip		8045.01	555, 615N2
			806000	625N2, 650N2
			8065.01.000	662N2, 900
				314.2, 416A, 418AL
				FL4C, AD4

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701190	1902053	92 239 600	007 96 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	8025.02	616, 625, 650
	Comp. Height	59,65	8030.02	662, 350, 355
	Total Lenght	101,65	8035.02	480, 500, 505
	Dome Height		8040.02	540
	Bowl Dept	-23,65	8045.02	Movterra 4
	Bowl Ø		8060.02	AD4, FL4C, 4D
	Valve Pocket			600, 605, 640
	Pin Diameter	32,00 / 84,00		670, 680, TL5
	Type of Design			
	Piston Ring Thickness	2,50 x 2,50 x 5,50		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701195	1909167-1909207-1901132	92 628 600	007 97 00	667239
	1901462-4712886-79037500			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	100,00	8025.02	300, 350, 355
Comp. Height	59,65	8030.02	400, 440, 446
Total Lenght	101,65	8035.02	450,455, 466
Dome Height		8040.02	470, 474, 480
Bowl Dept	-24,80	8045.02	488, 500, 505
Bowl Ø		8060.02	540, 600, 605
Valve Pocket		8065.02	640, 665, 666
Pin Diameter	32,00 / 84,00		670, 680, 688
Type of Design			980, 1000
Piston Ring Thickness	2,50 x 2,50 x 5,50		1180, M112

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701200	1930241		008 18 00	21234001



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	100,00	8035.06	54.56
Comp. Height	65,10	8045.06	
Total Lenght	108,50	8065.06	
Dome Height			
Bowl Dept	-22,70		
Bowl Ø			
Valve Pocket			
Pin Diameter	38,00 / 85,00		
Type of Design			
Piston Ring Thickness	2,50 x 2,50 x 5,5		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	Item		GOE Number	Ø mm
00702190	Piston Ring Set Std.		08-207200-00	100,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,50	R CR	8025.02	300, 350, 355
			8030.02	400, 440, 446
			8035.02	450,455, 466
	2,50	NM	8040.02	470, 474, 480
			8045.02	480, 500, 505
			8060.02	488, 500, 505
	5,50	DSF CR	8065.02	540, 600, 605
				600, 605, 640
				616, 625, 650
				640, 665, 666
				662, 350, 355
				670, 680, 688
				670, 680, TL5
				980, 1000
				1180, M112
				AD4, FL4C, 4D
				Movterra 4

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701205				
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	100,00	8065.00.000	Tumosan
	Comp. Height	65,10	8201	Turk Tractor
	Total Lenght	108,50		
	Dome Height			
	Bowl Dept	-22,70		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	38,00 / 85,00		
	Type of Design			
	Piston Ring Thickness	2,50 x 2,50 x 4,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701210				
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	100,00	8025.02	300, 350, 355
	Comp. Height	59,55	8030.02	400, 440, 446
	Total Lenght	101,30	8035.02	450,455, 466
	Dome Height		8040.02	470, 474, 480
	Bowl Dept	-23,50	8045.02	488, 500, 505
	Bowl Ø		8060.02	540, 600, 605
	Valve Pocket		8065.02	640, 665, 666
	Pin Diameter	34,00 / 84,00		670, 680, 688
	Type of Design			980, 1000
	Piston Ring Thickness	2,50 x 2,50 x 4,00		1180, M112

FIAT

Cenmak Number	Item		GOE Number	Ø mm
00702205	Piston Ring Set Std.		08-781900-00	100,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,50	R CR	8025.02	300, 350, 355
			8030.02	400, 440, 446
			8035.02	450,455, 466
	2,50	NM	8040.02	470, 474, 480
			8045.02	488, 500, 505
			8060.02	540, 600, 605
	4.00	DSF CR	8065.02	640, 665, 666
				670, 680, 688
				980, 1000
				1180, M112

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703190	4653280	88 631 190	007 WV 09	
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	100,00	8025.02	300, 350, 355
	B - Skirt Diameter Ø	103,00	8030.02	400, 440, 446
	C - Overall Lenght	187,00	8035.02	450,455, 466
	D - Flange Ø		8040.02	470, 474, 480
	E - Flange Height		8045.02	480, 500, 505
	F - Fire Lip		8060.02	488, 500, 505
			8065.02	540, 600, 605
				600, 605, 640
				616, 625, 650
				640, 665, 666
				662, 350, 355
				670, 680, 688
				670, 680, TL5
				980, 1000
				1180, M112
				AD4, FL4C, 4D
				Movterra 4

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703195	4653281	88 801 190	007 WV 10	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	100,00	8025.02	300, 350, 355
	B - Skirt Diameter Ø	103,50	8030.02	400, 440, 446
	C - Overall Lenght	187,50	8035.02	450,455, 466
	D - Flange Ø		8040.02	470, 474, 480
	E - Flange Height		8045.02	480, 500, 505
	F - Fire Lip		8060.02	488, 500, 505
			8065.02	540, 600, 605
				600, 605, 640
				616, 625, 650
				640, 665, 666
				662, 350, 355
				670, 680, 688
				670, 680, TL5
				980, 1000
				1180, M112
				AD4, FL4C, 4D
				Movterra 4

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703200		88 802 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	100,00	8025.02	300, 350, 355
	B - Skirt Diameter Ø	104,00	8030.02	400, 440, 446
	C - Overall Lenght	187,50	8035.02	450,455, 466
	D - Flange Ø		8040.02	470, 474, 480
	E - Flange Height		8045.02	480, 500, 505
	F - Fire Lip		8060.02	488, 500, 505
			8065.02	540, 600, 605
				600, 605, 640
				616, 625, 650
				640, 665, 666
				662, 350, 355
				670, 680, 688
				670, 680, TL5
				980, 1000
				1180, M112
				AD4, FL4C, 4D
				Movterra 4

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701215	1901395	90 654 600	007 94 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	103,00	8031.04	505, 566, 570
	Comp. Height	59,55	8035.04	580, 588, R8056
	Total Lenght	101,15	8040.04.200	565C, C8066
	Dome Height		8041.04	50-55, 766, 780
	Bowl Dept	-22,70	8045.04.300	788, C-R8076
	Bowl Ø	50,00	8055.04.200	765C, 855C, 880
	Valve Pocket		8060.04.060	955C, 1000S
	Pin Diameter	34,00 / 89,80	8060.24	1180
	Type of Design		2251814	
	Piston Ring Thickness	2,50 x 2,50 x 4,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701220	1901395-1902198-1902430-1909439	93 311 600	007 94 00	21217501
	1902670-1908748-1909436			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	103,00	8031.04	505, 566, 570
	Comp. Height	59,55	8035.04	580, 588, R8056
	Total Lenght	101,15	8040.04.200	565C, C8066
	Dome Height		8041.04	50-55, 766, 780
	Bowl Dept	-22,70	8045.04.300	788, C-R8076
	Bowl Ø	50,00	8055.04.200	765C, 855C, 880
	Valve Pocket		8060.04.060	955C, 1000S
	Pin Diameter	34,00 / 89,80	8060.24	1180
	Type of Design	**ALFIN**	2251814	
	Piston Ring Thickness	2,50 x 2,50 x 4,00		

Cenmak Number	Item		GOE Number	Ø mm
00702215	Piston Ring Set Std.		08-784700-00	103,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	8031.04	505, 566, 570
			8035.04	580, 588, R8056
			8040.04.200	565C, C8066
	2,50	NM	8041.04	50-55, 766, 780
			8045.04.300	788, C-R8076
			8055.04.200	765C, 855C, 880
	4.00	DSF CR	8060.04.060	955C, 1000S
			8060.24	1180
			2251814	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703215	4679201	89 080 190	007 WV 40	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	103,00	8031.04	505, 566, 570
	B - Skirt Diameter Ø	107,00	8035.04	580, 588, R8056
	C - Overall Lenght	187,50	8040.04.200	565C, C8066
	D - Flange Ø		8041.04	50-55, 766, 780
	E - Flange Height		8045.04.300	788, C-R8076
	F - Fire Lip		8055.04.200	765C, 855C, 880
			8060.04.060	955C, 1000S
			8060.24	1180
			2251814	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703220	4798813	89 195 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	103,00	8031.04	505, 566, 570
	B - Skirt Diameter Ø	106,67	8035.04	580, 588, R8056
	C - Overall Lenght	187,00	8040.04.200	565C, C8066
	D - Flange Ø	109,83	8041.04	50-55, 766, 780
	E - Flange Height	5,00	8045.04.300	788, C-R8076
	F - Fire Lip		8055.04.200	765C, 855C, 880
			8060.04.060	955C, 1000S
			8060.24	1180
			2251814	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701225	1902421-1902537-1930186	90 158 600	008 35 00	21233901
 	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	104,00	8030.05	60-66, 60-90
	Comp. Height	65,15	8040.05	50-65, 80-90
	Total Lenght	108,50	8050.05	90-90
	Dome Height		8060.05.000	79.14
	Bowl Dept	-22,70		115.14
	Bowl Ø			115.90
	Valve Pocket			
	Pin Diameter	38,00 / 85,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,50 x 2,50 x 4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701230		90 008 600		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	104	8035.05.000	60-65, 60-66
	Comp. Height	65,15	8045.05.000	90-90, 80-65
	Total Lenght	108,5	8055.05.000	80-66, 80-90
	Dome Height		8065.05.000	85-95, 90-90
	Bowl Dept	-22,5		95-55, 115-90
	Bowl Ø	52		
	Valve Pocket			
	Pin Diameter	38,00 / 85,00		
	Type of Design			
	Piston Ring Thickness	2,50 x 2,50 x 4,00		

Cenmak Number	Item		GOE Number	Ø mm
00702225	Piston Ring Set Std.		08-784700-00	104
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,5	R CR	8030.05	115-14, 115-90
			8035.05.000	50-65, 80-90
			8040.05	60-65, 60-66
	2,5	NM	8045.05.000	60-66, 60-90
			8050.05	80-66, 80-90
			8055.05.000	85-95, 90-90
	4,0	DSF CR	8060.05.000	90-90, 79-14
			8065.05.000	90-90, 80-65
				95-55, 115-90

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701235				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	104	8040.25.600	60.11
	Comp. Height	65,15	8060.25.600	65.12
	Total Lenght	104,15		79.12
	Dome Height			115.17
	Bowl Dept	-22,5		135.17
	Bowl Ø			175.15
	Valve Pocket			
	Pin Diameter	38,00 / 85,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,50 x 4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701240	1902461	90 152 600	008 36 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	104,00	8040.25.600	60.11
	Comp. Height	65,15	8060.25.600	65.12
	Total Lenght	104,15		79.12
	Dome Height			115.17
	Bowl Dept	-22,50		135.17
	Bowl Ø			175.15
	Valve Pocket			
	Pin Diameter	38,00 / 85,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,50 x 4,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701245		90 187 600		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	104,00	8060.25.620	Z 220 T
	Comp. Height	65,15		Z 230 T
	Total Lenght	108,50		Z 340 T
	Dome Height			Z 435 T
	Bowl Dept	-22,30		Z 450 T
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	38,00 / 84,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,50 x 4,00		

Cenmak Number	Item		GOE Number	Ø mm
00702235	Piston Ring Set Std.		08-244500-00	104,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	8040.25.600	60.11
			8060.25.600	65.12
				79.12
	2,50	NM		115.17
				135.17
				175.15
	4,00	DSF CR		Z 220 T, Z 230 T
				Z 340 T, Z 435 T
				Z 450 T

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703225	4776623	89 326 190	007 WV 48	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	104,00	8030.05	115.14, 115.17
	B - Skirt Diameter Ø	107,00	8035.05.000	115.90, 115.14
	C - Overall Lenght	198,00	8040.05	115.90, 135.17
	D - Flange Ø		8040.25.600	175.15, 80-65
	E - Flange Height		8045.05.000	50-65, 80-90
	F - Fire Lip		8050.05	50-65, 80-90
			8055.05.000	60.11, 65.12
			8060.05.000	60-65, 60-66
			8060.25.600	60-66, 60-90
			8060.25.620	79.12, 79,14
			8065.05.000	80-66, 80-90
				85-95, 90-90
				90-90, 79-14
				95-55, 115-90
				Z 220 T, Z 230 T
				Z 340 T, Z 435 T
				Z 450 T

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703235	4803030-4807735EZ	89 317 190	007 WV 49	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	104,00	8030.05	115.14, 115.17
	B - Skirt Diameter Ø	106,94	8035.05.000	115.90, 115.14
	C - Overall Lenght	198,00	8040.05	115.90, 135.17
	D - Flange Ø	109,83	8040.25.600	175.15, 80-65
	E - Flange Height	5,00	8045.05.000	50-65, 80-90
	F - Fire Lip		8050.05	50-65, 80-90
			8055.05.000	60.11, 65.12
			8060.05.000	60-65, 60-66
			8060.25.600	60-66, 60-90
			8060.25.620	79.12, 79,14
			8065.05.000	80-66, 80-90
				85-95, 90-90
				90-90, 79-14
				95-55, 115-90
				Z 220 T, Z 230 T
				Z 340 T, Z 435 T
				Z 450 T

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701250		91 090 600		



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	108,00	CO 2 D	60 CA
Comp. Height	80,20		513 R
Total Lenght	145,20		615 / DT
Dome Height			
Bowl Dept	-26,50		
Bowl Ø			
Valve Pocket			
Pin Diameter	38,00 / 88,00		
Type of Design			
Piston Ring Thickness	2,5 x 2,5 x 2,50 x 2,5 x 5,0 x 5,0		

Cenmak Number	Item		GOE Number	Ø mm
00702250	Piston Ring Set Std.			108,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	CO 2 D	60 CA
				513 R
	2,50	R		615 / DT
	2,50	R		
	2,50	N		
	4,00	D		
	4,00	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703250		88 342 110		



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	108,00	CO 2 D	60 CA
B - Skirt Diameter Ø	116,00		513 R
C - Overall Lenght	243,00		615 / DT
D - Flange Ø	128,00		
E - Flange Height	150,00		
F - Fire Lip	1,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701255	1901209-1909212-4726827	92 500 600	233 01 00	667022
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	110,00	CN 3 D	650, 655, 750
	Comp. Height	70,20	CO 3 D	800, 805C, 850
	Total Lenght	140,20	CP 3-80	880, 1300
	Dome Height		CP 3D	
	Bowl Dept	-28,00	CP 3-100	
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	40,00 / 93,00		
	Type of Design			
	Piston Ring Thickness	2,5 x 2,5 x 2,50 x 5,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701260	1901156-4735479-8817898-8823333	91 616 600	233 16 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	110,00	CN 3 D	650, 655, 750
	Comp. Height	70,20	CO 3 D	800, 805C, 850
	Total Lenght	140,20	CP 3-80	880, 1300
	Dome Height		CP 3D	
	Bowl Dept	-28,00	CP 3-100	
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	40,00 / 93,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,5 x 2,5 x 2,50 x 5,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701265		90 488 600	233 13 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	110,00	CO 3/75	750, 805,
	Comp. Height	75,20		850, 880
	Total Lenght	150,20		
	Dome Height			
	Bowl Dept	-27,50		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	40,00 / 93,00		
	Type of Design			
	Piston Ring Thickness	2,5 x 2,5 x 2,50 x 5,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701270				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	110,00	CO 3/75	750, 805,
	Comp. Height	75,20		850, 880
	Total Lenght	150,20		
	Dome Height			
	Bowl Dept	-27,50		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	40,00 / 93,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,5 x 2,5 x 2,50 x 5,0		

Cenmak Number	Item		GOE Number	Ø mm
00702255	Piston Ring Set Std.		08-207500-00	110,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	CN 3 D	650, 655, 750
			CO 3 D	750, 805,
	2,50	R	CP 3-80	800, 805C
			CP 3D	850, 880
	2,500	N	CP 3-100	1300
			CO 3/75	
	5,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703255	8815939	88 827 110	233 WN 04	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	110,00	CN 3 D	650, 655, 750
	B - Skirt Diameter Ø	118,00	CO 3 D	750, 805,
	C - Overall Lenght	236,00	CP 3-80	800, 805C
	D - Flange Ø	129,00	CP 3D	850, 880
	E - Flange Height	170,00	CP 3-100	1300
	F - Fire Lip	1,00	CO 3/75	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701275	1901489	93 208 600	233 19 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	115,00	8340.04.000	50, 55, 65
	Comp. Height	76,50		70, 75, 79
	Total Lenght	140,50		
	Dome Height			
	Bowl Dept	-27,00		
	Bowl Ø	52,00		
	Valve Pocket			
	Pin Diameter	42,00 / 97,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,5 x 2,5 x 4,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701280	1901405-1901492-1909189 1909755-1909759	93 209 600	233 20 00	58117101
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	115,00	CO 3/130	3-130 T
	Comp. Height	76,50	8340.05.000	140, 150, 159
	Total Lenght	140,50	8360.05.000	1580, 1355
	Dome Height		8361.01/.05	FL10, FE20
	Bowl Dept	-29,40	8365.05.500	FG75
	Bowl Ø	54,00		
	Valve Pocket			
	Pin Diameter	42,00 / 97,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,5 x 2,5 x 4,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701285				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	115,00	CO 3/130	3-130 T
	Comp. Height	70,50	8340.05.000	140, 150, 159
	Total Lenght	140,50	8360.05.000	FL10, FE20
	Dome Height		8361.01/.05	FG75
	Bowl Dept	-29,40	8365.05.500	
	Bowl Ø	54,00		
	Valve Pocket			
	Pin Diameter	42,00 / 97,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,5 x 2,5 x 4,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701290				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	115,00	CO 3/130	3-130 T
	Comp. Height	76,50	8340.05.000	140, 150, 159
	Total Lenght	140,50	8360.05.000	1580, 1355
	Dome Height		8361.01/.05	FL10, FE20
	Bowl Dept	-29,40	8365.05.500	FG75
	Bowl Ø	54,00		
	Valve Pocket			
	Pin Diameter	42,00 / 97,00		
	Type of Design			
	Piston Ring Thickness	2,5 x 2,5 x 4,0		

Cenmak Number	Item		GOE Number	Ø mm
00702275	Piston Ring Set Std.		08-214900-10	115,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	8340.04.000	140, 150, 159
			8340.05.000	1580, 1355
	2,50	NM	8360.05.000	3-130 T
			8361.01/.05	50, 55, 65
	4,00	DSF CR	8365.05.500	70, 75, 79
			CO 3/130	FG75
				FL10, FE20

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701295	1930232	93 839 600		58132501
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	115,00	8365.25.500	1580, 1880
	Comp. Height	76,50	Turbo	160-90, 180-90
	Total Lenght	140,50	---> 317819	
	Dome Height			
	Bowl Dept	-29,40		
	Bowl Ø	59,30		
	Valve Pocket			
	Pin Diameter	42,00 / 97,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 2,5 x 4,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701300	1930742	99 445 600	008 29 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	115,00	8361. 45	160-90
	Comp. Height	76,50	8365. 25	180-90
	Total Lenght	126,50	Turbo & Intercoller	
	Dome Height		317820 -->	
	Bowl Dept	-27,70		
	Bowl Ø	59,00		
	Valve Pocket	-1,00		
	Pin Diameter	42,00 / 97,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 2,5 x 4,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701305				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	115,00	8361. 45	160-90
	Comp. Height	76,50		180-90
	Total Lenght	140,50		
	Dome Height			
	Bowl Dept	-27,70		
	Bowl Ø	59,00		
	Valve Pocket	-1,00		
	Pin Diameter	42,00 / 97,00		
	Type of Design			
	Piston Ring Thickness	3,0 x 2,5 x 4,0		

Cenmak Number	Item		GOE Number	Ø mm
00702295	Piston Ring Set Std.		08-245500-00	115,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	8365.25.500	1580, 1880
			8361. 45	160-90, 180-90
	2,5	NM		
	4,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703275	4750806-4850230-4850231-8822141	89 024 110	233 WN 09	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	115,00	8340.04.000	140, 150, 159
	B - Skirt Diameter Ø	122,00	8340.05.000	1580, 1355
	C - Overall Lenght	235,50	8360.05.000	1580, 1880
	D - Flange Ø	129,00	8361. 45	160-90, 180-90
	E - Flange Height	167,00	8361.01/.05	3-130 T
	F - Fire Lip		8365.05.500	50, 55, 65
			8365.25.500	70, 75, 79
			CO 3/130	FG75
				FL10, FE20

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701310	1901446-1901447	91 668 600	008 17 00	A 666624
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	122,00	8200.02 A	684, 690, 308
	Comp. Height	80,20	8205.02	309, 331, 343
	Total Lenght	150,00	8200.12	409, 418, 420
	Dome Height			FR 12 C
	Bowl Dept	-28,00		AD-BD-FL 14
	Bowl Ø			14 B-C
	Valve Pocket			150 C
	Pin Diameter	42,00 / 104,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,5 x 3,0 x 3,0 x 5,5		

Cenmak Number	Item		GOE Number	Ø mm
00702310	Piston Ring Set Std.		08-207700-00	122,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,50	T CR	8200.02 A	684, 690, 308
			8205.02	309, 331, 343
			8200.12	409, 418, 420
	3,00	R		FR 12 C
				AD-BD-FL 14
				14 B-C
	3,00	N		150 C
	5,50	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703310		88 599 110		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	122,00	8200.02 A	684, 690, 308
	B - Skirt Diameter Ø	128,00	8205.02	309, 331, 343
	C - Overall Lenght	252,00	8200.12	409, 418, 420
	D - Flange Ø	132,00		FR 12 C
	E - Flange Height	6,00		AD-BD-FL 14
	F - Fire Lip			14 B-C
				150 C

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701315	1901105-1909205	90 449 600	008 23 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	125,00	610 207	70, 80, 306
	Comp. Height	92,50	203 000	401, 402, 405
	Total Lenght	158,00		410, 411, 682
	Dome Height			690
	Bowl Dept	-27,50		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	44,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,5 x 3,0 x 3,0 x 3,0 x 5,5		

Cenmak Number	Item		GOE Number	Ø mm
00702315	Piston Ring Set Std.			125,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,50	R CR	610 207	70, 80, 306
			203 000	401, 402, 405
				410, 411, 682
	3,00	R		690
	3,00	N		
	3,00	N		
	5,50	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703315	586406	88 136 110		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	125,00	610 207	70, 80, 306
	B - Skirt Diameter Ø	132,00	203 000	401, 402, 405
	C - Overall Lenght	305,00		410, 411, 682
	D - Flange Ø	152,00		690
	E - Flange Height	215,00		
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703320		88 135 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	125,00	610 207	70, 80, 306
	B - Skirt Diameter Ø	131,00	203 000	401, 402, 405
	C - Overall Lenght	277,50		410, 411, 682
	D - Flange Ø			690
	E - Flange Height			
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703325		88 805 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	125,00	610 207	70, 80, 306
	B - Skirt Diameter Ø	131,50	203 000	401, 402, 405
	C - Overall Lenght	277,50		410, 411, 682
	D - Flange Ø			690
	E - Flange Height			
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703330		88 806 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	125,00	610 207	70, 80, 306
	B - Skirt Diameter Ø	132,00	203 000	401, 402, 405
	C - Overall Lenght	277,50		410, 411, 682
	D - Flange Ø			690
	E - Flange Height			
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701320	1901468-1901469	92 867 600	008 25 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	125,00	8200.03.000	684 T
	Comp. Height	80,20	8200.13.000	160 NC/NT
	Total Lenght	150,00	8205.03	343 L
	Dome Height			FL/FD 14
	Bowl Dept	-30,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	44,00 / 106,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,5 x 3,0 x 3,0 x 5,5		

Cenmak Number	Item		GOE Number	Ø mm
00702320	Piston Ring Set Std.			125,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,50	T CR	8200.03.000	684 T
			8200.13.000	160 NC/NT
			8205.03	343 L
	3,00	R		FL/FD 14
	3,00	N		
	5,50	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703335	4678900	88 856 110	007 WT 19	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	125,00	8200.03.000	684 T
	B - Skirt Diameter Ø	130,00	8200.13.000	160 NC/NT
	C - Overall Lenght	252,00	8205.03	343 L
	D - Flange Ø	136,00		FL/FD 14
	E - Flange Height	6,00		
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703360	4678901	89 047 110	007 WT 37	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	125,00	8200.03.000	684 T
	B - Skirt Diameter Ø	130,25	8200.13.000	160 NC/NT
	C - Overall Lenght	252,00	8205.03	343 L
	D - Flange Ø	136,00		FL/FD 14
	E - Flange Height	6,00		
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701365				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	135,00	221.00	619, 693 N 1
	Comp. Height	95,00		698 N 3
	Total Lenght	199,80		693 T1
	Dome Height			AD 18
	Bowl Dept	-32,40		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	48,00 / 115,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	4,0 x 3,0 x 3,0 x 5,5		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	Item		GOE Number	Ø mm
00702365	Piston Ring Set Std.			135,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	4,00	T CR	221.00	619, 693 N 1
				698 N 3
				693 T1
	3,00	R		AD 18
	3,00	N		
	5,50	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00701370	1901458-1901459-1902198	93 620 600	008 48 00	
	1902199-4777980-4796296			

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	137,00	8210.02.000	170, 180, 190
	Comp. Height	92,00	8210.12.000	240, 260, 300
	Total Lenght	167,00	8215.02	330, 370, 421
	Dome Height			619, 691, 697
	Bowl Dept	-32,40		Movterra
	Bowl Ø			AD 20, BD 20
	Valve Pocket			FR 20, 200 C
	Pin Diameter	48,00 / 117,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	4,0 x 3,0 x 3,0 x 5,5		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FIAT

Cenmak Number	Item		GOE Number	Ø mm
00702370	Piston Ring Set Std.		08-207800-10	137,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	4,00	T CR	8210.02.000	170, 180, 190
			8210.12.000	240, 260, 300
			8215.02	330, 370, 421
	3,00	R		619, 691, 697
				Movterra
				AD 20, BD 20
	3,00	N		FR 20, 200 C
	5,50	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
00703370	4622074-99468534	88 600 110	007 WT 24	
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	137,00	8210.02.000	170, 180, 190
	B - Skirt Diameter Ø	143,00	8210.12.000	240, 260, 300
	C - Overall Lenght	282,00	8215.02	330, 370, 421
	D - Flange Ø	147,00		619, 691, 697
	E - Flange Height	6,00		Movterra
	F - Fire Lip			AD 20, BD 20
				FR 20, 200 C

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301000				23700
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,00	1.8 Ltr. Petrol	Sierra
	Comp. Height	33,10	HL1.8H CVH	Sapphire
	Total Lenght	63,06		1.8, L, LX, GL, GLX
	Dome Height			Ghia
	Bowl Dept			1988 -> 1993
	Bowl Ø			
	Valve Pocket	- 2,75 / - 2,60		
	Pin Diameter	20,63 / 66,50		
	Type of Design			
	Piston Ring Thickness	1,50 x 1,50 x 3,0		

Cenmak Number	Item		GOE Number	Ø mm
1302000	Piston Ring Set Std.		06.785100-00	80,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	1.8 Ltr. Petrol	Sierra
			1.8 I CVH	Sapphire
				1.8, L, LX, GL, GLX
	1,50	N		Ghia
				1988 -> 1993
	3,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301005	89FF6K108GB-91FF6K108GD	93 065 602		A 350848
	91FF6K108GE-91FF6K108JE			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	82,51	1.8 Ltr TD	Sierra TD
	Comp. Height	45,65		Escort TD
	Total Lenght	73,70		Mondeo TD
	Dome Height			
	Bowl Dept	-1,50		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	26,00 / 68,80		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,50 x 2,00 x 3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	Item		AE Number	Ø mm
1302005	Piston Ring Set Std.		R46090	82,51
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,50	T CR	1.8 Ltr TD	Sierra TD
				Escort TD
				Mondeo TD
	2,00	N		
	3,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301010				A 350493
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	82,51	1.8 Ltr D	Sierra TD
	Comp. Height	45,65		Escort TD
	Total Lenght	75,8		Mondeo TD
	Dome Height			
	Bowl Dept	-1,6		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	26,00 / 69,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,00 x 2,00 x 3,00		

Cenmak Number	Item		AE Number	Ø mm
1302010	Piston Ring Set Std.		R43390	82,51
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R CR	1.8 Ltr D	Sierra TD
				Escort TD
				Mondeo TD
	2,00	N		Ghia
				1988 -> 1993
	3,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301015		97 721 600		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	90,00	XD 4.90	Granada D
	Comp. Height	57,20		
	Total Lenght	96,35		
	Dome Height			
	Bowl Dept	-2,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	28,00 / 77,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,0 x 2,0 x 2,0 x 4,5		

Cenmak Number	Item		GOE Number	Ø mm
1302015	Piston Ring Set Std.		08-314900-10	90,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
			XD 4.90	Granada D
	2,00	R CR		
	2,00	R		
	2,00	N		
	4,50	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1303015		88 510 110		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	90,00	XD 4.90	Granada D
	B - Skirt Diameter Ø	96,00		
	C - Overall Lenght	173,30		
	D - Flange Ø	106,30		
	E - Flange Height	7,00		
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301020	1019713-6173078-7047591	92 189 600	014 82 00	A350826
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	93,67	D 25	TRANSIT 2.5 D
	Comp. Height	59,50		
	Total Lenght	94,00		
	Dome Height			
	Bowl Dept	-18,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	29,00 / 77,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,0 x 2,0 x 4,0		

Cenmak Number	Item		AE Number	Ø mm
1302020	Piston Ring Set Std.		R45060	93,67
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
			D 25	TRANSIT 2.5 D
	2,50	T CR		
	2,00	N		
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301025		93 625 600	039 51 00	BP132.14.00
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	94,00	XD 3P	Granada D
	Comp. Height	53,92		Scorpio D
	Total Lenght	96,42		
	Dome Height			
	Bowl Dept	-1,80		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	30,00 / 78,00		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,0 x 4,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
0701030		93 520 600	039 50 00	BP129.44.07
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	94,00	LXD 2	Sierra D
	Comp. Height	57,42	YTT	Granada D
	Total Lenght	99,92		Scorpio D
	Dome Height			
	Bowl Dept	-1,80		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	30,00 / 78,00		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,0 x 4,0		

Cenmak Number	Item		GOE Number	Ø mm
1302025	Piston Ring Set Std.		08-318700-10	94,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2.00	R CR	XD 3P	Granada D
			LXD 2	Scorpio D
			YTT	Sierra D
	2.00	N		
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1303025		89 033 190	039 WV 16	CH2315.100
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	94,00	LXD 2	Sierra D
	B - Skirt Diameter Ø	97,00	YTT	Granada D
	C - Overall Lenght	170,60		Scorpio D
	D - Flange Ø	99,50		
	E - Flange Height	3,90		
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1303030		89 412 190	039 WV 30	CH2319.100
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	94,00	XD 3P	Granada D
	B - Skirt Diameter Ø	97,00		Scorpio D
	C - Overall Lenght	165,80		
	D - Flange Ø	99,50		
	E - Flange Height	3,90		
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301040	E1ADDN6110L-E1ADDN6102E-E1ADDN6102J	90 506 600	017 12 00	428705
	1710338-81710365			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	590 E	Thames Trader
	Comp. Height	71,04	592 E	Power Major
	Total Lenght	118,14	4 D	Super Major
	Dome Height		6 D	Major
	Bowl Dept	-24,74		1957 --> 1965
	Bowl Ø			
	Valve Pocket	-1,74		
	Pin Diameter	34,925 / 84,80		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x2,38x4,74x4,74		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301045	E1ADDN6110J-E1ADDN6102G	90 503 600	017 14 00	429203
	81710364-81710337			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	592 E	Major
	Comp. Height	71,04		1952 -->1956
	Total Lenght	118,14		
	Dome Height			
	Bowl Dept	-24,74		
	Bowl Ø			
	Valve Pocket	-1,74		
	Pin Diameter	31,75 / 89,00		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x2,38x4,74x4,74		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	Item		GOE Number	Ø mm
1302040	Piston Ring Set Std.			100,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R CR	590 E	Thames Trader
			592 E	Power Major
			4 D	Super Major
	2,00	R	6 D	Major
				1957 --> 1965
	2,00	N		Major
				1952 -->1956
	4,00	D		
	4,00	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1303040	E1ADDN6055B -17110301	88 143 110	017 WN 03	SJ196803
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	100,00	4 D	Major
	B - Skirt Diameter Ø	108,61	590 E	1952 -->1956
	C - Overall Lenght	223,01	592 E	
	D - Flange Ø	117,40	6 D	Power Major
	E - Flange Height	11,18		Super Major
	F - Fire Lip	0,64		Major
	(Single Groove)			1957 --> 1961

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1303045	E1ADDN6055E-17110303	88 145 110	017 WN 04	SJ491601
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	100,00	4 D	Thames Trader
	B - Skirt Diameter Ø	111,76	6 D	1961 --> 1965
	C - Overall Lenght	222,89	590 E	
	D - Flange Ø	119,63		
	E - Flange Height	11,18		
	F - Fire Lip	0,66		
	(Double Groove)			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301050	2701E6102A-2701E6102C-1436363	90 495 600	014 35 00	350067
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	104,78	4 D	D 300
	Comp. Height	71,00	2700	D 800
	Total Lenght	118,00	2701 E	D 630
	Dome Height		2706 E	D 640
	Bowl Dept	-25,80	6 D	1965 --> 1969
	Bowl Ø		2704 E	
	Valve Pocket	-1,80	2709 E	
	Pin Diameter	34,925 / 90,00		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x2,38x4,74		

Cenmak Number	Item		OEM Number	Ø mm
1302050	Piston Ring Set Std.		793F6148BAA	104,78
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	4 D	D 300
			2700	D 800
			2701 E	D 630
	2,38	R	2706 E	D 640
			6 D	1965 --> 1969
			2704 E	
	2,38	N	2709 E	
	4,747	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1303050	2701E6055B-2704E6055B	88 141 190	014 WV 02	SU517801
	1429784-1787897			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	104,78	4 D	D 300
	B - Skirt Diameter Ø	108,80	2700	D 800
	C - Overall Lenght	219,00	2701 E	D 630
	D - Flange Ø		2706 E	D 640
	E - Flange Height		6 D	1965 --> 1969
	F - Fire Lip		2704 E	
			2709 E	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1303055		89 167 190	014 WV 07	SU517802
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	104,78	4 D	D 300
	B - Skirt Diameter Ø	109,37	2700	D 800
	C - Overall Lenght	219,56	2701 E	D 630
	D - Flange Ø	112,83	2706 E	D 640
	E - Flange Height	4,73	6 D	1965 --> 1969
	F - Fire Lip	0,64	2704 E	
			2709 E	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301060	D4NN6108A-D6NN6108F-83910837	90 418 600	014 37 00	A 350226
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	106,68	LD	231
	Comp. Height	75,20	6 Y	2000
	Total Lenght	134,20		2600
	Dome Height			1965 -->
	Bowl Dept	-19,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	38,10 / 89,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38x2,38x2,38x4,74		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301065	C5NN6108V-C7NN6108AJ-D4NN6108L	93 566 600	014 89 00	A350199V1
	D4NN6108N-D6NN6108P-D6NN6108R			
	DNW6108AJ			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	106,68	ND	Super Major
	Comp. Height	70,18	RD	Super Dexta
	Total Lenght	128,18	6 Y	333, 353, 3000
	Dome Height		0,291666667	3600, 5000, 5550
	Bowl Dept	-17,28	2504 E	5600
	Bowl Ø			1965 -->
	Valve Pocket			
	Pin Diameter	38,10 / 89,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38x2,38x2,38x4,74		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	Item		OEM Number	Ø mm
1302060	Piston Ring Set Std.		DJPN6149S-DJPN6149T DJPN6149U-DJPN6149V	106,68

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	LD	231
			6 Y	2000
				2600
	2,38	R		1965 -->
			ND	Super Major
	2,38	N	RD	Super Dexta
			6 Y	333, 353, 3000
			0,291666667	3600, 5000, 5550
	4,747	DSF CR	2504 E	5600
				1965 -->

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1303060	C5NN6055A-1815327	88 500 190	014 WV 03	SU522801

	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	106,68	LD	231
	B - Skirt Diameter Ø	110,78	6 Y	2000
	C - Overall Lenght	209,6		2600
	D - Flange Ø			1965 -->
	E - Flange Height			
	F - Fire Lip		ND	Super Major
			RD	Super Dexta
			6 Y	333, 353, 3000
			0,291666667	3600, 5000, 5550
			2504 E	5600
				1965 -->

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301070	1587873-1587878-703F6102AA	92 587 600	014 38 00	350031
	703F6102AAB-793F6102AAA			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	107,21	2711 E	D610
Comp. Height	71,20	2812 E	D0607
Total Lenght	120,00	2722	D0707
Dome Height		255 Four	Cargo D 0812
Bowl Dept	-26,90	2714 E	Cargo D 0813
Bowl Ø		2715 E	Cargo D 0911
Valve Pocket	-1,80	2725	Cargo D 0913
Pin Diameter	36,51 / 90,00	380	Cargo D 1011
Type of Design			Cargo D 1013
Piston Ring Thickness	2,38x2,38x2,38x4,74		Cargo D 1111
			Cargo D 1211
			Cargo D 7095
			Cargo D 6500S
			642 Combine
			8100 Tractor

Cenmak Number	Item		OEM Number	Ø mm
1302070	Piston Ring Set Std.		826F6148AAA	107,21
			826F6148ABA	
			826F6148ACA	
			826F6148ADA	

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	2711 E	D610
			2812 E	D0607
			2722	D0707
	2,38	R	255 Four	Cargo D 0812
			2714 E	Cargo D 0813
			2715 E	Cargo D 0911
	2,38	N	2725	Cargo D 0913
			380	Cargo D 1011
				Cargo D 1013
	4,747	DSF CR		Cargo D 1111
				Cargo D 1211
				Cargo D 7095
				Cargo D 6500S
				642 Combine
				8100 Tractor

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1303070		88 158 190		SU351175
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	107,21	2711 E	D610
	B - Skirt Diameter Ø	110,78	2812 E	D0607
	C - Overall Lenght	209,60	2722	D0707
	D - Flange Ø		255 Four	Cargo D 0812
	E - Flange Height		2714 E	Cargo D 0813
	F - Fire Lip		2715 E	Cargo D 0911
			2725	Cargo D 0913
			380	Cargo D 1011
				Cargo D 1013
				Cargo D 1111
				Cargo D 1211
				Cargo D 7095
				Cargo D 6500S
				642 Combine
				8100 Tractor

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301080	D7NN6108A-D9NN6108FA-D9NN6108HA D9NN6108JA-D9NN6108KA-83913727 83919735	97 250 600	014 51 00	A350225V2
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	111,76	BSD 444 T	7610, 7710
	Comp. Height	67,80	7 A	9200, 9260
	Total Lenght	126,70		9600, 9700
	Dome Height			
	Bowl Dept	-19,00		
	Bowl Ø	63,50		
	Valve Pocket			
	Pin Diameter	41,275 / 89,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16x2,38x2,38x4,74		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301085	D4NN6108AF-D4NN6108FA-D6NM6108Y D6NN6108AA-D6NN6108AB-D6NN6108AC D6NN6108Y-DAPN6108F-DCPN6108L 83912026 81877566-8184534-81827196-81824044	97 507 600	014 50 00	A350303V2



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	111,76	6 Y	Loader A 62
Comp. Height	70,40	7 A	750, 7000
Total Lenght	129,40		7500, 7600
Dome Height			7700
Bowl Dept	-23,80		
Bowl Ø	56,00		
Valve Pocket			
Pin Diameter	41,275 / 89,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	3,16x2,38x2,38x4,74		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301090				



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	111,76	6 Y	Loader A 62
Comp. Height	70,40	7 A	750, 7000
Total Lenght	129,40		7500, 7600
Dome Height			7700
Bowl Dept	-22,40		
Bowl Ø	56,00		
Valve Pocket			
Pin Diameter	41,275 / 89,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	3,16x2,38x2,38x4,74		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301095	D5NN6108S-D9NN6108AA-E0NN6108AA	93 858 600	014 47 00	A350382
	E0NN6108CA-E0NN6108DA-E0NN6108EA			
	E1NN6108TA-8795261-81845875			
	81877563-83919730-83928178			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	111,76	6 Y	515, 531, 532
Comp. Height	68,12	7 A	535, 540, 545
Total Lenght	127,12	BSD 333H	550, 555, 4000
Dome Height		BSD 444	4110, 4600
Bowl Dept	-19,82		4610, 6610
Bowl Ø	63,60		6710
Valve Pocket			
Pin Diameter	38,10 / 89,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	3,16x2,38x2,38x4,74		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301100	D4NN6108F-D4NN6108T-D5NN6108S	93 813 600	014 48 00	A350227V2
	D5NN6108U-D5NN6108V-D5NN6108X			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	111,76	6 Y	Excavator H 48
Comp. Height	68,12	7 A	Loader A 64
Total Lenght	127,12		Tractor TW 10
Dome Height			8000, 8200
Bowl Dept	-21,96		8210, 8260
Bowl Ø	58,00		8400, 8600
Valve Pocket			8700
Pin Diameter	38,10 / 89,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	3,16x2,38x2,38x4,74		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	Item		OEM Number	Ø mm
1302080	Piston Ring Set Std.		DFPN6149E - DFPN6149B DFPN6149C- DFPN6149D AE 31650/2K/V1	111,76

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,16	T CR	7 A	4110, 4600
			6 Y	4610, 6610
			BSD 333H	515, 531, 532
	2,38	M CR	BSD 444	535, 540, 545
			BSD 444 T	550, 555, 4000
	2,38	N		6710, 7700
				750, 7000
				7500, 7600
				7610, 7710
	4,74	DSF CR		8000, 8200
				8210, 8260
				8400, 8600, 8700
				9200, 9260
				9600, 9700
				Excavator H 48
				Loader A 62
				Loader A 64
				Tractor TW 10

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301105	C7NN6108V-D2NN6108AC-D2NN6108N D4NN6108AA-D4NN6108AB-D4NN6110AD D6NN6108L-D6NN6108S-E1NN6108LA-81827181 EDPN6102A-81846014-83937063-81817183	97 505 600	014 49 00	A350202V1

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	111,76	6 Y	Combine 620, 622
	Comp. Height	70,55	7 A	Tractor 650
	Total Lenght	129,55	4256	5000,55
	Dome Height			5550, 5610
	Bowl Dept	-18,50		6000, 6500
	Bowl Ø	63,50		6600, 6700
	Valve Pocket			6710
	Pin Diameter	38,10 / 89,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38x2,38x2,38x4,74		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1301110				



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	111,76		Hema Tractor
Comp. Height	68,12		New Holland
Total Lenght	127		
Dome Height			
Bowl Dept	-19,26		
Bowl Ø			
Valve Pocket			
Pin Diameter	38,10 / 89,15		
Type of Design			
Piston Ring Thickness	2,38x2,38x2,38x4,74		

Cenmak Number	Item		OEM Number	Ø mm
1302105	Piston Ring Set Std.		DJPN6149W	111,76
			DJPN6149Y	
			AE R31640/2K/V1	

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	6 Y	5000,55
			7 A	5550, 5610
			4.256	6000, 6500
	2,38	M CR		6600, 6700
				6710
				Combine 620, 622
	2,38	N		Hema Tractor
				New Holland
				Tractor 650
	4,74	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

FORD

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1303080	D0NN6055A-D0NN6055B-D7NN6055A	89 002 190	014 WV 06	SU351030
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	111,77	7 A	4110, 4600
	B - Skirt Diameter Ø	114,43	7 A	4610, 6610
	C - Overall Lenght	208,28	4256	515, 531, 532
	D - Flange Ø	120,35	6 Y	535, 540, 545
	E - Flange Height	2,57	6 Y	550, 555, 4000,5000
	F - Fire Lip		BSD 333H	5610,6000, 6500,6600
			BSD 444	6700,6710, 7700,750
			BSD 444 T	7000,7500, 7600,7610
				7710,8000, 8200,8210
				8260,8400, 8600, 8700
				9200, 9260,9600, 9700
				Combine 620, 622
				Excavator H 48
				Hema Tractor
				Loader A 62
				Loader A 64
				New Holland
				Tractor 650
				Tractor TW 10

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

HANOMAG

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
5501001				

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	90,00		
	Comp. Height	74,65		
	Total Lenght	129,60		
	Dome Height			
	Bowl Dept	-4,00		
	Bowl Ø	55,70		
	Valve Pocket			
	Pin Diameter	30,00		
	Type of Design			
	Piston Ring Thickness	3,0x3,0x3,0x5,0x5,0		

Cenmak Number	Item		OEM Number	Ø mm
5502001	Piston Ring Set Std.			90,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR		
	3,00	M		
	3,00	M		
	5,00	D		
	5,00	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

HANOMAG

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
5501005	114901009-114901018-114901022	91 392 600	055 49 00	
	114912009-114912018-114912022			
	2862114M11-2862141M91-X860114912022			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	100,00	D 132 R	Schlepper Granit 500 E
Comp. Height	65,30	D 142 R	Perfekt 400 E
Total Lenght	121,30	D 162 R	Brillant 600
Dome Height			Allrad 600
Bowl Dept	-2,90		Allrad 601
Bowl Ø			Allrad 700
Valve Pocket			Robust 900
Pin Diameter	32,00		Allrad 901
Type of Design			
Piston Ring Thickness	2,5x2,5x2,5x5,0		

Cenmak Number	Item		OEM Number	Ø mm
5502005	Piston Ring Set Std.			100,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	D 132 R	Schlepper Granit 500 E
			D 142 R	Perfekt 400 E
			D 162 R	Brillant 600
	2,50	M		Allrad 600
				Allrad 601
				Allrad 700
	2,50	NM		Robust 900
				Allrad 901
	5,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

HANOMAG

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
5503005	114901166-2861671M1	88 180 110	055 WN 05	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	100,00	D 132 R	Schlepper Granit 500 E
	B - Skirt Diameter Ø	110,00	D 142 R	Perfekt 400 E
	C - Overall Lenght	202,00	D 162 R	Brillant 600
	D - Flange Ø	119,00		Allrad 600
	E - Flange Height	7,00		Allrad 601
	F - Fire Lip	0,90		Allrad 700
				Robust 900
				Allrad 901

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
5501010	194912001-194912700-194912001	90 619 600	055 56 00	
	194912700-2871229M91-2871246M91			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	120,00	D 941	Robust 800
	Comp. Height	95,00	D 961	K 7 B
	Total Lenght	165,00		K 10 E-L
	Dome Height			
	Bowl Dept	-10,00		
	Bowl Ø			
	Valve Pocket	- 3,00 / - 5,50		
	Pin Diameter	48,00 / 100,00		
	Type of Design			
	Piston Ring Thickness	3,0x3,0x3,0x6,0		

Cenmak Number	Item		OEM Number	Ø mm
5502010	Piston Ring Set Std.			120,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	D 941	Robust 800
			D 961	K 7 B
				K 10 E-L
	3,00	M		
	3,00	NM		
	6,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

HANOMAG

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
5503010	194901101-2870784-2870784000	88 169 110	055 WN 07	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	120,00	D 941	Robust 800
	B - Skirt Diameter Ø	133,00	D 961	K 7 B
	C - Overall Lenght	285,30		K 10 E-L
	D - Flange Ø	146,00		
	E - Flange Height	12,10		
	F - Fire Lip	0,03		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
5501015	194912002-194912701-194912002	92 449 600	055 57 00	
	194912701-2871230M91-2871253M91			
	3089061M91-3230125M91			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	120,00	D 942	D 600 D
	Comp. Height	101,35	D 962	
	Total Lenght	159,35		
	Dome Height			
	Bowl Dept	-22,50		
	Bowl Ø			
	Valve Pocket	-0,85		
	Pin Diameter	48,00 / 100,00		
	Type of Design			
	Piston Ring Thickness	2,5x2,5x2,5x6,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

HANOMAG

Cenmak Number	Item		OEM Number	Ø mm
5502015	Piston Ring Set Std.			120,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,50	R CR	D 942	D 600 D
			D 962	
	2,50	M		
	2,50	NM		
	6,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
5503015	194901125-2870801M1-3076987M1	88 644 110	055 WN 06	
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	120,00	D 942	D 600 D
	B - Skirt Diameter Ø	144,00	D 962	
	C - Overall Lenght	278,00		
	D - Flange Ø	151,90		
	E - Flange Height	12,10		
	F - Fire Lip	1,15		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
5501020	194912003-194912110-194912702	92 433 600	055 70 00	
	2871231M91-2871248M91-2871257M91			
	2964994M91-3070746M91			
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	128,00	D 943	B 18
	Comp. Height	101,00	D 963 B - K	K 18
	Total Lenght	159,00		55 D
	Dome Height			L 600 D
	Bowl Dept	-25,80		
	Bowl Ø			
	Valve Pocket	-0,50		
	Pin Diameter	48,00 / 108,00		
	Type of Design			
	Piston Ring Thickness	2,5x2,5x2,5x6,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

HANOMAG

Cenmak Number	Item		OEM Number	Ø mm
5502020	Piston Ring Set Std.			128,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,50	R CR	D 943	B 18
			D 963 B - K	K 18
				55 D
	2,50	M		L 600 D
	2,50	NM		
	6,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
5501025	3070709NA-3070748M91	92 968 600	055 48 00	
	3070748M 92-748M91			
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	128,00	D 963 A2	77 D
	Comp. Height	101,35		
	Total Lenght	159,35		
	Dome Height			
	Bowl Dept	-24,00		
	Bowl Ø			
	Valve Pocket	- 4,45 / - 5,45		
	Pin Diameter	48,00 / 108,00		
	Type of Design			
	Piston Ring Thickness	3,5x2,5x6,0		

Cenmak Number	Item		OEM Number	Ø mm
5502025	Piston Ring Set Std.			128,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,50	T CR	D 963 A2	77 D
	2,50	M		
	6,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

HANOMAG

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
5503020	194901136-194901158	88 645 110	055 WN 08	
	2870812M1-2870812M91			
	2970908M1-3093482M1			



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	128,00	D 943	B 18
B - Skirt Diameter Ø	144,00	D 963 B - K	K 18
C - Overall Lenght	278,00	D 963 A2	77 D
D - Flange Ø	151,80		L 600 D
E - Flange Height	12,10		77 D
F - Fire Lip	1,15		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

HATZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
27301001	340103169-340104-340104162	90 625 600	273 04 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	75,00	E 71	
	Comp. Height	48,50	ES 71	
	Total Lenght	87,50	E 75	
	Dome Height		ES 75	
	Bowl Dept			
	Bowl Ø			
	Valve Pocket	-1,20 / - 1,55		
	Pin Diameter	25,00 / 64,00		
	Type of Design			
	Piston Ring Thickness	1,75x1,75x4,00		

Cenmak Number	Item		OEM Number	Ø mm
27302001	Piston Ring Set Std.			75,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	E 71	
			ES 71	
			E 75	
	1,75	M	ES 75	
	4,00	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
27301005	327500303-327502039-327503032	91 468 600	273 05 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,00	E 80 G	
	Comp. Height	56,00	E 80 FG	
	Total Lenght	92,00	E 80 FL	
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	30,00 / 66,00		
	Type of Design			
	Piston Ring Thickness	2,5x2,5x4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

HATZ

Cenmak Number	Item		OEM Number	Ø mm
27302005	Piston Ring Set Std.			75
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,50	R CR	E 80 G	
			E 80 FG	
			E 80 FL	
	2,50	M		
	4,00	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
27301010	356000249-356001249-356001242	91 456 600	273 14 00	
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	82	E 780	
	Comp. Height	56	ES 780	
	Total Lenght	92		
	Dome Height			
	Bowl Dept	-6		
	Bowl Ø			
	Valve Pocket	-1,3		
	Pin Diameter	28,00 / 68,00		
	Type of Design			
	Piston Ring Thickness	2,5x2,5x5,00		

Cenmak Number	Item		OEM Number	Ø mm
27302010	Piston Ring Set Std.			82
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,50	R CR	E 780	
			ES 780	
	2,50	M		
	5,00	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

HATZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
27301015	331402099-331404099-331404091	90 628 600	273 11 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	85,00	E 85 G	
	Comp. Height	56,00	E 85 FG	
	Total Lenght	102,00	E 85 FL	
	Dome Height			
	Bowl Dept	-7,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	30,00 / 72,00		
	Type of Design			
	Piston Ring Thickness	3,0x3,0x5,0		

Cenmak Number	Item		OEM Number	Ø mm
27302015	Piston Ring Set Std.			85,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	E 85 G	
			E 85 FG	
			E 85 FL	
	3,00	M		
	5,00	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
27301020	00110501.AU-334701119-00334702 118	91 482 600	273 22 00	
	334702111-334702118-110 501 AU			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	90,00	E 88 G	
	Comp. Height	53,50	E 88 FG	
	Total Lenght	103,50	E 88 FL	
	Dome Height		E 89 G	
	Bowl Dept	-8,80	E 89 FG	
	Bowl Ø		E 89 FL	
	Valve Pocket			
	Pin Diameter	30,00 / 78,00		
	Type of Design			
	Piston Ring Thickness	3,0x3,0x5,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

HATZ

Cenmak Number	Item		OEM Number	Ø mm
27302020	Piston Ring Set Std.			90,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,00	R CR	E 88 G	
			E 88 FG	
			E 88 FL	
	3,00	M	E 89 G	
			E 89 FG	
			E 89 FL	
	5,00	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
27303020				
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	90,00	E 88 G	
	B - Skirt Diameter Ø		E 88 FG	
	C - Overall Lenght		E 88 FL	
	D - Flange Ø		E 89 G	
	E - Flange Height		E 89 FG	
	F - Fire Lip		E 89 FL	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
27301025	350302-425000339-425001331	91 697 600	273 35 00	
	425001339-567600			
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	108,00	E 108	
	Comp. Height	71,00	Z 108	
	Total Lenght	109,00	D 108	
	Dome Height		V 108	
	Bowl Dept	-20,50		
	Bowl Ø			
	Valve Pocket	-0,90		
	Pin Diameter	35,00 / 85,00		
	Type of Design			
	Piston Ring Thickness	3,0x3,0x3,0x5,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

HATZ

Cenmak Number	Item		OEM Number	Ø mm
27302025	Piston Ring Set Std.			108,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,00	T CR	E 108	
			Z 108	
			D 108	
	3,00	R	V 108	
	3,00	M		
	5,00	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
27303025				
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	108,00	E 108	
	B - Skirt Diameter Ø		Z 108	
	C - Overall Lenght		D 108	
	D - Flange Ø		V 108	
	E - Flange Height			
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

IHC / CASE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8901001	3044486R3-3044487R3-3044478R94 3044479R94-3044480R94	91 415 600	089 30 00	481303
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	88,90	BD 154	238, 364, 384
	Comp. Height	50,90		414, 424, 434
	Total Lenght	99,00		444, 2424
	Dome Height			2444
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	28,00 / 77,00		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x2,38x4,74x4,74		

Cenmak Number	Item		OEM Number	Ø mm
8902001	Piston Ring Set Std.		3114778R91	88,90
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	BD 154	238, 364, 384
				414, 424, 434
				444, 2424
	2,38	M		2444
	2,38	M		
	4,74	DSF CR		
	4,74	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8903001	3044481R3-3044999R1	88 492 110	089 WN 08	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	88,90	BD 154	238, 364, 384
	B - Skirt Diameter Ø	93,69		414, 424, 434
	C - Overall Lenght	185,70		444, 2424
	D - Flange Ø	101,50		2444
	E - Flange Height	5,77		
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

IHC / CASE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8901005	3055019R2-3218758R95	92 951 600	089 59 00	350399
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,42	D 155	238, 258, 3210
	Comp. Height	67,00	D 206	3230, 353, 383
	Total Lenght	102,00	D 310	385, 395, 423
	Dome Height		UD 155	433, 440, 453
	Bowl Dept	-19,90	UD 206	483, 533, 540
	Bowl Ø	55,00	UD 310	554, 584, 585
	Valve Pocket			595, 624, 644
	Pin Diameter	36,00 / 82,00		645, 654, 733
	Type of Design			740, 946, 955
	Piston Ring Thickness	3,16x2,39x4,75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8901010	3139586R95-3139589R95	90 769 600		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,42	D 155	238, 258, 3210
	Comp. Height	67,00	D 206	3230, 353, 383
	Total Lenght	107,00	D 310	385, 395, 423
	Dome Height		UD 155	433, 440, 453
	Bowl Dept	-19,90	UD 206	483, 533, 540
	Bowl Ø	55,00	UD 310	554, 584, 585
	Valve Pocket			595, 624, 644
	Pin Diameter	36,00 / 82,00		645, 654, 733
	Type of Design	**ALFIN**		740, 946, 955
	Piston Ring Thickness	3,16x2,39x4,75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
890305	3055019R1-3139587R2-3144447R1	88 892 150	089 WN 17	SJ351211
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	98,42	D 155	238, 258, 3210
	B - Skirt Diameter Ø	110,75	D 206	3230, 353, 383
	C - Overall Lenght	201,10	D 310	385, 395, 423
	D - Flange Ø	119,00	UD 155	433, 440, 453
	E - Flange Height	7,72	UD 206	483, 533, 540
	F - Fire Lip	1,10	UD 310	554, 584, 585
				595, 624, 644
				645, 654, 733
				740, 946, 955

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

IHC / CASE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8901015	3055329R92-3055335R93-3144450R92 3144257R95-3218759R91	92 952 600	089 61 93	350371
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,42	D 179	1046, 1055, 1056
	Comp. Height	67,00	D 239	248, 3220, 3230
	Total Lenght	102,00	D 358	4210, 484, 485
	Dome Height		DD 179	495, 523, 553
	Bowl Dept	-24,00	DD 239	633, 640, 684
	Bowl Ø	56,00	UD 179	724, 743, 744
	Valve Pocket		UD 358	745, 824, 833
	Pin Diameter	36,00 / 82,00		840, 933, 940
	Type of Design			955, 956
	Piston Ring Thickness	3,16x2,39x4,75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8901020	3136593R1-3139591R96-3144663R92	90 730 630	089 65 00	A350183V1
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,42	D 179	1046, 1055, 1056
	Comp. Height	67,00	D 239	248, 3220, 3230
	Total Lenght	107,00	D 358	4210, 484, 485
	Dome Height		DD 179	495, 523, 553
	Bowl Dept	-24,00	DD 239	633, 640, 684
	Bowl Ø	56,00	UD 179	724, 743, 744
	Valve Pocket		UD 358	745, 824, 833
	Pin Diameter	36,00 / 82,00		840, 933, 940
	Type of Design	**ALFIN**		955, 956
	Piston Ring Thickness	3,16x2,39x4,75		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

IHC / CASE

Cenmak Number	Item		OEM Number	Ø mm
8902005	Piston Ring Set Std.		3218416R92	98,42
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,16	R CR	D 155	238, 258, 3210
			D 206	3230, 353, 383
			D 310	385, 395, 423
	2,38	M	UD 155	433, 440, 453
			UD 206	483, 533, 540
			UD 310	554, 584, 585
	4,74	DSF CR	D 179	595, 624, 644
			D 239	645, 654, 733
			D 358	740, 946, 955
			DD 179	1046, 1055, 1056
			DD 239	248, 3220, 3230
			UD 179	4210, 484, 485
			UD 358	495, 523, 553
				633, 640, 684
				724, 743, 744
				745, 824, 833
				840, 933, 940
				955, 956

Cenmak Number	Item		OEM Number	Ø mm
8902010	Piston Ring Set Std.		3139594R91	98,42
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,16	T CR	D 155	238, 258, 3210
			D 206	3230, 353, 383
			D 310	385, 395, 423
	2,38	M	UD 155	433, 440, 453
			UD 206	483, 533, 540
			UD 310	554, 584, 585
	4,74	DSF CR	D 179	595, 624, 644
			D 239	645, 654, 733
			D 358	740, 946, 955
			DD 179	1046, 1055, 1056
			DD 239	248, 3220, 3230
			UD 179	4210, 484, 485
			UD 358	495, 523, 553
				633, 640, 684
				724, 743, 744
				745, 824, 833
				840, 933, 940
				955, 956

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

IHC / CASE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8901025	3144516R95	92 982 600	089 56 93	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,42	DT 239	856 XL
	Comp. Height	66,90	DT 358	D 1246 1A
	Total Lenght	106,90		1255 1XL
	Dome Height			953
	Bowl Dept	-23,90		520 B
	Bowl Ø	56,00		Excavator 640
	Valve Pocket			
	Pin Diameter	38,00 / 82,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16x2,39x4,75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8901030	3228521R1	91 816 600	089 54 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,42	DT 239	
	Comp. Height	66,90	DT 358	
	Total Lenght	106,90		
	Dome Height			
	Bowl Dept	-21,40		
	Bowl Ø	56,00		
	Valve Pocket			
	Pin Diameter	38,00 / 82,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16x2,39x4,75		

Cenmak Number	Item		OEM Number	Ø mm
8902015	Piston Ring Set Std.		3144518R92	98,42
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,16	T CR	DT 239	856 XL
			DT 358	D 1246 1A
				1255 1XL
	2,38	M CR		953
				520 B
				Excavator 640
	4,74	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

IHC / CASE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8903010	3055020R1-3139592R4-3144451R1	88 891 150	089 WN 16	SJ351201
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	98,42	D 179	1046, 1055, 1056
	B - Skirt Diameter Ø	110,75	D 239	248, 3220, 3230
	C - Overall Lenght	216,10	D 358	4210, 484, 485
	D - Flange Ø	119,00	DD 179	495, 523, 553
	E - Flange Height	7,70	DD 239	633, 640, 684
	F - Fire Lip	1,10	UD 179	724, 743, 744
			UD 358	745, 824, 833
			DT 239	840, 933, 940
			DT 358	955, 956
				856 XL
				D 1246 1A
				1255 1XL
				953
				520 B
				Excavator 640

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8901040	3218668R94-3144537R1	92 983 600	089 70 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	D 246	824
	Comp. Height	67,00		844
	Total Lenght	107,00		784
	Dome Height			785
	Bowl Dept	-22,30		4220
	Bowl Ø	56,00		
	Valve Pocket			
	Pin Diameter	36,00 / 82,00		
	Type of Design			
	Piston Ring Thickness	3,16x2,39x4,75		

Cenmak Number	Item		OEM Number	Ø mm
8902040	Piston Ring Set Std.		3218669R91	100,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,16	R CR	D 246	824
				844
				784
	2,38	M		785
				4220
	4,74	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

IHC / CASE

Cenmak Number	Item		OEM Number	Ø mm
8902045	Piston Ring Set Std.		3144977R91	100,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,16	T CR	D 268	288, 4230,
				844S, 844XL
				845, 845XL
	2,38	M		884, 885
				895
	4,74	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8901045		94 683 600		
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	100,00	DT 268	995
	Comp. Height	66,90		4240
	Total Lenght	106,90		
	Dome Height			
	Bowl Dept	-24,00		
	Bowl Ø	56,00		
	Valve Pocket			
	Pin Diameter	38,00 / 82,000		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16x3,16x4,75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8901050	3218915R93	93 445 600	089 73 00	
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	100,00	DT 402	1455
	Comp. Height	66,90		Yumbo 650
	Total Lenght	106,90		HD b3994
	Dome Height			Payloader 530
	Bowl Dept	-24,00		Combine 953
	Bowl Ø	56,00		Excavator 650
	Valve Pocket			
	Pin Diameter	38,00 / 82,000		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16x3,16x4,75		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

IHC / CASE

Cenmak Number	Item		OEM Number	Ø mm
8902050	Piston Ring Set Std.		3218920R91	100,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,16	T CR	DT 268	995
			DT 402	4240
				1455
	3,16	T CR		Yumbo 650
				HD b3994
				Payloader 530
	4,74	DSF CR		Combine 953
				Excavator 650

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8903040	3144536R1-3144682R2	89 018 150	089 WN 18	
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	100,00	D 246	824, 844, 784
	B - Skirt Diameter Ø	110,75	D 268	785, 4220
	C - Overall Lenght	216,10	DT 268	288, 4230,
	D - Flange Ø	119,00	DT 402	844S, 844XL
	E - Flange Height	7,70		845, 845XL
	F - Fire Lip	1,10		884, 885, 895
				995, 4240, 1455
				Yumbo 650
				HD 3994
				Payloader 530
				Combine 953
				Excavator 650

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8901060				A350271
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	109,23	DTA 466 C	1750, 1850,
	Comp. Height	86,35		4366, 4386
	Total Lenght	127,51		
	Dome Height			
	Bowl Dept	-21,946		
	Bowl Ø			
	Valve Pocket	- 2,05 / - 1,40		
	Pin Diameter	41,28 / 89,20		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16x3,16x6,35		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

IHC / CASE

Cenmak Number	Item		OEM Number	Ø mm
8902060	Piston Ring Set Std.		R32982/2K	109,23
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,16	T CR	DTA 466 C	1750, 1850,
	3,16	T CR		4366, 4386
	4,74	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8903060	682720			SJ351164
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	109,22	DTA 466 C	1750, 1850,
	B - Skirt Diameter Ø	123,62		4366, 4386
	C - Overall Lenght	238,25		
	D - Flange Ø	133,23		
	E - Flange Height	8,94		
	F - Fire Lip	1,02		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8901070				
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	114,30	DVT 573 B	Hauler PH-65 C
	Comp. Height	74,70		Loader H-90 C
	Total Lenght	124,22		Scraper 270
	Dome Height			E -270
	Bowl Dept	-21,00		Crawler TD 20 C
	Bowl Ø			
	Valve Pocket	-3,50		
	Pin Diameter	41,28 / 95,20		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16x2,38x6,35		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

IHC / CASE

Cenmak Number	Item		OEM Number	Ø mm
8902070	Piston Ring Set Std.			114,30
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,16	T CR	DVT 573 B	Hauler PH-65 C
				Loader H-90 C
				Scraper 270
	2,38	ET CR		E -270
				Crawler TD 20 C
	4,74	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
8903070				
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	114,30	DVT 573 B	Hauler PH-65 C
	B - Skirt Diameter Ø	130,04		Loader H-90 C
	C - Overall Lenght	223,84		Scraper 270
	D - Flange Ø	130,81		E -270
	E - Flange Height	8,94		Crawler TD 20 C
	F - Fire Lip	1,60		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

ISUZU

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
69001001				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,00	4 FB 1	Fargo WFR
	Comp. Height	44,80		Fargo WFS50
	Total Lenght	74,75		Gemini PFD 60
	Dome Height			1980 - 1984
	Bowl Dept	-2,05 / + 0,55		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	25,00 / 67,00		
	Type of Design			
	Piston Ring Thickness	2,5 x 2,5 x 4,0		

Cenmak Number	Item		OEM Number	Ø mm
69002001	Piston Ring Set Std.			84,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	4 FB 1	Fargo WFR
				Fargo WFS50
				Gemini PFD 60
	2,50	M		1980 - 1984
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
69001005	5121110640-9121118130	97 501 600	629 08 00	350147
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	86,00	C 240	TLD 13
	Comp. Height	51,50	250 D	TLD 23
	Total Lenght	95,50		TLD 23 Z
	Dome Height			TLD 23 ZV
	Bowl Dept	-3,00		TLD 24
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	27,00 / 72,00		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,0 x 5,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

ISUZU

Cenmak Number	Item		OEM Number	Ø mm
69002010	Piston Ring Set Std.			86,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R CR	C 240	TLD 13
			250 D	TLD 23
				TLD 23 Z
	2,00	M		TLD 23 ZV
				TLD 24
	5,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
69001010		99 403 600		
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	93,00	4JB1-T	Bighorn 2.8 TD
	Comp. Height	52,00		Trooper 2.8 TD
	Total Lenght	92,00		
	Dome Height			
	Bowl Dept	-19,30		
	Bowl Ø	44,00		
	Valve Pocket	-0,50		
	Pin Diameter	34,00 / 78,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,0 x 2,0 x 4,00		

Cenmak Number	Item		OEM Number	Ø mm
69002011	Piston Ring Set Std.			93,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R CR	4JB1-T	Bighorn 2.8 TD
				Trooper 2.8 TD
	2,00	M		
	4,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

ISUZU

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
69001015				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	102,00	4BB1	Elf 350
	Comp. Height	62,70		KS 11, 21 , 31
	Total Lenght	112,30		BE20D , BE20DH
	Dome Height			KS11D, KS31A
	Bowl Dept	-19,30		
	Bowl Ø			
	Valve Pocket	-0,25		
	Pin Diameter	35,00 / 87,00		
	Type of Design			
	Piston Ring Thickness	3,00 x 2,50 x 5,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
69001020				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	102,00	6BD1	
	Comp. Height	59,00		
	Total Lenght	104,20		
	Dome Height			
	Bowl Dept	-19,50		
	Bowl Ø			
	Valve Pocket	-0,35		
	Pin Diameter	35,00 / 86,00		
	Type of Design			
	Piston Ring Thickness	3,00 x 2,50 x 5,00		

Cenmak Number	Item		OEM Number	Ø mm
69002015	Piston Ring Set Std.			102,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	4BB1	Elf 350
			6BD1	KS 11, 21 , 31
				BE20D , BE20DH
	2,50	M		KS11D, KS31A
	5,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

ISUZU

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
69003015				
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	102,00	4BB1	Elf 350
	B - Skirt Diameter Ø	111,94	6BD1	KS 11, 21 , 31
	C - Overall Lenght	203,96		BE20D , BE20DH
	D - Flange Ø	115,03		KS11D, KS31A
	E - Flange Height	1,40		
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
69001025				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	135,00		
	Comp. Height	89,15		
	Total Lenght	149,40		
	Dome Height			
	Bowl Dept	-26,00		
	Bowl Ø			
	Valve Pocket	-0,80 / -2,60		
	Pin Diameter	50,00 / 104,10		
	Type of Design			
	Piston Ring Thickness	4,00 x 2,86 x 5,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

JENBACHER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
70001001				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	125,00	Air Cooled	
	Comp. Height	95,00	Dry Type	
	Total Lenght	158,50		
	Dome Height			
	Bowl Dept	-42,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	48,00 / 106		
	Type of Design			
	Piston Ring Thickness	4,00 x 3,50 x 3,50 x 6,00		

Cenmak Number	Item		OEM Number	Ø mm
70002001	Piston Ring Set Std.			125,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	4,00	R CR	Air Cooled	
			Dry Type	
	3,50	M		
	3,50	M		
	6,00	D CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
70001010				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	125,00	Water cooled	
	Comp. Height	83,80		
	Total Lenght	158,80		
	Dome Height			
	Bowl Dept	-5,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	45,00 / 107,00		
	Type of Design			
	Piston Ring Thickness	4,00 x 3,50 x 3,50 x 6,00 x 6,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

JENBACHER

Cenmak Number	Item		OEM Number	Ø mm
70002010	Piston Ring Set Std.			125,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	4,00	R CR	Water cooled	
	3,50	M		
	3,50	M		
	6,00	D CR		
	6,00	D CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
70001020				
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	135,00		
	Comp. Height	107,90		
	Total Lenght	157,00		
	Dome Height			
	Bowl Dept	-39,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	55,00 / 111,50		
	Type of Design	**ALFIN**		
		OIL COOLED		
	Piston Ring Thickness	3,5 x 3,0 x 3,0 x 5,0		

Cenmak Number	Item		OEM Number	Ø mm
70002020	Piston Ring Set Std.			135,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,50	R CR		
	3,00	R		
	3,00	R		
	5,00	DSF CR		

JOHN DEERE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22501000	T23481-T23482	90 867 600	225 07 00	A1422
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,00	3152D	710
	Comp. Height	57,35	4152D	820
	Total Lenght	99,35		920
	Dome Height			1020
	Bowl Dept	-16,50		2020
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	30,17 / 80,60		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,8 x 2,38 x 5,00		

Cenmak Number	Item		OEM Number	Ø mm
22502000	Piston Ring Set Std.		AR70633	98,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	3152D	710
			4152D	820
				920
	2,38	M		1020
				2020
	5,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22503000	AR51902	88 641 110	225 WN 01	WS499
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	98,00	3152D	710
	B - Skirt Diameter Ø	107,60	4152D	820
	C - Overall Lenght	197,00		920
	D - Flange Ø	123,00		
	E - Flange Height	6,00		
	F - Fire Lip	0,75		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

JOHN DEERE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22503005	T32340	89 035 110	225 WN 05	WS498
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	98,00	3152D	1020
	B - Skirt Diameter Ø	107,60	4202D	2020
	C - Overall Lenght	197,00		
	D - Flange Ø	123,00		
	E - Flange Height	6,00		
	F - Fire Lip	0,75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22501005	AR78310-R51112-RE53265-T26149	93 421 600	225 14 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	102,00	3164D	1520
	Comp. Height	57,30	4219D	2520
	Total Lenght	103,10	6329D	3120
	Dome Height			3030
	Bowl Dept	-16,50		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	30,17 / 85,00		
	Type of Design			
	Piston Ring Thickness	3,16 x 2,38 x 5,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22501010	T30015-T30355			A1458
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	102,00	3164D	1520
	Comp. Height	57,30	4219D	2520
	Total Lenght	103,10	6329D	3120
	Dome Height			3030
	Bowl Dept	-16,50		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	30,17 / 85,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16 x 2,38 x 5,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

JOHN DEERE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22501011	AR55984-AR87736-T30355	93 000 600	225 10 00	A1530
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	102,00	3164D	830
	Comp. Height	66,30	4219D	930
	Total Lenght	112,00	6329D	1130
	Dome Height			1020
	Bowl Dept	-21,50		1120
	Bowl Ø			1830
	Valve Pocket			2030
	Pin Diameter	34,925 / 84,00		3030
	Type of Design	**ALFIN**		3130
	Piston Ring Thickness	3,16 x 2,38 x 5,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22501015	AR77762			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	102,00	3164D	830
	Comp. Height	66,30	4219D	930
	Total Lenght	112,00	6329D	1130
	Dome Height			1020
	Bowl Dept	-21,50		1120
	Bowl Ø			1830
	Valve Pocket			2030
	Pin Diameter	34,925 / 84,00		3030
	Type of Design	**ALFIN**		3130
	Piston Ring Thickness	3,16 x 2,38 x 5,00		

Cenmak Number	Item		OEM Number	Ø mm
22502005	Piston Ring Set Std.		AR55759	102,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,16	T CR	3164D	1020, 1120
			4219D	1130, 1520
			6329D	1830, 2030
	2,38	M		2520, 3030
				3120, 3130
				830, 930
	5,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

JOHN DEERE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22503015	AR51903-R48636	88 896 110	225 WN 02	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	102,00	3164D	1020
	B - Skirt Diameter Ø	111,00		1120
	C - Overall Lenght	197,00		
	D - Flange Ø	125,00		
	E - Flange Height	6,04		
	F - Fire Lip	0,75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22503020	T32343-AR71618-R1116463	88 036 110	225 WN 04	WS485
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	102,00	3164D	830
	B - Skirt Diameter Ø	111,00	4219D	930
	C - Overall Lenght	197,00	6329D	1030
	D - Flange Ø	125,00		1130
	E - Flange Height	6,04		1830
	F - Fire Lip	0,75		2030
				2120
				3030
				3130
				4030

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22501020	AR55980-RE11515-RE24458-RE24539	93 757 600	225 15 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	106,50	3179D	840, 940, 1040
	Comp. Height	66,42	4239D	1140, 1350, 1550
	Total Lenght	112,00	6359D	1630, 1750, 1850
	Dome Height			1850N
	Bowl Dept	-18,75		1640, 1840, 2040
	Bowl Ø			2045, 2130, 2250
	Valve Pocket			2450
	Pin Diameter	34,925 / 84,00		3040, 3050, 3140
	Type of Design	**ALFIN**		3350, 3640
	Piston Ring Thickness	3,16 x 2,38 x 3,50		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

JOHN DEERE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22501025	AR87738			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	106,5	3179D	840, 940, 1040
	Comp. Height	66,42	4239D	1140, 1350, 1550
	Total Lenght	112	6359D	1630, 1750, 1850
	Dome Height			1850N
	Bowl Dept	-18,75		1640, 1840, 2040
	Bowl Ø			2045, 2130, 2250
	Valve Pocket			2450
	Pin Diameter	34,925 / 84,00		3040, 3050, 3140
	Type of Design	**ALFIN**		3350, 3640
	Piston Ring Thickness	3,16 x 2,38 x 3,50		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22501030	AR79868-RE19282-RE19283			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	106,50	3179D	840, 940, 1040
	Comp. Height	66,42	4239D	1140, 1350, 1550
	Total Lenght	112,00	6359D	1630, 1750, 1850
	Dome Height			1850N
	Bowl Dept	-18,75		1640, 1840, 2040
	Bowl Ø			2045, 2130, 2250
	Valve Pocket			2450
	Pin Diameter	34,925 / 84,00		3040, 3050, 3140
	Type of Design	**ALFIN**		3350, 3640
	Piston Ring Thickness	3,16 x 2,38 x 3,50		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22501035	RE15595-RE15596	93 759 600	225 19 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	106,50	3179T	1950, 1950N
	Comp. Height	66,42	4239T	2650, 2850
	Total Lenght	112,00	6359T	2140
	Dome Height			3650, 404D, 404S
	Bowl Dept	-19,65		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	41,29 / 84,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16 x 2,38 x 3,50		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

JOHN DEERE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22501075	AR71067-AR87748			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	106,50	3179T	1950, 1950N
	Comp. Height	66,42	4239T	2650, 2850
	Total Lenght	112,00	6359T	2140
	Dome Height			3650, 404D, 404S
	Bowl Dept	-19,65		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	41,29 / 84,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16 x 2,38 x 3,50		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22501040	RE19278-RE19279-RE48368			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	106,50	3179T	1950, 1950N
	Comp. Height	66,42	4239T	2650, 2850
	Total Lenght	112,00	6359T	2140
	Dome Height			3650, 404D, 404S
	Bowl Dept	18,75		
	Bowl Ø	58,50		
	Valve Pocket			
	Pin Diameter	41,29 / 84,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16 x 2,38 x 3,50		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22501045	RE505102			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	106,50	Powertech	5410, 5500, 5510
	Comp. Height	71,50	4045	6010, 6110, 6210
	Total Lenght	104,70	6068	6310, 6405, 6410
	Dome Height			6510, 6605, 7210
	Bowl Dept	-25,70		7405, 7410, 7510
	Bowl Ø	56,80		7610
	Valve Pocket			
	Pin Diameter	41,29 / 84,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16 x 2,38 x 3,50		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

JOHN DEERE

Cenmak Number	Item		OEM Number	Ø mm
22502020	Piston Ring Set Std.		RE15674	106,50
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,16	T CR	3179D	840, 940, 1040
			3179T	1140, 1350, 1550
			4239D	1630, 1750, 1850
	2,38	M	4239T	1850N
			6359D	1640, 1840, 2040
			6359T	2045, 2130, 2250
	3,50	DSF CR		2450
			Powertech	3040, 3050, 3140
			4045	3350, 3640
			6068	1950, 1950N
				2650, 2850
				2140
				3650, 404D, 404S
				5410, 5500, 5510
				6010, 6110, 6210
				6310, 6405, 6410
				6510, 6605, 7210
				7405, 7410, 7510
				7610

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22503025	AR51726-AR65507-R116281-R51726 R80724	89 028 110	225 WN 03	
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	106,50	3179D	840, 940, 1040
	B - Skirt Diameter Ø	111,00	3179T	1140, 1350, 1550
	C - Overall Lenght	197,00	4239D	1630, 1750, 1850
	D - Flange Ø	125,00	4239T	1850N
	E - Flange Height	6,04	6359D	1640, 1840, 2040
	F - Fire Lip	0,75	6359T	2045, 2130, 2250
				2450
				3040, 3050, 3140
				3350, 3640
				1950, 1950N
				2650, 2850
				2140
				3650, 404D, 404S

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

JOHN DEERE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22503030	R121867			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	106,50	Powertech	5410, 5500, 5510
	B - Skirt Diameter Ø	115,70 / 114,85	4045	6010, 6110, 6210
	C - Overall Lenght	219,00	6068	6310, 6405, 6410
	D - Flange Ø	126,00		6510, 6605, 7210
	E - Flange Height	6,00		7405, 7410, 7510
	F - Fire Lip	0,85		7610

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22501050	RE23163			A1699 NP
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	107,95	6404D	4040
	Comp. Height	70,00		4230
	Total Lenght	124,50		6600
	Dome Height			7700
	Bowl Dept	-18,80		
	Bowl Ø	68,75		
	Valve Pocket			
	Pin Diameter	38,10 / 84,70		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,50 x 4,74		

Cenmak Number	Item		OEM Number	Ø mm
22502050	Piston Ring Set Std.		AR65502	107,95
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	6404D	4040
				4230
				6600
	2,50	M		7700
	4,74	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

JOHN DEERE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22501055	RE23172			A1700 NP
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	107,95	4270D	3010
	Comp. Height	70,00	6404D	3020
	Total Lenght	124,50		4010
	Dome Height			4020
	Bowl Dept	-15,00		
	Bowl Ø	63,50		
	Valve Pocket			
	Pin Diameter	38,10 / 85,20		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,50 x 6,33		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22501060	RE23168			A1691 NP
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	107,95	6404D	3020
	Comp. Height	70,00	4270D	4000
	Total Lenght	124,50		4020
	Dome Height			6600
	Bowl Dept			7700
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	38,10 / 85,20		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,50 x 6,33		

Cenmak Number	Item		OEM Number	Ø mm
22502055	Piston Ring Set Std.		AR41763	107,95
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	4270D	3010
			6404D	3020
				4000
	2,50	M		4010
				4020
				6600
	6,33	DSF CR		7700

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

JOHN DEERE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22503040	R40615-R48767			WS-467
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	107,95		
	B - Skirt Diameter Ø			
	C - Overall Lenght			
	D - Flange Ø			
	E - Flange Height			
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901000	155070510-155070513-155070516-155070520	90 332 600	099 23 00	350 092
	03371630EB-B0155070527-3371632-3371640			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	95,00	F 1 L 712	D13
	Comp. Height	59,00	F 2 L 712	D14
	Total Lenght	125,70	F 3 L 712	D15
	Dome Height	11,70	F 4 L 712	D25S
	Bowl Dept		F 6 L 712	D30S
	Valve Pocket			D40L/S
	Pin Diameter	35,00		D50S
	Type of Design	NONALFIN		
	Piston Ring Thickness			
	2,50x2,50x2,50x5,00x5,00			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901001	01480237A3-3371637-155070523-155070536	90 332 610	099 23 01	
	155070560-0155070527/14-F0155070536			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	95,50	F 1 L 712	D13
	Comp. Height	59,00	F 2 L 712	D14
	Total Lenght	125,70	F 3 L 712	D15
	Dome Height	11,70	F 4 L 712	D25S
	Bowl Dept		F 6 L 712	D30S
	Valve Pocket			D40L/S
	Pin Diameter	35		D50S
	Type of Design	NONALFIN		
	Piston Ring Thickness			
	2,50x2,50x2,50x5,00x5,00			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901002	3371640	90 332 620	099 23 02	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	96,00	F 1 L 712	D13
	Comp. Height	59,00	F 2 L 712	D14
	Total Lenght	125,70	F 3 L 712	D15
	Dome Height	11,70	F 4 L 712	D25S
	Bowl Dept		F 6 L 712	D30S
	Valve Pocket			D40L/S
	Pin Diameter	35,00		D50S
	Type of Design	**NONALFIN**		
	Piston Ring Thickness			
	2,50x2,50x2,50x5,00x5,00			

Cenmak Number	Item		GOE Number	Ø mm
9902000	Piston Ring Set Std.		08-164400-00	95,00
9902001	Piston Ring Set 0,50		08-164400-00 + 0,50	95,50
9902002	Piston Ring Set 1,00		08-164400-00 + 1,00	96,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	F 1 L 712	D13
			F 2 L 712	D14
			F 3 L 712	D15
	2,50	M	F 4 L 712	D25S
			F 6 L 712	D30S
				D40L/S
	2,50	NM		D50S
	5,00	DSF CR		
	5,00	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9903000	155040601-3371447	88 860 110	099 WR 04	
	155040611-3508334			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	95,00	F 1 L 712	D13
	B - Skirt Diameter Ø	105,00	F 2 L 712	D14
	C - Overall Lenght	217,60	F 3 L 712	D15
	D - Flange Ø	115,00	F 4 L 712	D25S
	E - Flange Height	132,60	F 6 L 712	D30S
	F - Fire Lip	-		D40L/S
				D50S

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901005	155070810-155070840-155070880	90 359 600	099 26 00	
	3371645-3371653-3371656			
	C0155070816-C0155070820-M2D29			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	95,00	F 1 L 812	D15
	Comp. Height	68,00	F 2 L 812	D2505
	Total Lenght	125,70	F 3 L 812	D3005
	Dome Height	11,70	F 4 L 812	D30
	Bowl Dept		F 6 L 812	D4005
	Valve Pocket			D4505
	Pin Diameter	35,00		D40 / 50
	Type of Design	**NONALFIN**		D5005
				D6005
	Piston Ring Thickness			D8005
	2,50x2,50x2,50x5,00			D9005

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901006	1550708100-155070817-155070860	90 359 610	099 26 01	
	3371655-3371657-3528205			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	95,50	F 1 L 812	D15
	Comp. Height	68,00	F 2 L 812	D2505
	Total Lenght	125,70	F 3 L 812	D3005
	Dome Height	11,70	F 4 L 812	D30
	Bowl Dept		F 6 L 812	D4005
	Valve Pocket			D4505
	Pin Diameter	35,00		D40 / 50
	Type of Design	**NONALFIN**		D5005
				D6005
	Piston Ring Thickness			D8005
	2,50x2,50x2,50x5,00			D9005

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901007		90 359 620	099 26 02	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	96,00	F 1 L 812	D15
	Comp. Height	68,00	F 2 L 812	D2505
	Total Lenght	125,70	F 3 L 812	D3005
	Dome Height	11,70	F 4 L 812	D30
	Bowl Dept		F 6 L 812	D4005
	Valve Pocket			D4505
	Pin Diameter	35,00		D40 / 50
	Type of Design	**NONALFIN**		D5005
				D6005
	Piston Ring Thickness			D8005
	2,50x2,50x2,50x5,00			D9005

Cenmak Number	Item	GOE Number	Ø mm
9902005	Piston Ring Set Std.	08-166400-00	95,00
9902006	Piston Ring Set 0,50	08-166400-00 +0,50	95,50
9902007	Piston Ring Set 1,00	08-166400-00 +1,00	96,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	F 1 L 812	D15
			F 2 L 812	D2505
			F 3 L 812	D3005
	2,50	M	F 4 L 812	D30
			F 6 L 812	D4005
				D4505
	2,50	NM		D40 / 50
				D5005
				D6005
	5,00	DSF CR		D8005
				D9005

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9903005	155040801-15504815-3371449	88 100 110	099 WR 05	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	95,00	F 1 L 812	D15
	B - Skirt Diameter Ø	105,00	F 2 L 812	D2505
	C - Overall Lenght	217,60	F 3 L 812	D3005
	D - Flange Ø	115,00	F 4 L 812	D30
	E - Flange Height	132,60	F 6 L 812	D4005
	F - Fire Lip	-		D4505
				D40 / 50
				D5005
				D6005
				D9005

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901020	2233661-2234100-2235973-2291429	93 472 600	099 83 00	
	4152197-4158997-2235973			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	F 1 L 511D	
	Comp. Height	56,75	F 2 L 511D	
	Total Lenght	95,95		
	Dome Height	5,70		
	Bowl Dept	-21,44		
	Valve Pocket			
	Pin Diameter	35,00		
	Type of Design	NONALFIN		
	Piston Ring Thickness			
	3,50x2,50x5,00			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901021	2233662-2234101-4159106	93 472 610	099 83 01	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,50	F 1 L 511D	
	Comp. Height	56,75	F 2 L 511D	
	Total Lenght	95,95		
	Dome Height	5,70		
	Bowl Dept	-21,44		
	Valve Pocket			
	Pin Diameter	35,00		
	Type of Design	NONALFIN		
	Piston Ring Thickness			
	3,50x2,50x5,00			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901022	2234087-2234102	93 472 620	099 83 02	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	101,00	F 1 L 511D	
	Comp. Height	56,75	F 2 L 511D	
	Total Lenght	95,95		
	Dome Height	5,70		
	Bowl Dept	-21,44		
	Valve Pocket			
	Pin Diameter	35,00		
	Type of Design	NONALFIN		
	Piston Ring Thickness			
	3,50x2,50x5,00			

Cenmak Number	Item	GOE Number	Ø mm
9902015	Piston Ring Set Std.	08-740800-00	100,00
9902016	Piston Ring Set 0,50	08-740800-00 +0,50	100,50
9902017	Piston Ring Set 1,00	08-740800-00 +1,00	101,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	F 1 L 511D	
			F 2 L 511D	
	2,50	M		
	5,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9903015	2234078-2290637	89 083 110	099 WR 20	14-900040-00
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	100,00	F 1 L 511D	
	B - Skirt Diameter Ø	109,85	F 2 L 511D	
	C - Overall Lenght	185,90		
	D - Flange Ø	120,00		
	E - Flange Height	118,90		
	F - Fire Lip	-		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901010	155071201-155071210-2133806-2133819	91 395 600	099 33 00	350094
	02133806KZ-02133819KZ-02135258KZ			
	02136965UB015507-2135285-2136952			
	2137721-2137725-4152178-2133806			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	100,00	F 1 L 912D	D2506, D2807
Comp. Height	71,90	F 2 L 912D	D3006, D3607
Total Lenght	123,60	F 3 L 912D	D4006 -D4007, D4807
Dome Height	4,00	F 4 L 912D	D4505, D4506, D4507
Bowl Dept	-19,90	F 5 L 912D	D5006, D5206, D5207
Valve Pocket		F 6 L 912D	D5506, D6006, D6206
Pin Diameter	35,00 / 80,00		D6207, D6507
Type of Design	NONALFIN		D6806, D6807
Piston Ring Qty.	4		D7006, D7007
Piston Ring Thickness			D7206, D7207
3,00x2,50x2,50x5,00			D7506
			D8006, D9006, D9009
			DX110, DX3.10, DX3.20
			DX3.30, DX3.70, DX36
			DX4.10, DX50, DX55
			DX6.10, DX85, DX90
			INTRAC 2002, 2003
			INTRAC 2004, 2005

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901011	155071220-02133735KZ-02133807KZ 2133458 02135288KZ-2136958-2136967	91 395 610	099 33 01	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	100,50	F 1 L 912D	D2506, D2807
Comp. Height	71,90	F 2 L 912D	D3006, D3607
Total Lenght	123,60	F 3 L 912D	D4006 -D4007, D4807
Dome Height	4,00	F 4 L 912D	D4505, D4506, D4507
Bowl Dept	-19,90	F 5 L 912D	D5006, D5206, D5207
Valve Pocket		F 6 L 912D	D5506, D6006, D6206
Pin Diameter	35,00		D6207, D6507
Type of Design	NONALFIN		D6806, D6807
Piston Ring Qty.	4		D7006, D7007
Piston Ring Thickness			D7206, D7207
3,00x2,50x2,50x5,00			D7506
			D8006, D9006, D9009
			DX110, DX3.10, DX3.20
			DX3.30, DX3.70, DX36
			DX4.10, DX50, DX55
			DX6.10, DX85, DX90
			INTRAC 2002, 2003
			INTRAC 2004, 2005

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901012	155071230-2131469-2230292-2231469 2231471	91 395 620	099 33 02	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	101,00	F 1 L 912D	D2506, D2807
Comp. Height	71,90	F 2 L 912D	D3006, D3607
Total Lenght	123,60	F 3 L 912D	D4006 -D4007, D4807
Dome Height	4,00	F 4 L 912D	D4505, D4506, D4507
Bowl Dept	-19,90	F 5 L 912D	D5006, D5206, D5207
Valve Pocket		F 6 L 912D	D5506, D6006, D6206
Pin Diameter	35,00		D6207, D6507
Type of Design	NONALFIN		D6806, D6807
Piston Ring Qty.	4		D7006, D7007
Piston Ring Thickness			D7206, D7207
3,00x2,50x2,50x5,00			D7506
			D8006, D9006, D9009
			DX110, DX3.10, DX3.20
			DX3.30, DX3.70, DX36
			DX4.10, DX50, DX55
			DX6.10, DX85, DX90
			INTRAC 2002, 2003
			INTRAC 2004, 2005

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901015	02137725UB-2137721-2137726-2239260	93 535 600	099 01 00	
	4154891-4230456-4230681-4231726			
	4231966-4232014-4232407			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	100,00	F 1 L 912D	D2506, D2807
Comp. Height	71,80	F 2 L 912D	D3006, D3607
Total Lenght	123,60	F 3 L 912D	D4006 -D4007, D4807
Dome Height	4,00	F 4 L 912D	D4505, D4506, D4507
Bowl Dept	-19,90	F 5 L 912D	D5006, D5206, D5207
Valve Pocket		F 6 L 912D	D5506, D6006, D6206
Pin Diameter	35,00		D6207, D6507
Type of Design	NONALFIN		D6806, D6807
Piston Ring Qty.	3		D7006, D7007
Piston Ring Thickness	3,00x2,50x5,00		D7206, D7207
3,00x2,50x5,00			D7506
			D8006, D9006, D9009
			DX110, DX3.10, DX3.20
			DX3.30, DX3.70, DX36
			DX4.10, DX50, DX55
			DX6.10, DX85, DX90
			INTRAC 2002, 2003
			INTRAC 2004, 2005

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901016	2137722-2137727-4230457-4230685	93 535 610	099 01 01	
	4231725-4231968-4232016			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	100,50	F 1 L 912D	D2506, D2807
Comp. Height	71,80	F 2 L 912D	D3006, D3607
Total Lenght	123,60	F 3 L 912D	D4006 -D4007, D4807
Dome Height	4,00	F 4 L 912D	D4505, D4506, D4507
Bowl Dept	-19,90	F 5 L 912D	D5006, D5206, D5207
Valve Pocket		F 6 L 912D	D5506, D6006, D6206
Pin Diameter	35,00		D6207, D6507
Type of Design	NONALFIN		D6806, D6807
Piston Ring Qty.	3		D7006, D7007
Piston Ring Thickness			D7206, D7207
3,00x2,50x5,00			D7506
			D8006, D9006, D9009
			DX110, DX3.10, DX3.20
			DX3.30, DX3.70, DX36
			DX4.10, DX50, DX55
			DX6.10, DX85, DX90
			INTRAC 2002, 2003
			INTRAC 2004, 2005

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901017	4230458-4230687-4231970-4230687	93 535 620	099 01 02	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	101,00	F 1 L 912D	D2506, D2807
Comp. Height	71,80	F 2 L 912D	D3006, D3607
Total Lenght	123,60	F 3 L 912D	D4006 -D4007, D4807
Dome Height	4,00	F 4 L 912D	D4505, D4506, D4507
Bowl Dept	-19,90	F 5 L 912D	D5006, D5206, D5207
Valve Pocket		F 6 L 912D	D5506, D6006, D6206
Pin Diameter	35,00		D6207, D6507
Type of Design	NONALFIN		D6806, D6807
Piston Ring Qty.	3		D7006, D7007
Piston Ring Thickness			D7206, D7207
3,00x2,50x5,00			D7506
			D8006, D9006, D9009
			DX110, DX3.10, DX3.20
			DX3.30, DX3.70, DX36
			DX4.10, DX50, DX55
			DX6.10, DX85, DX90
			INTRAC 2002, 2003
			INTRAC 2004, 2005

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901025	2135118-2230825	93 168 600	099 86 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	BF 6 L 912	D8006
	Comp. Height	71,90		D10006
	Total Lenght	123,60		
	Dome Height	4,00		
	Bowl Dept	-19,90		
	Valve Pocket			
	Pin Diameter	35,00		
	Type of Design	NONALFIN		
	Piston Ring Qty.	4		
	Piston Ring Thickness			
	3,00x2,5x2,50x5,00			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901026	2135119-2230826	93 168 610	099 86 01	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,50	BF 6 L 912	D8006
	Comp. Height	71,90		D10006
	Total Lenght	123,60		
	Dome Height	4,00		
	Bowl Dept	-19,90		
	Valve Pocket			
	Pin Diameter	35,00		
	Type of Design	NONALFIN		
	Piston Ring Qty.	4		
	Piston Ring Thickness			
	3,00x2,5x2,50x5,00			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901027	2135120-2230827	93 168 620	099 86 02	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	101,00	BF 6 L 912	D8006
	Comp. Height	71,90		D10006
	Total Lenght	123,60		
	Dome Height	4,00		
	Bowl Dept	-19,90		
	Valve Pocket			
	Pin Diameter	35,00		
	Type of Design	NONALFIN		
	Piston Ring Qty.	4		
	Piston Ring Thickness			
	3,00x2,5x2,50x5,00			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	Item	GOE Number	Ø mm
9902010	Piston Ring Set Std.	08-179400-00	100,00
9902011	Piston Ring Set 0,50	08-179400-00 +0,50	100,50
9902012	Piston Ring Set 1,00	08-179400-00 +1,00	101,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	F 1 L 912D	D2506, D2807
			F 2 L 912D	D3006, D3607
			F 3 L 912D	D4006 -D4007, D4807
	2,50	M	F 4 L 912D	D4505, D4506, D4507
			F 5 L 912D	D5006, D5206, D5207
			F 6 L 912D	D5506, D6006, D6206
	2,50	NM	BF 6 L 912	D6207, D6507
				D6806, D6807
				D7006, D7007
	5,00	DSF CR		D7206, D7207
				D7506, D10006
				D8006, D9006, D9009
				DX110, DX3.10,DX3.20
				DX3.30, DX3.70, DX36
				DX4.10, DX50, DX55
				DX6.10, DX85, DX90
				INTRAC 2002, 2003
				INTRAC 2004, 2005

Cenmak Number	Item	GOE Number	Ø mm
9902015	Piston Ring Set Std.	08-741800-00	100,00
9902016	Piston Ring Set 0,50	08-741800-00 +0,50	100,50
9902017	Piston Ring Set 1,00	08-741800-00 +1,00	101,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	F 1 L 912D	D2506, D2807
			F 2 L 912D	D3006, D3607
			F 3 L 912D	D4006 -D4007, D4807
	2,50	M	F 4 L 912D	D4505, D4506, D4507
			F 5 L 912D	D5006, D5206, D5207
			F 6 L 912D	D5506, D6006, D6206
	5,00	DSF CR		D6207, D6507
				D6806, D6807
				D7006, D7007
				D7206, D7207
				D7506
				D8006, D9006, D9009
				DX110, DX3.10,DX3.20
				DX3.30, DX3.70, DX36
				DX4.10, DX50, DX55
				DX6.10, DX85, DX90
				INTRAC 2002, 2003
				INTRAC 2004, 2005

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9903010	155041101-02231924EC-2101175-2137828 2231377-2231927-2231975-4155956 4157756-4157763-4158559	89 005 110	099 WR 08	14-900080-00



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	100,00	F 1 L 912D	D2506, D2807
B - Skirt Diameter Ø	110,00	F 2 L 912D	D3006, D3607
C - Overall Lenght	222,30	F 3 L 912D	D4006 -D4007, D4807
D - Flange Ø	120,00	F 4 L 912D	D4505, D4506, D4507
E - Flange Height	137,30	F 5 L 912D	D5006, D5206, D5207
F - Fire Lip	-	F 6 L 912D	D5506, D6006, D6206
		BF 6 L 912	D6207, D6507
			D6806, D6807
			D7006, D7007
			D7206, D7207
			D7506, D10006
			D8006, D9006, D9009
			DX110, DX3.10, DX3.20
			DX3.30, DX3.70, DX36
			DX4.10, DX50, DX55
			DX6.10, DX85, DX90
			INTRAC 2002, 2003
			INTRAC 2004, 2005

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901030	2230759-2230842-2231659 2231660 2233304 2233306-2236679-2238604-2239486	90 237 600	099 36 00	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	102,00	F 3 L 913	DX3.50
Comp. Height	69,10	F 4 L 913	D6007
Total Lenght	123,60	F 6 L 913	D7807
Dome Height	6,00		DX3.90
Bowl Dept	-19,50		DX4.90
Valve Pocket			DX80
Pin Diameter	35,00		DX6.30
Type of Design	**ALFIN**		DX120
Piston Ring Qty.	4		
Piston Ring Thickness	3,00x2,50x2,50x5,00		
Combustion Bowl Ø	56,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901031	2230843-2230893-2231662-2231663 2233307	90 237 610	099 36 02	
	42520209-2236680-2230760-2238609			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	102,50	F 3 L 913	DX3.50
	Comp. Height	69,10	F 4 L 913	D6007
	Total Lenght	123,60	F 6 L 913	D7807
	Dome Height	6,00		DX3.90
	Bowl Dept	-19,50		DX4.90
	Valve Pocket			DX80
	Pin Diameter	35,00		DX6.30
	Type of Design	**ALFIN**		DX120
	Piston Ring Qty.	4		
	Piston Ring Thickness	3,00x2,50x2,5x5,00		
	Combustion Bowl Ø	56,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901040	2230349-2236681-2236691-2239482	93 741 600	099 43 00	
	2239499-2239500-4152183-42520098			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	102,00	F 3 L 913	DX3.50
	Comp. Height	69,10	F 4 L 913	D6007
	Total Lenght	123,60	F 6 L 913	D7807
	Dome Height	6,00		DX3.90
	Bowl Dept	-19,50		DX4.90
	Valve Pocket			DX80
	Pin Diameter	35,00		DX6.30
	Type of Design	**ALFIN**		DX120
	Piston Ring Qty.	3		
	Piston Ring Thickness	3,00x2,50x5,00		
	Combustion Bowl Ø	56,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901041	2233305-2236682-2236688-2239498 2239501 4150249-4153957-4153958-4153961 4157750 4158957-4159034-4159035-4159036 4231302 4150249-4153958-4153961-4159034	93 741 610	099 43 01	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	102,50	F 3 L 913	DX3.50
Comp. Height	69,10	F 4 L 913	D6007
Total Lenght	123,60	F 6 L 913	D7807
Dome Height	6,00		DX3.90
Bowl Dept	-19,50		DX4.90
Valve Pocket			DX80
Pin Diameter	35,00		DX6.30
Type of Design	**ALFIN**		DX120
Piston Ring Qty.	3		
Piston Ring Thickness	3,00x2,50x5,00		
Combustion Bowl Ø	56,00		

Cenmak Number	Item	GOE Number	Ø mm
9902020	Piston Ring Set Std.	08-174600-10	102,00
9902021	Piston Ring Set 0,50	08-174600-10 +0,50	102,50

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	F 3 L 913	DX3.50
			F 4 L 913	D6007
			F 6 L 913	D7807
	2,50	M		DX3.90
				DX4.90
				DX80
	2,50	NM		DX6.30
				DX120
	5,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	Item		GOE Number	Ø mm
9902025	Piston Ring Set Std.		08-740900-00	102,00
9902026	Piston Ring Set 0,50		08-740900-00 +0,50	102,50

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	F 3 L 913	DX3.50
			F 4 L 913	D6007
			F 6 L 913	D7807
	2,50	M		DX3.90
				DX4.90
				DX80
	5,00	DSF CR		DX6.30
				DX120

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9903020	2137488-2139501-2231928-2236370 2236804	88 684 110	099 WR 09	14-900100-00
	4151158-4151928-4152141-4153439 4156586			
	4156769-4157409-4157560-4157763 4157764			
	4158563-4231508-4231513-42521812			

	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	102,00	F 3 L 913	DX3.50
	B - Skirt Diameter Ø	110,00	F 4 L 913	D6007
	C - Overall Lenght	222,30	F 6 L 913	D7807
	D - Flange Ø	120,00		DX3.90
	E - Flange Height	137,30		DX4.90
	F - Fire Lip	-		DX80
				DX6.30
				DX120

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901045	143070810-152070802-1520708020 152070804-152070806-2913795 3365650-3365709	93 351 700	101 13 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	110,00	F 1 L 514 D	
	Comp. Height	87,00	F/A 2 L 514 D	
	Total Lenght	154,00	F/A 3 L 514 D	
	Dome Height		F/A 4 L 514 D	
	Bowl Dept		F/A 6 L 514 D	
	Valve Pocket		F/A 6 L 614 D	
	Pin Diameter	40,00	F/A 8 L 614 D	
	Type of Design	NONALFIN	F/A 12 L 614 D	
	Piston Ring Qty.	5		
	Piston Ring Thickness	3,00x3,00x3,00x6,00x6,00		
	Combustion Bowl Ø			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901046	1520708060-152070824-152070830	93 351 710	101 13 01	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	110,50	F 1 L 514 D	
	Comp. Height	87,00	F/A 2 L 514 D	
	Total Lenght	154.00	F/A 3 L 514 D	
	Dome Height		F/A 4 L 514 D	
	Bowl Dept		F/A 6 L 514 D	
	Valve Pocket		F/A 6 L 614 D	
	Pin Diameter	40,00	F/A 8 L 614 D	
	Type of Design	NONALFIN	F/A 12 L 614 D	
	Piston Ring Qty.	5		
	Piston Ring Thickness	3,00x3,00x3,00x6,00x6,00		
	Combustion Bowl Ø			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901047	1520708070-152070825	93 351 720	101 13 02	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	111,00	F 1 L 514 D	
	Comp. Height	87,00	F/A 2 L 514 D	
	Total Lenght	154,00	F/A 3 L 514 D	
	Dome Height		F/A 4 L 514 D	
	Bowl Dept		F/A 6 L 514 D	
	Valve Pocket		F/A 6 L 614 D	
	Pin Diameter	40	F/A 8 L 614 D	
	Type of Design	NONALFIN	F/A 12 L 614 D	
	Piston Ring Qty.	5		
	Piston Ring Thickness	3,00x3,00x3,00x6,00x6,00		
	Combustion Bowl Ø			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901050	143070870-143070940-143070970 3358207	90 353 700	101 15 00	
	152071130-152071152-152071180			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	110,00	F 1 L 514	
Comp. Height	87,00	F/A 2 L 514	
Total Lenght	154,00	F/A 3 L 514	
Dome Height		F/A 4 L 514	
Bowl Dept	-10,50	F/A 6 L 514	
Valve Pocket		F/A 6 L 614	
Pin Diameter	40,00	F/A 8 L 614	
Type of Design	NONALFIN	F/A 12 L 614	
Piston Ring Qty.	5		
Piston Ring Thickness	3,00x3,00x3,00x6,00x6,00		
Combustion Bowl Ø			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901051	1430709120-1430709170-143070950	90 353 710	101 15 01	
	143070980-152071131-3358202			
	3358208-3358202-3358208			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	110,50	F 1 L 514	
Comp. Height	87,00	F/A 2 L 514	
Total Lenght	154,00	F/A 3 L 514	
Dome Height		F/A 4 L 514	
Bowl Dept	-10,50	F/A 6 L 514	
Valve Pocket		F/A 6 L 614	
Pin Diameter	40,00	F/A 8 L 614	
Type of Design	NONALFIN	F/A 12 L 614	
Piston Ring Qty.	5		
Piston Ring Thickness	3,00x3,00x3,00x6,00x6,00		
Combustion Bowl Ø			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901052	1430709130-1430709180-143070960	90 353 720	101 15 02	
	143070990-152071132-3358203-3358209			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	111,00	F 1 L 514	
	Comp. Height	87,00	F/A 2 L 514	
	Total Lenght	154,00	F/A 3 L 514	
	Dome Height		F/A 4 L 514	
	Bowl Dept	-10,50	F/A 6 L 514	
	Valve Pocket		F/A 6 L 614	
	Pin Diameter	40,00	F/A 8 L 614	
	Type of Design	NONALFIN	F/A 12 L 614	
	Piston Ring Qty.	5		
	Piston Ring Thickness	3,00x3,00x3,00x6,00x6,00		
	Combustion Bowl Ø			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901055	143070706-143070740-143070910	91 959 600	101 19 00	
	1430709100-3358195-3358204-1011900			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	110,00	F 6 L 613	
	Comp. Height	92,00		
	Total Lenght	159,00		
	Dome Height			
	Bowl Dept	-13,00		
	Valve Pocket	-0,30		
	Pin Diameter	40,00		
	Type of Design	NONALFIN		
	Piston Ring Qty.	5		
	Piston Ring Thickness	3,00x3,00x3,00x6,00x6,00		
	Combustion Bowl Ø			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901056	143070729-1430709140-143070920 148335A3 01480335A3-3358199-3358205 1011901	91 959 610	101 19 01	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	110,50	F 6 L 613	
Comp. Height	92,00		
Total Lenght	159,00		
Dome Height			
Bowl Dept	-13,00		
Valve Pocket	-0,30		
Pin Diameter	40,00		
Type of Design	NONALFIN		
Piston Ring Qty.	5		
Piston Ring Thickness	3,00x3,00x3,00x6,00x6,00		
Combustion Bowl Ø			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901057	143070731-1430709150-143070930 148336A3 01480336A3-3358200-3358206	91 959 620	101 19 02	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	111,00	F 6 L 613	
Comp. Height	92,00		
Total Lenght	159,00		
Dome Height			
Bowl Dept	-13,00		
Valve Pocket	-0,30		
Pin Diameter	40,00		
Type of Design	NONALFIN		
Piston Ring Qty.	5		
Piston Ring Thickness	3,00x3,00x3,00x6,00x6,00		
Combustion Bowl Ø			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	Item		GOE Number	Ø mm
9902035	Piston Ring Set Std.		08-160800-00	110,00
9902036	Piston Ring Set 0,50		08-160800-00 +0,50	110,50
9902037	Piston Ring Set 1,00		08-160800-00 +1,00	111,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	F 1 L 514	
			F/A 2 L 514	
			F/A 3 L 514	
	3,00	R	F/A 4 L 514	
			F/A 6 L 514	
			F 6 L 613	
	3,00	NM	F/A 6 L 614	
			F/A 8 L 614	
			F/A 12 L 614	
	6,00	DSF CR		
	6,00	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9903025	152042101-152042102-152042111	88 113 110	101 WR 02	
	152042112-3365321-3508322			

	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	110,00	F 1 L 514	
	B - Skirt Diameter Ø	130,00	F/A 2 L 514	
	C - Overall Lenght	274,55	F/A 3 L 514	
	D - Flange Ø	140,00	F/A 4 L 514	
	E - Flange Height	162,40	F/A 6 L 514	
	F - Fire Lip		F 6 L 613	
			F/A 6 L 614	
			F/A 8 L 614	
			F/A 12 L 614	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901060	144070106-144070336-144071210	91 967 600	101 23 00	
	1440717010-1440720110-2913927			
	2925595-3358886-3358895-1012300			
	2913927-2925595-3358886-3358895			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	120,00	F/A 6 L 714	
Comp. Height	87,00	F/A 8 L 714	
Total Lenght	154,00	F/A 10 L 714	
Dome Height		F/A 12 L 714	
Bowl Dept	-13,00		
Valve Pocket			
Pin Diameter	40,00		
Type of Design	NONALFIN		
Piston Ring Qty.	5		
Piston Ring Thickness	3,00x3,00x3,00x6,00x6,00		
Combustion Bowl Ø			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901061	144070135-144070339-144071220	91 967 610	101 23 01	
	1440717020-2913928-2925596 3358887			
	3358896-1012301-2913928-2925596			
	3358887-3358896			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	120,50	F/A 6 L 714	
Comp. Height	87,00	F/A 8 L 714	
Total Lenght	154,00	F/A 10 L 714	
Dome Height		F/A 12 L 714	
Bowl Dept	-13,00		
Valve Pocket			
Pin Diameter	40,00		
Type of Design	NONALFIN		
Piston Ring Qty.	5		
Piston Ring Thickness	3,00x3,00x3,00x6,00x6,00		
Combustion Bowl Ø			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901062	144070136-144070341-144071230	91 967 620	101 23 02	
	1440717030-2913929-2925597			
	3358897-1012302-2913929-2925597			
	3358888-3358897			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	121,00	F/A 6 L 714	
Comp. Height	87,00	F/A 8 L 714	
Total Lenght	154,00	F/A 10 L 714	
Dome Height		F/A 12 L 714	
Bowl Dept	-13,00		
Valve Pocket			
Pin Diameter	40,00		
Type of Design	NONALFIN		
Piston Ring Qty.	5		
Piston Ring Thickness	3,00x3,00x3,00x6,00x6,00		
Combustion Bowl Ø			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901065	1015900-2402148-2405321-2405821	92 334 800	101 59 00	
	2417200-2417203-2910321-2417200			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	120,00	F 6 L 413	
Comp. Height	90,16	F 8 L 413	
Total Lenght	145,25	F 10 L 413	
Dome Height	5,09	F 12 L 413	
Bowl Dept	-44,55		
Valve Pocket			
Pin Diameter	40,00		
Type of Design	**ALFIN**		
Piston Ring Qty.	4		
Piston Ring Thickness	3,00x3,00x3,00x6,00		
Combustion Bowl Ø			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901066	1015901-2405818-2412149	92 334 810	101 59 01	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	120,50	F 6 L 413	
	Comp. Height	90,16	F 8 L 413	
	Total Lenght	145,25	F 10 L 413	
	Dome Height	5,09	F 12 L 413	
	Bowl Dept	-44,55		
	Valve Pocket			
	Pin Diameter	40,00		
	Type of Design	**ALFIN**		
	Piston Ring Qty.	4		
	Piston Ring Thickness	3,00x3,00x3,00x6,00		
	Combustion Bowl Ø			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901067	1015902-2402150-2405819	92 334 820	101 59 02	
	2412048-2412150			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	121,00	F 6 L 413	
	Comp. Height	90,16	F 8 L 413	
	Total Lenght	145,25	F 10 L 413	
	Dome Height	5,09	F 12 L 413	
	Bowl Dept	-44,55		
	Valve Pocket			
	Pin Diameter	40		
	Type of Design	**ALFIN**		
	Piston Ring Qty.	4		
	Piston Ring Thickness	3,00x3,00x3,00x6,00		
	Combustion Bowl Ø			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	Item	GOE Number	Ø mm
9902040	Piston Ring Set Std.	08-167600-10	120,00
9902041	Piston Ring Set 0,50	08-167600-10 +0,50	120,50
9902042	Piston Ring Set 1,00	08-167600-10 +1,00	121,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	F 6 L 413 F 8 L 413 F 10 L 413	
	3,00	R	F 12 L 413	
	3,00	NM		
	6,00	DSF CR		

Cenmak Number	Item	GOE Number	Ø mm
9902045	Piston Ring Set Std.	08-172800-10	120,00
9902046	Piston Ring Set 0,50	08-172800-10 +0,50	120,50
9902047	Piston Ring Set 1,00	08-172800-10 +1,00	121,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	F/A 6 L 714 F/A 8 L 714 F/A 10 L 714	
	3,00	R	F/A 12 L 714	
	3,00	NM		
	6,00	DSF CR		
	6,00	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9903030	144040304-144040312-144040327	88 097 110	101 WR 07	
	2408177-3358618-3508320			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	120,00	F/A 6 L 714	
	B - Skirt Diameter Ø	134,00	F/A 8 L 714	
	C - Overall Lenght	272,20	F/A 10 L 714	
	D - Flange Ø	150,00	F/A 12 L 714	
	E - Flange Height	167,30		
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9903035	2143277-2406631-2413115-4186536	88 562 110	101 WR 09	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	120,00	F 6 L 413	
	B - Skirt Diameter Ø	134,00	F 8 L 413	
	C - Overall Lenght	255,10	F 10 L 413	
	D - Flange Ø	145,00	F 12 L 413	
	E - Flange Height	169,90		
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901070	2143451-2143455-2143456-2143484 2143485 2422180-2929001-4141731-4141986 4182778	93 224 600	101 72 00	A350313
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	125,00	F 4 L 413 F	
	Comp. Height	87,49	F 4 L 413 FR	
	Total Lenght	138,70	F 5 L 413 FR	
	Dome Height	5,16	F 6 L 413 F	
	Bowl Dept	-42,74	F 6 L 413 FR	
	Valve Pocket		F 8 L 413 F	
	Pin Diameter	45,00	F 10 L 413 F	
	Type of Design	**ALFIN**	F 12 L 413 F	
	Piston Ring Qty.	3		
	Piston Ring Thickness	3,00x2,50x4,00		
	Combustion Bowl Ø			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901071	2147497-2422181-4141732-4141988 4182779-42520453-42522128	93 224 610	101 72 01	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	125,50	F 4 L 413 F	
	Comp. Height	87,49	F 4 L 413 FR	
	Total Lenght	138,70	F 5 L 413 FR	
	Dome Height	5,16	F 6 L 413 F	
	Bowl Dept	-42,74	F 6 L 413 FR	
	Valve Pocket		F 8 L 413 F	
	Pin Diameter	45,00	F 10 L 413 F	
	Type of Design	**ALFIN**	F 12 L 413 F	
	Piston Ring Qty.	3		
	Piston Ring Thickness	3,00x2,50x4,00		
	Combustion Bowl Ø			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901072	2147491-2422182-4140370-4141733	93 224 620	101 72 02	
	42520454-42522049-4141989-4182780			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	126,00	F 4 L 413 F	
	Comp. Height	87,49	F 4 L 413 FR	
	Total Lenght	138,70	F 5 L 413 FR	
	Dome Height	5,16	F 6 L 413 F	
	Bowl Dept	-42,74	F 6 L 413 FR	
	Valve Pocket		F 8 L 413 F	
	Pin Diameter	45,00	F 10 L 413 F	
	Type of Design	**ALFIN**	F 12 L 413 F	
	Piston Ring Qty.	3		
	Piston Ring Thickness	3,00x2,50x4,00		
	Combustion Bowl Ø			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901075	2422183-2422186-4141427-4141736 4146536	93 771 600	101 75 00	A350 813
	42520678-2422183-2422186-4146536			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	125,00	BF 6 L 413 F	
	Comp. Height	87,40	BF 6 L 413 FR	
	Total Lenght	138,65	BF 6 L 413 FRT	
	Dome Height	5,25	BF 6 L 513 C	
	Bowl Dept	-23,85	BF 8 L 413 F	
	Valve Pocket		BF 10 L 413 F	
	Pin Diameter	45,00	BF 12 L 413 F	
	Type of Design	**ALFIN**		
	Piston Ring Qty.	3		
	Piston Ring Thickness	3,00x2,50x4,00		
	Combustion Bowl Ø			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901076	2422184-2422187-4141737-4146539	93 771 610	101 75 01	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	125,50	BF 6 L 413 F	
	Comp. Height	87,40	BF 6 L 413 FR	
	Total Lenght	138,65	BF 6 L 413 FRT	
	Dome Height	5,25	BF 6 L 513 C	
	Bowl Dept	-23,85	BF 8 L 413 F	
	Valve Pocket		BF 10 L 413 F	
	Pin Diameter	45,00	BF 12 L 413 F	
	Type of Design	**ALFIN**		
	Piston Ring Qty.	3		
	Piston Ring Thickness	3,00x2,50x4,00		
	Combustion Bowl Ø			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9901077	2422185-2422188-4141738-4146542	93 771 620	101 75 02	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	126,00	BF 6 L 413 F	
	Comp. Height	87,40	BF 6 L 413 FR	
	Total Lenght	138,65	BF 6 L 413 FRT	
	Dome Height	5,25	BF 6 L 513 C	
	Bowl Dept	-23,85	BF 8 L 413 F	
	Valve Pocket		BF 10 L 413 F	
	Pin Diameter	45,00	BF 12 L 413 F	
	Type of Design	**ALFIN**		
	Piston Ring Qty.	3		
	Piston Ring Thickness	3,00x2,50x4,00		
	Combustion Bowl Ø			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	Item	GOE Number	Ø mm
9902050	Piston Ring Set Std.	08-740300-00	125,00
9902051	Piston Ring Set 0,50	08-740300-00 +0,50	125,50
9902052	Piston Ring Set 1,00	08-740300-00 +1,00	126,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	F 4 L 413 F	
			F 4 L 413 FR	
			F 5 L 413 FR	
	2,50	M	F 6 L 413 F	
			F 6 L 413 FR	
			F 8 L 413 F	
	4,00	DSF CR	F 10 L 413 F	
			F 12 L 413 F	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9903040	2140414-2140530-2143107-2144042	89 030 110	101 WR 11	14-900050-00
	2147103-2402360-2423007-2423583			
	2423589-2423696-4142296-4142297			
	4142298-4144042-4146886-4149541			
	4149542-4149543-4186458-4186535			
	42520146-42520168-42520490-42522460			

	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	125,00	F 4 L 413 F	
	B - Skirt Diameter Ø	139,00	F 4 L 413 FR	
	C - Overall Lenght	250,70	F 5 L 413 FR	
	D - Flange Ø	150,00	F 6 L 413 F	
	E - Flange Height	169,50	F 6 L 413 FR	
	F - Fire Lip	-	F 8 L 413 F	
			F 10 L 413 F	
			F 12 L 413 F	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KHD - DEUTZ - MAGIRUS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
9903041	2423006-2423578-2423579-2423590	89 384 110	101 WR 13	
	4148501-4183501-4184590-4184650			
	42522230-42524760-4185295			



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	125,00	F 4 L 413 F	
B - Skirt Diameter Ø	139,00	F 4 L 413 FR	
C - Overall Lenght	250,70	F 5 L 413 FR	
D - Flange Ø	154,00	F 6 L 413 F	
E - Flange Height	169,50	F 6 L 413 FR	
F - Fire Lip	-	F 8 L 413 F	
		F 10 L 413 F	
		F 12 L 413 F	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KOMATSU

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
71001001				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	95,00		PW 150
	Comp. Height	51,50		
	Total Lenght	94,40		
	Dome Height			
	Bowl Dept	-19,50		
	Bowl Ø			
	Valve Pocket	-0,77		
	Pin Diameter	32,00 / 73,80		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,50 x 2,175 x 4,00		

Cenmak Number	Item		GOE Number	Ø mm
71002001	Piston Ring Set Std.			95,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	T CR		PW 150
	2,18	M CR		
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
71001005				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	105,00	6D105.2	EG 25
	Comp. Height	69,00		PC 200
	Total Lenght	107,650		PC 220
	Dome Height			
	Bowl Dept	-22,00		
	Bowl Ø			
	Valve Pocket	-1,70		
	Pin Diameter	40,00 / 85,50		
	Type of Design			
	Piston Ring Thickness	3,00 x 2,50 x 5,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KOMATSU

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
71001010				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	105,00	4 D 105.1	PC 200
	Comp. Height	69,15	6 D 105.1	PC 220
	Total Lenght	107,650		E 675
	Dome Height			D41 A Q-3
	Bowl Dept	-22,00		D 41 S Q-3
	Bowl Ø			GD 200 A-1
	Valve Pocket			GD 300 A-1
	Pin Diameter	40,00 / 85,50		WA 200-1
	Type of Design			
	Piston Ring Thickness	3,00 x 2,50 x 5,00		

Cenmak Number	Item		GOE Number	Ø mm
71002005	Piston Ring Set Std.			105,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	4 D 105.1	D 41 A Q-3
			6 D 105.1	D 41 S Q-3
			6 D 105.2	E 675
	2,50	M CR		EG 25
				GD 200 A-1
				GD 300 A-1
	5,00	DSF CR		PC 200
				PC 220
				WA 200-1

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
71003005				
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	105,00	4 D 105.1	D 41 A Q-3
	B - Skirt Diameter Ø	120,00	6 D 105.1	D 41 S Q-3
	C - Overall Lenght	223,00	6 D 105.2	E 675
	D - Flange Ø	127,00		EG 25
	E - Flange Height	10,00		GD 200 A-1
	F - Fire Lip	1,00		GD 300 A-1
				PC 200
				PC 220
				WA 200-1

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KOMATSU

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
71001015				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	110,00		
	Comp. Height	69,15		
	Total Lenght	116,05		
	Dome Height			
	Bowl Dept	-20,40		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	40,00 / 90,80		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,50 x 5,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
71001020	60330320			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	110,00		
	Comp. Height	69,20		
	Total Lenght	116,05		
	Dome Height			
	Bowl Dept	-22,00		
	Bowl Ø			
	Valve Pocket	- 1,70 / - 2,60		
	Pin Diameter	40,00 / 90,60		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,50 x 5,00		

Cenmak Number	Item		GOE Number	Ø mm
71002015	Piston Ring Set Std.			110,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR		
	2,50	ET CR		
	5,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KOMATSU

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
71001025	6127312030-6127312040			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	155,00	6 D 155 AD	
	Comp. Height	102,50		
	Total Lenght	167,50		
	Dome Height			
	Bowl Dept	-15,80		
	Bowl Ø			
	Valve Pocket	-7,50		
	Pin Diameter	60,00 / 130,00		
	Type of Design			
	Piston Ring Thickness	3,68 x 3,50 x 4,74		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
71001030	6127312012-6127312113			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	155,00	D 355	
	Comp. Height	105,50		
	Total Lenght	170,00		
	Dome Height			
	Bowl Dept	-23,00		
	Bowl Ø			
	Valve Pocket	-7,50		
	Pin Diameter	60,00 / 130,00		
	Type of Design			
	Piston Ring Thickness	3,68 x 3,50 x 4,74		

Cenmak Number	Item		GOE Number	Ø mm
71002025	Piston Ring Set Std.			155,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,68	T CR	6 D 155 AD D 355	
	3,50	T CR		
	4,74	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

KOMATSU

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
71001035	6127312012-6127312113			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	155,00	6 D 155 AD	
	Comp. Height	102,50		
	Total Lenght	167,50		
	Dome Height			
	Bowl Dept	-15,80		
	Bowl Ø			
	Valve Pocket	-7,50		
	Pin Diameter	60,00 / 130,00		
	Type of Design			
	Piston Ring Thickness	4,00 x 3,50 x 6,00 x 5,00		

Cenmak Number	Item		GOE Number	Ø mm
71002035	Piston Ring Set Std.			155,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	4,00	T CR	6 D 155 AD	
	3,50	T CR		
	6,00	D CR		
	5,00	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LANCIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
10501001		92 231 600		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	82,60	831 D.000	Delta Turbo
	Comp. Height	42,20	831 D1.000	Prisma Turbo
	Total Lenght	78,30		
	Dome Height	2,50		
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	25,00 / 69,40		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,50 x 2,00x 4,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
10502001	Piston Ring Set Std.			82,60
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	831 D1.000	Delta Turbo
				Prisma Turbo
	2,00	N		
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
10503001		89 386 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	82,60	831 D1.000	Delta Turbo
	B - Skirt Diameter Ø	86,00		Prisma Turbo
	C - Overall Lenght	154,00		
	D - Flange Ø			
	E - Flange Height			
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LANCIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
10501005		89 424 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	82,60	831 D1.000	Delta Turbo
	B - Skirt Diameter Ø	86,00		Prisma Turbo
	C - Overall Lenght	147,50		
	D - Flange Ø	89,00		
	E - Flange Height	4,50		
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
10501010		92 425 600		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,00	132 AB.000	Lancia Beta
	Comp. Height	38,450	132 B1.000	
	Total Lenght	79,55	132 BB.1AO	
	Dome Height	1,60		
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	22,00 / 68,10		
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00x 3,947		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
10501015		92 425 600		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,00	828 B1.000	Beta 2.0
	Comp. Height	38,45	828 B4.000	Lancia HPE
	Total Lenght	79,55		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	22,00 / 68,10		
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00x 3,947		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LANCIA

Cenmak Number	Item		O.E.M. Number	Ø mm
10502010	Piston Ring Set Std.			84,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,50	R CR	132 AB.000	Lancia Beta
			132 B1.000	Beta 2.0
			132 BB.1AO	Lancia HPE
	2,00	N	828 B1.000	
			828 B4.000	
	3,95	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
10502020		93 302 600		
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	86,40	831 A1.000	Delta 1.5
	Comp. Height	34,45	831 A3.000	Prisma 1.5
	Total Lenght	73,95		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket	-2,49		
	Pin Diameter	21,99 / 69,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00x 3,947		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
10502025		93 301 600		
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	86,40	831 A2.000	Delta
	Comp. Height	34,15		Prisma
	Total Lenght	73,65		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket	-2,41		
	Pin Diameter	22,00 / 69,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00x 3,947		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LANCIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
10501030				



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	86,40	831 A.000	Delta
Comp. Height	35,00	831 A.1.000	Prisma
Total Lenght	74,50		
Dome Height			
Bowl Dept			
Bowl Ø			
Valve Pocket	- 0,60 / - 3,28		
Pin Diameter	22,00 / 69,00		
Type of Design			
Piston Ring Thickness	1,50 x 2,00x 3,947		

Cenmak Number	Item		O.E.M. Number	Ø mm
10502020	Piston Ring Set Std.			86,40

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	831 A.000	Delta
			831 A1.000	Delta 1.5
			831 A2.000	Prisma
	2,00	N	831 A3.000	Prisma 1.5
	3,95	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LAND ROVER / ROVER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20101001	LFL10103-LFL10144-LFL10145-FL10232			23601
	LFL10214-LFL10245-FL10246			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	75,00	K 16	214 Cabriolet
	Comp. Height	30,60		214 GSI
	Total Lenght	54,00		214 SEI
	Dome Height			414 i
	Bowl Dept			414 Si
	Bowl Ø			414 SLI
	Valve Pocket			Metro 1.4 GTI
	Pin Diameter	18,00 / 49,70		
	Type of Design			
	Piston Ring Thickness	1,20 x 1,49 x 3,0		

Cenmak Number	Item		AE Number	Ø mm
20102001	Piston Ring Set Std.		R43690	75,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,20	R CR	K 16	214 Cabriolet
				214 GSI
				214 SEI
	1,49	N		414 i
				414 Si
				414 SLI
	3,00	DSF CR		Metro 1.4 GTI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20103001	**WAM3837-100-WAM3837-200-LCJ10004**			SJ4285
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	75,00	K 16	214 Cabriolet
	B - Skirt Diameter Ø	82,30		214 GSI
	C - Overall Lenght	131,98		214 SEI
	D - Flange Ø	87,67		414 i
	E - Flange Height	5,00		414 Si
	F - Fire Lip	1,43		414 SLI
				Metro 1.4 GTI

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LAND ROVER / ROVER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20101010	RTC3052-ETC6833-ETC6834-ETC6835 ETC6836-RTC4192-RTC4733-RTC6442 RTC644220			A350422V1

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	90,48	12 J	Defender 90
	Comp. Height	57,78	OB 2.5 Ltr.	Defender 130
	Total Lenght	86,50		Army 90
	Dome Height			Army 110
	Bowl Dept	-3,70		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	30,162 / 74,50		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,00 x 2,00 x 4,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
20102010	Piston Ring Set Std.		RTC3053 AE - R41710	90,47

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,20	R CR	K 16	214 Cabriolet
				214 GSI
				214 SEI
	1,49	N		414 i
				414 Si
				414 SLI
	3,00	DSF CR		Metro 1.4 GTI

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LAND ROVER / ROVER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20101015	RTC419140-RTC419120-RTC419115 RTC2775			350386 (5 RINGS)
	ERC2342S-ETC4666-ETC4667-ETC4749			
	520240-520327-564228-564229			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	90,48	2.3 Ltr.	88 Series IIA
Comp. Height	58,60	10 J	88 Series III
Total Lenght	100,01		109 Series IIA
Dome Height			109 Series III
Bowl Dept	-6,50		
Bowl Ø			
Valve Pocket			
Pin Diameter	30,162 / 74,50		
Type of Design			
Piston Ring Thickness	2,38x2,38x2,38x4,74x4,74		

Cenmak Number	Item		AE Number	Ø mm
20102015	Piston Ring Set Std.		R32820	90,47

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R	2.3 Ltr.	88 Series IIA
			10 J	88 Series III
				109 Series IIA
	2,38	M		109 Series III
	2,38	M		
	4,74	DSF		
	4,74	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LAND ROVER / ROVER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20101020	RTC419140-RTC419120-RTC419115 RTC2775			350386 (4 RINGS)
	ERC2342S-ETC4666-ETC4667-ETC4749			
	520240-520327-564228-564229			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	90,48	2.3 Ltr.	88 Series IIA
Comp. Height	58,60	10 J	88 Series III
Total Lenght	100,01		109 Series IIA
Dome Height			109 Series III
Bowl Dept	-6,50		
Bowl Ø			
Valve Pocket			
Pin Diameter	30,162 / 74,50		
Type of Design			
Piston Ring Thickness	2,38x2,38x2,38x4,74x4,74		

Cenmak Number	Item		O.E.M. Number	Ø mm
20102020	Piston Ring Set Std.		RTC2415	90,47
			AE - R38540	

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R	2.3 Ltr.	88 Series IIA
			10 J	88 Series III
				109 Series IIA
	2,38	M		109 Series III
	2,38	M		
	4,74	DSF		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LAND ROVER / ROVER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20101025	500639-500640-500642-608252-608253			20128V3
	ERC8515-RTC4188			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	90,48	2,3 Ltr.	88 Series II / IIA / III
	Comp. Height	58,52	Petrol	90 Series II / IIA / III
	Total Lenght	100,00		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	25,40		
	Type of Design			
	Piston Ring Thickness	1,78 x 1,78 x 4,74		

Cenmak Number	Item		O.E.M. Number	Ø mm
20102025	Piston Ring Set Std.		RTC419020	90,47
			RTC419040	
			RTC4190S	
			AE - R11680	
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,78	R	2,3 Ltr.	88 Series II / IIA / III
			Petrol	90 Series II / IIA / III
	1,78	M		
	4,74	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LEYLAND

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
13701001	86K1259-86K949-96K570-96K465-96K471	93 013 600	137 08 00	350269
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,00	4 - 98 NV	360 FG, 550 FG
	Comp. Height	68,20	6 - 98 NV/DV	262, 272, 462
	Total Lenght	116,30		470, 472
	Dome Height			Boxer 1000
	Bowl Dept	-25,00		1200, 1300
	Bowl Ø			Terrier 650, 750
	Valve Pocket	-2,40		850, 950
	Pin Diameter	34,925 / 82,50		350 FG, 420 FG
	Type of Design			285, 485
	Piston Ring Thickness	2,38x2,38x6,35x4,74		2100, 4100

Cenmak Number	Item		AE Number	Ø mm
13702001	Piston Ring Set Std.		AHM9014	98,00
			86K1260	
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R	4 - 98 NV	360 FG, 550 FG
			6 - 98 NV/DV	262, 272, 462
				470, 472
	2,38	M		Boxer 1000
				1200, 1300
				Terrier 650, 750
	2,38	M		850, 950
				350 FG, 420 FG
				285, 485
	6,35	DSF		2100, 4100
	4,74	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
13703001	86K313937-818122-96K200	89 000 110	137 WN 01	SJ351047
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	98,00	4 - 98 NV	360 FG, 550 FG
	B - Skirt Diameter Ø	108,18	6 - 98 NV/DV	262, 272, 462
	C - Overall Lenght	221,54		470, 472
	D - Flange Ø	117,09		Boxer 1000
	E - Flange Height	8,89		1200, 1300
	F - Fire Lip	0,88		Terrier 650, 750
				850, 950
				350 FG, 420 FG
				285, 485
				2100, 4100

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LEYLAND

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
13701005	86K820-CMK389-36K949-37D3106			350004
	37D424-37D426-37D427			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	100,00	38 JJ	Redline
Comp. Height	70,03	55 JJ	Laird
Total Lenght	121,10		Terrier
Dome Height			Tractor
Bowl Dept	-27,00		
Bowl Ø			
Valve Pocket			
Pin Diameter	34,925 / 84,50		
Type of Design			
Piston Ring Thickness	3,97x2,38x6,35x6,35		

Cenmak Number	Item		AE Number	Ø mm
13702005	Piston Ring Set Std.		AHM9024	100,00
			AHM9025	
			AHM9045	

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,97	R	38 JJ	Redline
			55 JJ	Laird
				Terrier
	2,38	M		Tractor
	2,38	M		
	6,35	DSF		
	6,35	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LEYLAND

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
13703005	86K1190			SJ351163
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	100,00	38 JJ	Redline
	B - Skirt Diameter Ø	110,60	55 JJ	Laird
	C - Overall Lenght	221,60		Terrier
	D - Flange Ø	117,09		Tractor
	E - Flange Height	8,89		
	F - Fire Lip	0,88		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
13701010	412009-601884-607919-609653-613510	90 897 600	137 36 00	A412030
	10889129-412016C-5079198-613610			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	107,21	0-400 P.P MK3	Meteor CH 9 XL
	Comp. Height	82,10		Reiver
	Total Lenght	145,60		Super Reiver
	Dome Height			Super Comet
	Bowl Dept	-19,50		Chiftain
	Bowl Ø			
	Valve Pocket	-2,30		
	Pin Diameter	33,02 / 91,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,42x3,42x6,34x6,34		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
13701015	10619486			A350084
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	107,21	410	Super Clydesdale
	Comp. Height	82,14		
	Total Lenght	145,80		
	Dome Height			
	Bowl Dept	-19,60		
	Bowl Ø			
	Valve Pocket	-2,35		
	Pin Diameter	33,78 / 92,70		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,42x3,42x6,34x6,34		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LEYLAND

Cenmak Number	Item		O.E.M. Number	Ø mm
13702010	Piston Ring Set Std.		BBU6277	107,21
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,42	T	0-400 P.P MK3	Meteor CH 9 XL
			410	Reiver
				Super Reiver
	3,42	T		Super Comet
				Chiftain
				Super Clydesdale
	6,35	DSF		
	6,35	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
13701020	10907139-HAJ1774-HAJ2480			A350394
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	107,21	410	Clydesdale
	Comp. Height	82,13	411	Super Cornet
	Total Lenght	145,59	420	Chieftan
	Dome Height			Reiver
	Bowl Dept	-19,355		Freighter
	Bowl Ø			Constructor
	Valve Pocket	-2,21		Cruiser
	Pin Diameter	41,27 / 88,50		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,17 x 2,38 x 4,76		

Cenmak Number	Item		O.E.M. Number	Ø mm
13702020	Piston Ring Set Std.		BBU6279	107,21
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,18	T	410	Clydesdale
			411	Super Cornet
			420	Chieftan
	2,38	T		Reiver
				Freighter
				Constructor
	4,76	DSF		Cruiser

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LEYLAND

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
13703010	604107			HJ498400
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	107,21	0-400 P.P MK3	Meteor CH 9 XL
	B - Skirt Diameter Ø	111,33	410	Chieftan
	C - Overall Lenght	239,57	411	Clydesdale
	D - Flange Ø	112,70	420	Constructor
	E - Flange Height	4,36		Cruiser
	F - Fire Lip	1,02		Freighter
				Reiver
				Super Clydesdale
				Super Comet
				Super Reiver

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
13703015	10623277			SJ351081
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	107,21	0-400 P.P MK3	Meteor CH 9 XL
	B - Skirt Diameter Ø	111,33	410	Chieftan
	C - Overall Lenght	239,47	411	Clydesdale
	D - Flange Ø		420	Constructor
	E - Flange Height			Cruiser
	F - Fire Lip			Freighter
				Reiver
				Super Clydesdale
				Super Comet
				Super Reiver

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
13701030	10906793-10889131-120020-607921 613600	91 512 600	137 65 00	A464031V1
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	0680 P.P. MK3	Handyman
	Comp. Height	101,00		Highhandyman
	Total Lenght	169,60		Hippo
	Dome Height			Invincible
	Bowl Dept	-29,60		Leopard
	Bowl Ø			Routeman II
	Valve Pocket	-2,73		Routeman III
	Pin Diameter	41,27 / 111,10		Steer
	Type of Design	**ALFIN**		Super Beaver
	Piston Ring Thickness	3,54x3,54x6,35x6,35		Super Hippo
				World Master

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LEYLAND

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
13701035	120080			A350039
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	0.690	Atlantean
	Comp. Height	101,00		Fleetline
	Total Lenght	169,60		Leopard
	Dome Height			National
	Bowl Dept	-29,60		Panther
	Bowl Ø			Routeman
	Valve Pocket	-2,73		
	Pin Diameter	44,70 / 109,20		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,54x3,54x6,35x6,35		

Cenmak Number	Item		O.E.M. Number	Ø mm
13702030	Piston Ring Set Std.		BBU6285	127
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,54	T	0680 P.P. MK3	Atlantean
			0.690	Fleetline
				Handyman
	3,54	T		Highhandyman
				Hippo
				Invincible
	6,35	DSF		Leopard
				National
				Panther
	6,35	D		Routeman, II, III
				Steer
				Super Beaver
				Super Hippo
				World Master

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
13703030	60231-280843/S1			SJ221502
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	127,00	0680 P.P. MK3	Atlantean
	B - Skirt Diameter Ø	133,10	0.690	Fleetline
	C - Overall Lenght	228,29		Handyman
	D - Flange Ø	138,81		Highhandyman
	E - Flange Height	7,66		Hippo
	F - Fire Lip			Invincible
				Leopard
				National
				Panther
				Routeman, II, III
				Steer
				Super Beaver
				Super Hippo
				World Master

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LISTER / PETTER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60001001	201700025-201700040-201700020 57011308 201700043-201700020-57013262 570132620			544009

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	76,20	LR 1	
	Comp. Height	65,15	LR 2	
	Total Lenght	103,19	Aircooled	
	Dome Height		1 / 2 Cyl.	
	Bowl Dept	-15,418		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	25,40 / 65,00		
	Type of Design			
	Piston Ring Thickness	3,17x2,38x2,38x3,96x3,96		

Cenmak Number	Item		O.E.M. Number	Ø mm
60002001	Piston Ring Set Std.		57012120	76,20

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,17	T CR	LR 1	
			LR 2	
			Aircooled	
	2,38	M	1 / 2 Cyl.	
	2,38	M		
	3,96	D		
	3,96	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60001005				350085

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	76,20	LD 1	
	Comp. Height	65,14	LD 2	
	Total Lenght	103,18	LD 3	
	Dome Height		Aircooled	
	Bowl Dept	-15,367	Multi Cyl.	
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	25,40 / 65,00		
	Type of Design			
	Piston Ring Thickness	3,99x2,38x2,38x3,96x3,96		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LISTER / PETTER

Cenmak Number	Item		O.E.M. Number	Ø mm
60002005	Piston Ring Set Std.		20110121 20110130 20112310 57012110	76,20

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,99	T CR	LD 1 LD 2 LD 3	
	2,38	M	Aircooled Multi Cyl.	
	2,38	M		
	3,96	D		
	3,96	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60001010	EC10-JC1015-JC10			158809

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,00	AV1	
	Comp. Height	63,50	AV2	
	Total Lenght	106,09		
	Dome Height		Watercooled	
	Bowl Dept	-23,54		
	Bowl Ø			
	Valve Pocket	-0,38		
	Pin Diameter	30,00 / 65,999		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x2,38x4,76		

Cenmak Number	Item		O.E.M. Number	Ø mm
60002010	Piston Ring Set Std.		57211930-90912	80

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	AV1 AV2	
	2,38	R	Watercooled	
	2,38	N		
	4,76	D		

LISTER / PETTER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60001015	20117440-57010240-57010241			404112
	57010250-57010251			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	80,96	SL 1	
Comp. Height	65,16	SL 2	
Total Lenght	103,18	SL 3	
Dome Height		Aircooled	
Bowl Dept	-15,367	Multi Cyl.	
Bowl Ø			
Valve Pocket			
Pin Diameter	27,00 / 69,40		
Type of Design			
Piston Ring Thickness	3,96x2,38x2,38x3,96x3,96		

Cenmak Number	Item		AE Number	Ø mm
60002015	Piston Ring Set Std.		AE - R41800	80,96
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,96	T	SL 1	
			SL 2	
			SL 3	
	2,38	M	Aircooled	
			Multi Cyl.	
	2,38	M		
	3,96	D		
	3,96	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60001020	60151141			350343



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	82,55	LT 1	
Comp. Height	47,65	LT 2	
Total Lenght	83,06		
Dome Height			
Bowl Dept	-12,95		
Bowl Ø			
Valve Pocket			
Pin Diameter	28,575 / 69,67		
Type of Design			
Piston Ring Thickness	2,41x1,98x3,96x3,96		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LISTER / PETTER

Cenmak Number	Item		O.E.M. Number	Ø mm
60002020	Piston Ring Set Std.		60150400	82,55
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,41	T	LT 1 LT 2	
	1,95	M		
	3,96	D		
	3,96	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60001025	355803-358068-358069-358088-358089			350254
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	87,32	PH1	
	Comp. Height	63,60	PH2	
	Total Lenght	106,00		
	Dome Height		Aircooled	
	Bowl Dept	-25,09		
	Bowl Ø			
	Valve Pocket	-0,60		
	Pin Diameter	30,00 / 74,50		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x2,38x4,76		

Cenmak Number	Item		O.E.M. Number	Ø mm
60002025	Piston Ring Set Std.		390087 391388 391389 391390	87,32
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,38	R CR	PH1 PH2	
	2,38	R	Aircooled	
	2,38	N		
	4,76	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LISTER / PETTER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60001030	20150851-57010940-57010942-57250124			483506
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	88,90	SR 1	
	Comp. Height	65,14	SR 2	
	Total Lenght	103,19	SR 3	
	Dome Height		SR 4	
	Bowl Dept	-17,22	Aircooled	
	Bowl Ø		Multi Cyl.	
	Valve Pocket			
	Pin Diameter	29,39 / 76,00		
	Type of Design			
	Piston Ring Thickness	3,20x2,38x2,38x3,96x3,96		

Cenmak Number	Item		O.E.M. Number	Ø mm
60002030	Piston Ring Set Std.		57012140	88,90
			AE - R20900K	
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,20	T CR	SR 1	
			SR 2	
			SR 3	
	2,38	M	SR 4	
			Aircooled	
			Multi Cyl.	
	2,38	M		
	3,96	D		
	3,96	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60001035	20180157-57012840			350041
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	95,25	ST 1	
	Comp. Height	65,15	ST 2	
	Total Lenght	103,19	ST 3	
	Dome Height		Aircooled	
	Bowl Dept	-16,078	Multi Cyl.	
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	33,33 / 79,00		
	Type of Design			
	Piston Ring Thickness	3,17x2,38x2,38x4,74x4,74		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LISTER / PETTER

Cenmak Number	Item		O.E.M. Number	Ø mm
60002035	Piston Ring Set Std.		57012910 AE - R26834	95,25

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,17	T CR	ST 1 ST 2 ST 3	
	2,38	M	Aircooled Multi Cyl.	
	2,38	M		
	4,74	D		
	4,74	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60001040	359972			350268

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	96,96	PJ1Z	Aircooled
	Comp. Height	63,60	PJ2Z	Aircooled
	Total Lenght	106,00	PJ1W	Watercooled
	Dome Height			
	Bowl Dept	-22,73		
	Bowl Ø			
	Valve Pocket	-0,60		
	Pin Diameter	30,00 / 84,50		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x2,38x4,76		

Cenmak Number	Item		O.E.M. Number	Ø mm
60002040	Piston Ring Set Std.		91925 392956 392957 392958 390106	96,96

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	PJ1Z PJ2Z PJ1W	Aircooled Aircooled Watercooled
	2,38	R		
	2,38	N		
	4,76	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LISTER / PETTER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60001050	57210191-57210192-35119251-35119252			234415
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	101,65	HA 2 / HB 2	
	Comp. Height	73,08	HA 3 / HB 3	
	Total Lenght	127,00	HA 4 / HB 4	
	Dome Height		HA 6 / HB 6	
	Bowl Dept	-21,26	Aircooled	
	Bowl Ø		Multi Cyl.	
	Valve Pocket			
	Pin Diameter	36,52 / 84,00		
	Type of Design			
	Piston Ring Thickness	4,74x3,17x3,17x4,76x4,76		

Cenmak Number	Item		O.E.M. Number	Ø mm
60002050	Piston Ring Set Std.		57211930	101,65
			AE - R18550K	
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	4,76	T CR	ST 1	
			ST 2	
			ST 3	
	3,17	M	Aircooled	
			Multi Cyl.	
	3,17	M		
	4,76	D		
	4,76	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60001055	57250141			A350340
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	108,00	HR 4	
	Comp. Height	73,76	HR 6	
	Total Lenght	127,00	HRS 6	
	Dome Height		HRW 4	
	Bowl Dept	-23,495	HRW 6	
	Bowl Ø		Aircooled	
	Valve Pocket		Watercooled	
	Pin Diameter	39,70 / 89,00		
	Type of Design			
	Piston Ring Thickness	3,96x3,17x3,17x4,76x4,76		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LISTER / PETTER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60001060	57250122			A350341
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	108,00	HR 2	
	Comp. Height	73,76	HR 3	
	Total Lenght	127,00	HRW 2	
	Dome Height		HRW 3	
	Bowl Dept	-21,71	Aircooled	
	Bowl Ø		Watercooled	
	Valve Pocket			
	Pin Diameter	39,70 / 89,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,96x3,17x3,17x4,76x4,76		

Cenmak Number	Item		O.E.M. Number	Ø mm
60002055	Piston Ring Set Std.		57250622	108,00
			AE - R25710K	
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,96	T CR	HR 2	
			HR 3	
			HR 4	
	3,17	M	HR 6	
			HRS 6	
			HRW 2	
	3,17	M	HRW 3	
			HRW 4	
			HRW 6	
	4,76	D	Aircooled	
			Watercooled	
	4,76	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60001065	57410350-804025-8425			403110
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	114,30	39455	
	Comp. Height	64,83	39494	
	Total Lenght	137,16	Watercooled	
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	31,75 / 97,00		
	Type of Design			
	Piston Ring Thickness	4,76x3,17x3,17x4,63		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LISTER / PETTER

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60001070				31209
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	114,30	39697	
	Comp. Height	64,83	12 / 21 /JP	
	Total Lenght	137,16	30 / JP	
	Dome Height		38 / 40 /JP	
	Bowl Dept		616	
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	41,27 / 97,00		
	Type of Design			
	Piston Ring Thickness	4,76x3,17x3,17x4,63		

Cenmak Number	Item		O.E.M. Number	Ø mm
60002065	Piston Ring Set Std.		57410980	114,30
			AE - R11020	
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	4,76	T	39455	
			39494	
			Watercooled	
	3,17	M	39697	
			12 / 21 /JP	
			30 / JP	
	3,17	M	38 / 40 /JP	
			616	
	4,63	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LOMBARDINI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701001				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	72,00		Motor Piaggio
	Comp. Height	37,00		
	Total Lenght	58,00		Daihatsu 1200cc.
	Dome Height			
	Bowl Dept	-4,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	18,00 / 51,00		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,0 x 3,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
56702001	Piston Ring Set Std.			72,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R		
	2,00	M		
	3,00	DSF		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701005				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	76,00	LA 300	
	Comp. Height	32,70	LAP 300	
	Total Lenght	57,70		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	15,00 / 54,70		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,0 x 4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LOMBARDINI

Cenmak Number	Item		O.E.M. Number	Ø mm
56702005	Piston Ring Set Std.			76,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R CR	LA 300	
			LAP 300	
	2,00	M		
	4,00	DSF		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701010				
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	78,00	LDA 75 - 520	520
	Comp. Height	44,00		522
	Total Lenght	72,00		523
	Dome Height			525
	Bowl Dept	-11,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 59,70		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,0 x 2,0 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
56702010	Piston Ring Set Std.			78,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R CR	LDA 75 - 520	520
				522
				523
	2,00	M		525
	2,00	M		
	4,00	DSF		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LOMBARDINI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701015				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,00		
	Comp. Height	40,00		
	Total Lenght	75,00		
	Dome Height			
	Bowl Dept	-12,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	22,00 / 67,60		
	Type of Design			
	Piston Ring Thickness	2,50 x 2,50 x 4,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701020				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,00		
	Comp. Height	40,00		
	Total Lenght	88,00		
	Dome Height			
	Bowl Dept	-11,90		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	22,00 / 67,00		
	Type of Design			
	Piston Ring Thickness	2,50 x 2,50 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
56702015	Piston Ring Set Std.			80,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R		
	2,50	M		
	4,00	DSF		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LOMBARDINI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701025				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,00		
	Comp. Height	49,00		
	Total Lenght	85,00		
	Dome Height			
	Bowl Dept	-14,60		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	28,00 / 66,00		
	Type of Design			
	Piston Ring Thickness	2,50 x 2,50 x 5,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
56702025	Piston Ring Set Std.			80,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R		
	2,50	M		
	5,00	DSF		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701030				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	82,00	6 LD 360	
	Comp. Height	44,00		
	Total Lenght	72,00		
	Dome Height			
	Bowl Dept	-12,20		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 59,90		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,00 x 5,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LOMBARDINI

Cenmak Number	Item		O.E.M. Number	Ø mm
56702030	Piston Ring Set Std.			82,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R	6 LD 360	
	2,00	M		
	5,00	DSF		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701035				
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	82,00	6 LDA 80	530
	Comp. Height	44,00		532
	Total Lenght	72,00		533
	Dome Height			
	Bowl Dept	-15,05		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 59,90		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,00 x 2,0 x 5,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
56702035	Piston Ring Set Std.			82,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R	6 LDA 80	530
				532
				533
	2,00	M		
	2,00	M		
	5,00	DSF		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LOMBARDINI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701040				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	85,00	LDA 510	
	Comp. Height	47,00	LDA 450	
	Total Lenght	85,00	3 LD 510	
	Dome Height			
	Bowl Dept	-16,02		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23,00 / 64,00		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,00 x 2,0 x 4,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701045				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	85,00	3 LD 450 - B1	
	Comp. Height	52,00	3 LD 450	
	Total Lenght	90,00		
	Dome Height			
	Bowl Dept	-14,50		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23,00 / 64,00		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,00 x 2,0 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
56702040	Piston Ring Set Std.			85,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	LDA 510	
			LDA 450	
			3 LD 510	
	2,00	M	3 LD 450 - B1	
			3 LD 450	
	2,00	M		
	4,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LOMBARDINI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701050				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	86,00	A 402 A	
	Comp. Height	44,00		
	Total Lenght	72,00		
	Dome Height			
	Bowl Dept	-12,50		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	22,00 / 61,60		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,00 x 4,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701055				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	86,00	A 811	
	Comp. Height	44,00	6 LD 400	
	Total Lenght	72,00		
	Dome Height			
	Bowl Dept	-12,50		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	22,00 / 67,60		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,00 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
56702050	Piston Ring Set Std.			86,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R	A 402 A	
			A 811	
			6 LD 400	
	2,00	M		
	4,00	DSF		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LOMBARDINI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701060				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	86,00		
	Comp. Height	51,00		
	Total Lenght	81,00		
	Dome Height			
	Bowl Dept	-14,65		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	28,00 / 61,50		
	Type of Design			
	Piston Ring Thickness	3,00 x 2,50 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
56702060	Piston Ring Set Std.			86,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R		
	2,50	M		
	4,00	DSF		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701065				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	90,00	9 LD 560	560
	Comp. Height	50,00		
	Total Lenght	85,00		
	Dome Height			
	Bowl Dept	-15,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	25,00 / 74,00		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,00 x 4,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LOMBARDINI

Cenmak Number	Item		O.E.M. Number	Ø mm
56702065	Piston Ring Set Std.			90,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R	9 LD 560	560
	2,00	M		
	4,00	DSF		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701070				
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	95,00	4 LD 640	
	Comp. Height	65,00		
	Total Lenght	108,00		
	Dome Height			
	Bowl Dept	-20,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	28,00 / 78,00		
	Type of Design			
	Piston Ring Thickness	3,0 x 3,0 x 3,0 x 5,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701075				
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	95,00		
	Comp. Height	58,00		
	Total Lenght	91,10		
	Dome Height			
	Bowl Dept	-20,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	28,00 / 72,00		
	Type of Design			
	Piston Ring Thickness	3,0 x 3,0 x 3,0 x 5,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LOMBARDINI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701080				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	95,00	5 LD 675-2	
	Comp. Height	60,00	5 LD 675-3	
	Total Lenght	100,00		
	Dome Height			
	Bowl Dept	-18,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	28,00 / 74,00		
	Type of Design			
	Piston Ring Thickness	3,0 x 3,0 x 3,0 x 5,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
56702070	Piston Ring Set Std.			95,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R	4 LD 640	
			5 LD 675-2	
			5 LD 675-3	
	3,00	M		
	3,00	M		
	5,00	DSF		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701085				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	95	LDA 96	
	Comp. Height	49,97		
	Total Lenght	94,95		
	Dome Height			
	Bowl Dept	-16,7		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	25,00 / 74,50		
	Type of Design			
	Piston Ring Thickness	2,5 x 2,5 x 2,5 x 5,50		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LOMBARDINI

Cenmak Number	Item		O.E.M. Number	Ø mm
56702085	Piston Ring Set Std.			95,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,50	R	LDA 96	
	2,50	M		
	2,50	M		
	5,50	DSF		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701090				
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	95,00	8 LD 665	
	Comp. Height	58,00		
	Total Lenght	91,10		
	Dome Height			
	Bowl Dept	-20,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	28,00 / 72,00		
	Type of Design			
	Piston Ring Thickness	2,5 x 2,5 x 5,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701095				
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	95,00		
	Comp. Height	59,00		
	Total Lenght	98,05		
	Dome Height			
	Bowl Dept	-17,60		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	30,00 / 82,00		
	Type of Design			
	Piston Ring Thickness	2,5 x 2,5 x 5,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LOMBARDINI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701100				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	95,00	9 LD 625	
	Comp. Height	52,00		
	Total Lenght	88,50		
	Dome Height			
	Bowl Dept	-17,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	25,00 / 70,00		
	Type of Design			
	Piston Ring Thickness	2,5 x 2,5 x 5,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
56702090	Piston Ring Set Std.			95,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R	9 LD 625	
	2,50	M		
	5,00	DSF		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701105				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	96,00	F 615	
	Comp. Height	61,00		
	Total Lenght	106,00		
	Dome Height			
	Bowl Dept	-18,70		
	Bowl Ø			
	Valve Pocket	-2,60		
	Pin Diameter	28,00 / 78,80		
	Type of Design			
	Piston Ring Thickness	2,5 x 2,5 x 2,5 x 5,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LOMBARDINI

Cenmak Number	Item		O.E.M. Number	Ø mm
56702105	Piston Ring Set Std.			96,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,50	R	9 LD 625	
	2,50	M		
	2,50	M		
	5,00	DSF		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701110				
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	100,00	LD 705	
	Comp. Height	65,00	LDA 100	
	Total Lenght	111,00		
	Dome Height			
	Bowl Dept	-21,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	28,00 / 75,00		
	Type of Design			
	Piston Ring Thickness	3,00 x 2,5 x 2,5 x 5,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701115				
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	100,00	5 LD 825-2	
	Comp. Height	65,00	5 LD 825-3	
	Total Lenght	102,00	5 LD 825-4	
	Dome Height			
	Bowl Dept	-21,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	32,00 / 84,80		
	Type of Design			
	Piston Ring Thickness	3,00 x 2,5 x 2,5 x 5,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LOMBARDINI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701120				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	LDA 100	
	Comp. Height	65,00	4 LD 705	
	Total Lenght	111,00		
	Dome Height			
	Bowl Dept	-19,70		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	28,00 / 74,00		
	Type of Design			
	Piston Ring Thickness	3,00 x 2,5 x 2,5 x 5,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
56702110	Piston Ring Set Std.			100,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	4 LD 705	
			5 LD 825-2	
			5 LD 825-3	
	2,50	M	5 LD 825-4	
			LD 705	
			LDA 100	
	2,50	M		
	5,00	DSF		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701125				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00		
	Comp. Height	68,03		
	Total Lenght	122,00		
	Dome Height			
	Bowl Dept	-21,15		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	35,00 / 84,80		
	Type of Design			
	Piston Ring Thickness	2,5 x 2,5 x 3,0 x 5,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LOMBARDINI

Cenmak Number	Item		O.E.M. Number	Ø mm
56702125	Piston Ring Set Std.			100,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,50	R		
	2,50	M		
	3,00	M		
	5,00	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701130				
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	102,00	4 LD 820	
	Comp. Height	60,00		
	Total Lenght	102,00		
	Dome Height			
	Bowl Dept	-18,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	28,00 / 80,00		
	Type of Design			
	Piston Ring Thickness	3,0 x 2,5 x 2,5 x 5,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
56702130	Piston Ring Set Std.			102,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,00	R CR	4 LD 820	
	2,50	M		
	2,50	M		
	5,00	DSF		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

LOMBARDINI

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
56701135				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	105,00		
	Comp. Height	55,04		
	Total Lenght	105,46		
	Dome Height			
	Bowl Dept	-18,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	28,00 / 84,00		
	Type of Design			
	Piston Ring Thickness	2,5 x 2,5 x 2,5 x 5,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
56702135	Piston Ring Set Std.			105,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R		
	2,50	M		
	2,50	M		
	5,00	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MAN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801001		91 404 600		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,00	599	270
	Comp. Height	75,38		475
	Total Lenght	119,38		
	Dome Height			
	Bowl Dept	-34,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	36,00 / 84,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 2,5 x 2,5 x 4,5		

Cenmak Number	Item		O.E.M. Number	Ø mm
22802001	Piston Ring Set Std.			98,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	599	270
	2,50	M		475
	2,50	M		
	4,50	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22803001		88 580 110		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	98,00	599	270
	B - Skirt Diameter Ø	106,75		475
	C - Overall Lenght	218,70		
	D - Flange Ø	119,00		
	E - Flange Height	8,00		
	F - Fire Lip	0,70		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MAN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801005	5873400023-5953300023-5953400023	91 599 600	227 42 00	
	51025017006-51025017059-51025017136			
	76763600023			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	100,00	D 0022 M	415, 420
Comp. Height	78,30	D 0024 M	520, 530
Total Lenght	134,80	D 0026 M	535, 545
Dome Height			4 N 1, 4 S 2
Bowl Dept	-39,50		4 R 2, A 30 AH
Bowl Ø			3600, 4200
Valve Pocket			4800
Pin Diameter	35,00 / 85,50		
Type of Design	**ALFIN**		
Piston Ring Thickness	2,5 x 2,5 x 2,5 x 5,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
22802005	Piston Ring Set Std.			100,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	D 0022 M	415, 420
			D 0024 M	520, 530
			D 0026 M	535, 545
	2,50	M		4 N 1, 4 S 2
				4 R 2, A 30 AH
				3600, 4200
	2,50	M		4800
	4,50	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22803005	51012010018	88 301 190		



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	100,00	D 0022 M	415, 420
B - Skirt Diameter Ø	106,00	D 0024 M	520, 530
C - Overall Lenght	235,00	D 0026 M	535, 545
D - Flange Ø			4 N 1, 4 S 2
E - Flange Height			4 R 2, A 30 AH
F - Fire Lip			3600, 4200
			4800

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MAN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801010	51025017057-51025017142-51025017157	92 666 600	227 54 00	A350284
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	108,00	D 0846 HM	8.156, 9.156
	Comp. Height	89,00	D 0846 HMY	8.160, 9.160
	Total Lenght	145,50		13.168, 15.168
	Dome Height			16.168, 750 Ho-SL
	Bowl Dept	-41,80		U 590, SG 192
	Bowl Ø			SL 192, CR 160
	Valve Pocket			
	Pin Diameter	42,00 / 90,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,5 x 2,5 x 5,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
22802010	Piston Ring Set Std.			108,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	D 0846 HM	8.156, 9.156
			D 0846 HMY	8.160, 9.160
				13.168, 15.168
	2,50	M		16.168, 750 Ho-SL
				U 590, SG 192
				SL 192, CR 160
	5,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22803010	51012010167-51012010171	88 865 110	227 WT 09	
	51012010202-51012010227			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	108,00	D 0846 HM	8.156, 9.156
	B - Skirt Diameter Ø	112,99	D 0846 HMY	8.160, 9.160
	C - Overall Lenght	254,00		13.168, 15.168
	D - Flange Ø	118,00		16.168, 750 Ho-SL
	E - Flange Height	5,00		U 590, SG 192
	F - Fire Lip			SL 192, CR 160

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MAN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801015	51025117220-51025010973-51025017651 51025017652-51025017653-51025017654 51025017655-51025117023-51025117024 51025117025-51025117026-51025117121 51025117123-51025117291	94 412 600	227 33 00	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	108,00	D 0824 LFL 01	8.153 F
Comp. Height	73,00	D 0824 LFL 02	9.153 F
Total Lenght	113,00	D 0826 GF 01	9.163 F
Dome Height		D 0826 GF 02	10.163 F
Bowl Dept	-21,25	D 0826 LFL 01	
Bowl Ø	63,00	D 0826 LFL 02	
Valve Pocket	-1,70		
Pin Diameter	42,00 / 90,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	2,5 x 2,5 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
22802015	Piston Ring Set Std.			108,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	D 0824 LFL 01	8.153 F
			D 0824 LFL 02	9.153 F
			D 0826 GF 01	9.163 F
	2,50	M	D 0826 GF 02	10.163 F
			D 0826 LFL 01	
			D 0826 LFL 02	
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22803015	51012010318-51012010386	89 339 110	227 WT 39	



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	108,00	D 0824 LFL 01	8.153 F
B - Skirt Diameter Ø	111,49	D 0824 LFL 02	9.153 F
C - Overall Lenght	217,00	D 0826 GF 01	9.163 F
D - Flange Ø	116,00	D 0826 GF 02	10.163 F
E - Flange Height	4,04	D 0826 LFL 01	
F - Fire Lip		D 0826 LFL 02	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MAN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801020	51025010213-51025010254-51025010352	92 986 600	228 40 00	A350308
	51025010365-51025010396-51025010527			
	51025010536-51025010557-51025017094			
	51025017094-51025017113-51025017114			
	51025017158-51025017220			

Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	121,00	D 2156 6 U	9.192, 9.216
Comp. Height	94,00	D 2156 HM 2	10.215, 12.192
Total Lenght	162,00	D 2156 HM 3	12.215, 13.215
Dome Height		D 2156 HM 6 DK	16.192, 13.230
Bowl Dept	-48,40	D 2156 HMN 9	15.192, 15.216
Bowl Ø		D 2156 HMN 3	16.186, 16.215
Valve Pocket		D 2156 HMN 6	21.215, 22.192
Pin Diameter	45,00 / 102,00	D 2156 HMN 8	22215
Type of Design	**ALFIN**	D 2156 HMN 9	
Piston Ring Thickness	3,5x3,0x3,0x5,5	D 2156 HNY	
		D 2156 MGN	
		D 2156 MNY	
		D 2156 MY	
		D 2156 MYN	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801025	51025010554-51025010560	93 031 600	228 68 00	
	51025017164-51025017223			

Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	121,00	D 2156 HMYU-036	SL 192
Comp. Height	94,00	D 2156 HMYU-038	SG 192
Total Lenght	162,00		10 U 212
Dome Height			11 U 192
Bowl Dept	-48,60		12 U 192
Bowl Ø			
Valve Pocket			
Pin Diameter	45,00 / 102,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	3,5x3,0x3,0x5,5		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MAN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801030	51025010306-51025010533	93 093 600	228 64 00	A350308
	51025010584-51025017135			
	51025017226			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	121,00	D 2156 HM-U 11	9192
	Comp. Height	94,00	D 2156 HMXU-036	12192
	Total Lenght	162,00	D 2156 HMXU-038	
	Dome Height			
	Bowl Dept	-46,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	45,00 / 102,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,5x3,0x3,0x5,5		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801035	51025010343-51025010489-51025010543	92 989 600	228 36 00	A350100
	51025010590-51025017119-51025017148			
	51025017199			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	121,00	D 2156 MT 2	13.256, 16.256
	Comp. Height	94,00	D 2156 MTN 1	19.256, 22.256
	Total Lenght	162,00	D 2156 MTN 5	26.256, 30.256
	Dome Height		D 2156 MTN 6	
	Bowl Dept	-48,35	D 2156 MTN 8	
	Bowl Ø		D 2156 MTU	
	Valve Pocket	-2,40	D 2156 MTX	
	Pin Diameter	45,00 / 102,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,5x3,0x3,0x5,5		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MAN

Cenmak Number	Item		O.E.M. Number	Ø mm
22802020	Piston Ring Set Std.			121,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,50	T CR	D 2156 Series	9.192, 12.192
	3,00	M		22215
	3,00	N		10 U 212
	5,50	DSF CR		10.215, 12.192
				11 U 192
				12 U 192
				12.215, 13.215
				13.256, 16.256
				15.192, 15.216
				16.186, 16.215
				16.192, 13.230
				19.256, 22.256
				21.215, 22.192
				26.256, 30.256
				9.192, 9.216
				SG 192
				SL 192

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22803020	51012010091-51012010158	88 853 110	227 WT 15	14-022830-00
	51012010162-51012010221			
	51012010245			
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	121,00	D 2156 Series	9.192, 12.192
	B - Skirt Diameter Ø	125,99		22215
	C - Overall Lenght	287,00		10 U 212
	D - Flange Ø	132,00		10.215, 12.192
	E - Flange Height	8,03		11 U 192
	F - Fire Lip			12 U 192
				12.215, 13.215
				13.256, 16.256
				15.192, 15.216
				16.186, 16.215
				16.192, 13.230
				19.256, 22.256
				21.215, 22.192
				26.256, 30.256
				9.192, 9.216
				SG 192
				SL 192

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MAN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801040	3025016851-51025010241-51025010406 510.2501.0416-51025010440-51025010457 51025010458-51025010462-51025014581 51025017021-51025017070-51025017071 51025017125-51025017131-51025017134 51025017191	92 767 600	228 01 00	A350288



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	123,00	D 2356 HM 6 K	10.230, 12.230
Comp. Height	94,00	D 2356 HM 6 U	13.230, 16.230
Total Lenght	162,00	D 2356 HM 9	19.230, 22.230
Dome Height		D 2356 HMU-063	30.230, SG 192
Bowl Dept	-50,50	D 2356 HMN 2	SU 230, 11 U 192
Bowl Ø		D 2356HMN 5	12 U 192
Valve Pocket		D 2356 HMN 6	
Pin Diameter	45,00 / 102,00	D 2356 HMN 9	
Type of Design	**ALFIN**	D 2356 M9	
Piston Ring Thickness	3,5x3,0x3,0x5,5		

Cenmak Number	Item		O.E.M. Number	Ø mm
22802040	Piston Ring Set Std.			123,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,50	T CR	D 2356 HM 6 K	10.230, 12.230
			D 2356 HM 6 U	13.230, 16.230
			D 2356 HM 9	19.230, 22.230
	3,00	M	D 2356 HMU-063	30.230, SG 192
			D 2356 HMN 2	SU 230, 11 U 192
			D 2356HMN 5	12 U 192
	3,00	N	D 2356 HMN 6	
			D 2356 HMN 9	
			D 2356 M9	
	5,50	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MAN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22803040	51012010199-51012010262-51012010151	88 871 110	227 WT 19	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	123,00	D 2356 HM 6 K	10.230, 12.230
	B - Skirt Diameter Ø	125,99	D 2356 HM 6 U	13.230, 16.230
	C - Overall Lenght	287,00	D 2356 HM 9	19.230, 22.230
	D - Flange Ø	132,00	D 2356 HMU-063	30.230, SG 192
	E - Flange Height	8,03	D 2356 HMN 2	SU 230, 11 U 192
	F - Fire Lip		D 2356HMN 5	12 U 192
			D 2356 HMN 6	
			D 2356 HMN 9	
			D 2356 M9	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801045	51025010551-51025010459-51025010466	92 824 600	228 22 00	
	51025010545-51025010548-51025010696			
	51025010712-51025016020-51025016021			
	51025016022-51025016023-51025016025			
	51025016041-51025017194-51025017233			
	51025017267-51025017270-51025017273			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	125,00	D 2565 HM	11.168, 13.168
	Comp. Height	89,87	D 2565 M	13.192, 14.168
	Total Lenght	141,87	D 2565 ME	14.192, 15.168
	Dome Height		D 2565 MF	15.192, 16.168
	Bowl Dept	-43,97	D 2565 MH	16.192, 19.192
	Bowl Ø		D 2565 MUE	22.192, 15.240
	Valve Pocket		D 2565 MUH	16.240, 19.240
	Pin Diameter	46,00 / 105,00	D 2565 MUL	22.240, 26.240
	Type of Design	**ALFIN**	D 2566 HM	30.240, 32.240
	Piston Ring Thickness	3,5x3,0x5,0	D 2566 M	192, 200
			D 2566 ME	220, 240
			D 2566 MF	
			D 2566 MFO	
			D 2566 MH	
			D 2566 MHO	
			D 2566 MUE	
			D 2566 MUH	
			D 2566 MUM	
			D 2566 MXF	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MAN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801050	51025010412-51025010430-51025010433 51025010435-51025010437-51025010455 51025010569-51025010578-51025010592 51025010596-51025016024-51025016025 51025016026-51025017169-51025017173 51025017182-51025017248-51025017261 51025017264-51025017277-51025017280 51025017283	93 076 600	228 05 00	A350286



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	125,00	D 2555 M	15.200, 15.240
Comp. Height	92,40	D 2555 MF	16.200, 16.240
Total Lenght	137,40	D 2555 MX	19.200, 19.240
Bowl Dept	-47,10	D 2555 MXF	22.200, 22.240
Bowl Ø		D 2555 M	26.240, 30.240
Valve Pocket	-0,20	D 2555 MF	SL 200, SD 200
Pin Diameter	46,00 / 105,00	D 2555 MX	SU 200, SU 240
Type of Design	**ALFIN**	D 2555 MXF	
Piston Ring Thickness	3,5x3,0x5,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
22802045	Piston Ring Set Std.			125,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,50	T CR	D 2555 Series	11.168, 13.168
			D 2565 Series	13.192, 14.168
			D 2566 Series	14.192, 15.168
	3,00	M		15.192, 16.168
				15.200, 15.240
				16.192, 19.192
	5,00	DSF CR		16.200, 16.240
				16.240, 19.240
				19.200, 19.240
				192, 200, 220, 240
				22.192, 15.240
				22.200, 22.240
				22.240, 26.240
				26.240, 30.240
				30.240, 32.240
				SL 200, SD 200
				SU 200, SU 240

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MAN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22803045	51012010218-51012010220	89 056 110	227 WN 32	14-450370-00
	51012010296-51012010313			



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	125,00	D 2555 Series	11.168, 13.168
B - Skirt Diameter Ø	140,00	D 2565 Series	13.192, 14.168
C - Overall Lenght	270,00	D 2566 Series	14.192, 15.168
D - Flange Ø	152,00		15.192, 16.168
E - Flange Height	10,05		15.200, 15.240
F - Fire Lip	1,00		16.192, 19.192
			16.200, 16.240
			16.240, 19.240
			19.200, 19.240
			192, 200, 220, 240
			22.192, 15.240
			22.200, 22.240
			22.240, 26.240
			26.240, 30.240
			30.240, 32.240
			SL 200, SD 200
			SU 200, SU 240

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801055	51025010371-51025010422-51025010431	92 656 600	228 18 00	
	51025017166-51025017286-51025017292			
	93076607286-93076607291-93076607293			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	125,00	D 2530 ME	16.256, 19.256
Comp. Height	92,30	D 2530 MF	26.256, 30.256
Total Lenght	137,30	D 2530 MFR	16.320, 19.320
Dome Height		D 2530 MR	20.320, 22.320
Bowl Dept	-44,90	D 2530 MXF	26.320, 30.320
Bowl Ø		D 2530 MXFR	32.320, 38.320
Valve Pocket		D 2538 M	DFK-3875
Pin Diameter	46,00 / 97,00	D 2538 ME	DF-4525
Type of Design	**ALFIN**	D 2538 MF	DF-5170
Piston Ring Thickness	3,5 x3,03 x5,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MAN

Cenmak Number	Item		O.E.M. Number	Ø mm
22802055	Piston Ring Set Std.			125,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,00	R CR	D 2530 ME	16.256, 19.256
			D 2530 MF	26.256, 30.256
			D 2530 MFR	16.320, 19.320
	3,03	M	D 2530 MR	20.320, 22.320
			D 2530 MXF	26.320, 30.320
			D 2530 MXFR	32.320, 38.320
	5,00	DSF CR	D 2538 M	DFK-3875
			D 2538 ME	DF-4525
			D 2538 MF	DF-5170

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22803055	51012010219-51012010299	89 054 110	227 WN 30	14-451090-00
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	125,00	D 2530 ME	16.256, 19.256
	B - Skirt Diameter Ø	140,00	D 2530 MF	26.256, 30.256
	C - Overall Lenght	253,00	D 2530 MFR	16.320, 19.320
	D - Flange Ø	152,00	D 2530 MR	20.320, 22.320
	E - Flange Height	10,05	D 2530 MXF	26.320, 30.320
	F - Fire Lip	1,00	D 2530 MXFR	32.320, 38.320
			D 2538 M	DFK-3875
			D 2538 ME	DF-4525
			D 2538 MF	DF-5170

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801060	51025010866-51025010887-51025010888	90 300 600	228 94 00	
	51025010891-51025010892-51025010893			
	51025010894-51025017556-51025017564			
	51025017565-51025017570-51025017571			
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	128,00	D 2865 L	19262
	Comp. Height	89,75	D 2865 LF	19332
	Total Lenght	141,75	D 2866 LXF	19362
	Dome Height			24362
	Bowl Dept	-24,40		25362
	Bowl Ø			
	Valve Pocket	-2,05		
	Pin Diameter	46,00 / 104,70		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,5 x 3,0 x 5,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MAN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801065	51025010795-51025010798-51025017463	90 341 600	228 91 00	
	51025017449-51025017452			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	128,00	D 2866 UH	200
Comp. Height	89,87	D 2866 UM	202
Total Lenght	141,87		240
Dome Height			242
Bowl Dept	-31,07		
Bowl Ø			
Valve Pocket			
Pin Diameter	46,00 / 104,70		
Type of Design	**ALFIN**		
Piston Ring Thickness	3,5 x 3,0 x 5,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801070	51025010708-51025010713-51025010812	90 334 600	228 90 00	
	51025016045-51025016047-51025017087			
	51025017385-51025017386-51025017387			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	128,00	D 2866 FZ	16.290, 19.291
Comp. Height	89,80	D 2866 K	19.292, 19.331
Total Lenght	141,80	D 2866 KF	19.332, 19.361
Dome Height		D 2866 KFZ	19.362, 22.330
Bowl Dept	-32,20	D 2866 KOH	22.331, 22.332
Bowl Ø		D 2866 KU	22.360, 22.361
Valve Pocket	-2,30	D 2866 KUH	22.362, 24.362
Pin Diameter	46,00 / 104,70	D 2866 KUL	26.281, 26.291
Type of Design	**ALFIN**	D 2866 LF	26.331, 26.361
Piston Ring Thickness	3,5 x 3,0 x 5,0	D 2866 LF Z	30.291, 30.331
		D 2866 LU	30.361, 32.331
		D 2866 LUH	32.361, 34.291
		D 2866 LUL	34.331, 280
		D 2866 TUH	290, 292, 322
			332, 362, 363

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MAN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801075	51025010964-51025017602-51025017621	90 583 600	228 98 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	128,00	D 2865 LF 02	
	Comp. Height	89,75	D 2865 LF 03	
	Total Lenght	141,75	D 2865 LF 04	
	Dome Height		D 2865 LF 06	
	Bowl Dept	-24,40	D 2865 LU 01	
	Bowl Ø		D 2865 LU 02	
	Valve Pocket	-2,10	D 2865 LU 03	
	Pin Diameter	46,00 / 105,00	D 2865 LU 04	
	Type of Design	**ALFIN**	D 2865 LU 06	
	Piston Ring Thickness	3,5 x 3,0 x 5,0	D 2866 LF 02	
			D 2866 LF 03	
			D 2866 LF 05	
			D 2866 LF 06	
			D 2866 LF 09	
			D 2866 LH 02	
			D 2866 LU 01	
			D 2866 LU 03	
			D 2866 LU 04	
			D 2866 LXFG	
			D 2866 LXOH	
			D 2866 LXUH	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22801080	51025017564-51025017603-51025017622	90 584 600	228 98 10	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	128,00	D 2865 LF 02	
	Comp. Height	89,55	D 2865 LF 03	
	Total Lenght	141,55	D 2865 LF 04	
	Dome Height		D 2865 LF 06	
	Bowl Dept	-24,40	D 2865 LU 01	
	Bowl Ø		D 2865 LU 02	
	Valve Pocket	-2,10	D 2865 LU 03	
	Pin Diameter	46,00 / 105,00	D 2865 LU 04	
	Type of Design	**ALFIN**	D 2865 LU 06	
	Piston Ring Thickness	3,5 x 3,0 x 5,0	D 2866 LF 02	
			D 2866 LF 03	
			D 2866 LF 05	
			D 2866 LF 06	
			D 2866 LF 09	
			D 2866 LH 02	
			D 2866 LU 01	
			D 2866 LU 03	
			D 2866 LU 04	
			D 2866 LXFG	
			D 2866 LXOH	
			D 2866 LXUH	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MAN

Cenmak Number	Item		O.E.M. Number	Ø mm
22802060	Piston Ring Set Std.			128,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,50	T CR	D 2865 Series	16.290, 19.291
			D 2866 Series	19.262, 19.332
				19.292, 19.331
	3,00	M		19.332, 19.361
				19.362, 22.330
				19.362, 24.362
	5,00	DSF CR		200, 202, 240, 242
				22.331, 22.332
				22.360, 22.361
				22.362, 24.362
				25362
				26.281, 26.291
				26.331, 26.361
				290, 292, 322
				30.291, 30.331
				30.361, 32.331
				32.361, 34.291
				332, 362, 363
				34.331, 280

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22803060	51012010309-51012010372-51012010385	89 186 110	227 WN 37	
	51012010391-51012010398-51012010403			
	51012010404-51012010432			
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	128,00	D 2865 Series	16.290, 19.291
	B - Skirt Diameter Ø	144,50	D 2866 Series	19.262, 19.332
	C - Overall Lenght	270,00		19.292, 19.331
	D - Flange Ø	153,80		19.332, 19.361
	E - Flange Height	10,07		19.362, 22.330
	F - Fire Lip	1,00		19.362, 24.362
				200, 202, 240, 242
				22.331, 22.332
				22.360, 22.361
				22.362, 24.362
				25362
				26.281, 26.291
				26.331, 26.361
				290, 292, 322
				30.291, 30.331
				30.361, 32.331
				32.361, 34.291
				332, 362, 363
				34.331, 280

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101001	6360300018-6360300718-6360301018	90 278 700	001 29 00	
	6360302517-6360303717-6360304717			
	6360305217-6360305717-6360306817			
	6360307317-6360307817-6810300017			

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	75,00	OM 636.914	17 DA/DS
	Comp. Height	45,00	OM 636.915	180 D/DB
	Total Lenght	89,00	OM 636.916	L 319 D
	Dome Height		OM 636.917	0 319 Unimorg
	Bowl Dept	-3,90	OM 636.918	411.110-118
	Bowl Ø		OM 636.919	411.119-120
	Valve Pocket		OM 636.930	U 34, 401, 402
	Pin Diameter	22,00 / 63,50	OM 636.931	
	Type of Design		OM 636.934	
	Piston Ring Thickness	2,0x2,0x2,0x5,0x5,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
102001	Piston Ring Set Std.			75,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	OM 636.914	17 DA/DS
			OM 636.915	180 D/DB
			OM 636.916	L 319 D
	2,00	R	OM 636.917	0 319 Unimorg
			OM 636.918	411.110-118
			OM 636.919	411.119-120
	2,00	N	OM 636.930	U 34, 401, 402
			OM 636.931	
			OM 636.934	
	5,00	DSF		
	5,00	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
103001	1810110110-6360110010-6360110110	88 530 190	001 WV 06	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	75,00	OM 636.914	17 DA/DS
	B - Skirt Diameter Ø	78,00	OM 636.915	180 D/DB
	C - Overall Lenght	189,00	OM 636.916	L 319 D
	D - Flange Ø	81,00	OM 636.917	0 319 Unimorg
	E - Flange Height	4,00	OM 636.918	411.110-118
	F - Fire Lip		OM 636.919	411.119-120
			OM 636.930	U 34, 401, 402
			OM 636.931	
			OM 636.934	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101005	1100301317-1100302718-1100303018 1100303417	93 582 600	002 33 10	
	1100303717-1100304017-1100304118 1100304818			
	1100305017-1100305218-1100305417 1100306017			
	1100306018-1100306117-1100306417 1100306417			
	1100306917-1100308017-1100308317 1100308617			
	1100308917			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	86,00	M 110.921	280
	Comp. Height	42,65	M 110.922	280 E
	Total Lenght	89,04	M 110.923	
	Dome Height	14,34	M 110.924	
	Bowl Dept	-3,80	M 110.926	
	Bowl Ø		M 110.981	
	Valve Pocket		M 110.982	
	Pin Diameter	23,00 / 69,00	M 110.983	
	Type of Design		M 110.984	
	Piston Ring Thickness	1,75x2,50x4,00	M 110.985	
			M 110.986	
			M 110.987	
			M 110.988	
			M 110.989	
			M 110.990	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	Item		O.E.M. Number	Ø mm
102005	Piston Ring Set Std.			86,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,75	R CR	M 110.921	280
			M 110.922	280 E
			M 110.923	
	2,50	NM CR	M 110.924	
			M 110.926	
			M 110.981	
	4,00	DSF CR	M 110.982	
			M 110.983	
			M 110.984	
			M 110.985	
			M 110.986	
			M 110.987	
			M 110.988	
			M 110.989	
			M 110.990	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101010	1100301717-1300300118-1300300418	91 427 600	001 75 00	18884
	1300301317-1300301717-1300302117			
	1300302917-1300303417-1300303917			
	1300304417-1300305417-1300305917			
	1300306817-1300307417-1300308417			
	1300309217-1300309517-1300309817			

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	86,50	M 130.920	280 S
	Comp. Height	49,20	M 130.921	250 C
	Total Lenght	81,20	M 130.922	
	Dome Height		M 130.923	
	Bowl Dept	-1,30	M 130.924	
	Bowl Ø		M 130.933	
	Valve Pocket			
	Pin Diameter	25,00 / 75,00		
	Type of Design			
	Piston Ring Thickness	2,0x2,5x4,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	Item		O.E.M. Number	Ø mm
102010	Piston Ring Set Std.			86,50
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	M 130.920	280 S
			M 130.921	250 C
			M 130.922	
	2,50	NM CR	M 130.923	
			M 130.924	
			M 130.933	
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101015	6010300717-6010300817-6010301117	94 674 600	002 93 00	A350853
	6010301517-6010301617-6010301717			
	6010302117-6010302217			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	87,00	OM 601.911	190 D
	Comp. Height	44,85	OM 601.912	200 D
	Total Lenght	74,85	OM 601.913	250 D
	Dome Height		OM 602.911	300 D
	Bowl Dept	-9,05	OM 602.912	310 D
	Bowl Ø		OM 602.930	410 D
	Valve Pocket	0,84	OM 602.931	D 2.5
	Pin Diameter	26,00 / 55,00	OM 602.938	
	Type of Design	**ALFIN**	OM 602.939	
	Piston Ring Thickness	2,0x2,0x3,0	OM 603.912	
			OM 603.913	

Cenmak Number	Item		O.E.M. Number	Ø mm
102015	Piston Ring Set Std.			87,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	OM 601.911	190 D
			OM 601.912	200 D
			OM 601.913	250 D
	2,00	M	OM 602.911	300 D
			OM 602.912	310 D
			OM 602.930	410 D
	3,00	DSF CR	OM 602.931	D 2.5
			OM 602.938	
			OM 602.939	
			OM 603.912	
			OM 603.913	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101020	6150302018-6150302818-6150302918	93 343 600	002 06 00	
	6150303818-6150306217-6150307818			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	87,00	OM 615.940	200 D, L
	Comp. Height	52,90	OM 615.943	206 D, L
	Total Lenght	91,40	OM 615.944	306 D
	Dome Height			
	Bowl Dept	-6,15		
	Bowl Ø			
	Valve Pocket	-1,00		
	Pin Diameter	26,00 / 72,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0x2,0x4,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101025	6150300517-6150301218-6150301318 6150301718	92 802 600	001 87 00	A350234
	6150302017-6150302218-6150302318 6150303418			
	6150303517-6150305617-6150306117 6150306417			
	6150306617-6150306817-6150307017 6150307817			
	6150308017-6150309417			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	87,00	OM 615.913	200 D, L
	Comp. Height	52,90	OM 615.915	306 D
	Total Lenght	91,40		
	Dome Height			
	Bowl Dept	-6,00		
	Bowl Ø			
	Valve Pocket	0,298507463		
	Pin Diameter	26,00 / 72,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0x2,0x4,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101030	6150300017-6150300218-6150301017 6150301317-6150301417-6150301517 6150301618-6150302118-6150302418 6150303017-6150305417-6150305817 6150305917-6150307217-6150307417 6150307617-6150308817-6150308917 6150309817	92 792 600	001 86 00	A350192
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	87,00	OM 615.910	220 D
	Comp. Height	48,25	OM 615.912	206 D
	Total Lenght	89,65	OM 615.916	306 D
	Dome Height		OM 615.917	309 D
	Bowl Dept	-6,35	OM 615.919	406 D
	Bowl Ø		OM 615.930	407 D
	Valve Pocket	- 1,00 / - 3,60	OM 615.936	0 309 D
	Pin Diameter	26,00 / 72,00	OM 615.937	421
	Type of Design	**ALFIN**	OM 615.938	
	Piston Ring Thickness	3,0x2,0x4,0	OM 615.939	

Cenmak Number	Item		O.E.M. Number	Ø mm
102020	Piston Ring Set Std.			87,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	OM 615.940	200 D, L
			OM 615.943	206 D, L
			OM 615.944	306 D
	2,00	M		
	4,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101035	6150303518-6150304818-6150305218 6150305818 6150305918-6150306218-6150306318 6150306418	93 309 600	002 07 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	87,00	OM 615.940	200 D, L
	Comp. Height	52,90	OM 615.943	206 D, L
	Total Lenght	91,40	OM 615.944	306 D
	Dome Height			
	Bowl Dept	-9,06		
	Bowl Ø			
	Valve Pocket	-1,20		
	Pin Diameter	26,00 / 72,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,0x2,0x4,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101040	6150302618-6150302718 6150303018-6150309117	92 613 600	001 92 00	A350233
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	87,00	OM 615.918	0 309 D
	Comp. Height	48,25	OM 615.941	206 D
	Total Lenght	89,65		220 D
	Dome Height			306 D
	Bowl Dept	-6,35		
	Bowl Ø			
	Valve Pocket	- 1,10 / - 3,60		
	Pin Diameter	26,00 / 72,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,0x2,0x4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
102035	Piston Ring Set Std.			87,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	OM 615.940	200 D, L
			OM 615.943	206 D, L
			OM 615.944	306 D
	2,00	M		
	4,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
103015	6150110510-6150110910-6150111010	88 588 190	001 WV 03	14-022190-00
	6150111110-6150111210-6150111510			



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	87,00	OM 601 Series	421, 0 309 D
B - Skirt Diameter Ø	90,00	OM 602 Series	190 D. 200 D, L
C - Overall Lenght	158,40	OM 603 Series	206 D, L, 220 D
D - Flange Ø	92,55	OM 615 Series	250 D, 300 D
E - Flange Height	4,70		306 D, 309 D
F - Fire Lip			310 D, 406 D
			407 D, 410 D
			D 2.5

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101045	1030300118-1030301317-1030302019	93 810 600	002 19 00	
	1030302117-1030303717-1030303718			
	1030304118-1030304517-1030304917			
	1030304918-1030305317-1030306918			
	1030308017-1030308018			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	88,50	M 103. 980	300 E
Comp. Height	33,00	M 103. 981	
Total Lenght	66,00	M 103. 982	
Dome Height		M 103. 983	
Bowl Dept	-2,70	M 103. 985	
Bowl Ø			
Valve Pocket			
Pin Diameter	22,00 / 52,00		
Type of Design			
Piston Ring Thickness	1,50 x 1,75 x 3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	Item		O.E.M. Number	Ø mm
102045	Piston Ring Set Std.			88,50
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,50	R CR	M 103. 980	300 E
			M 103. 981	
			M 103. 982	
	1,75	M	M 103. 983	
			M 103. 985	
	3,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101050	1020300219-1020300519-1020300738	93 673 700	002 17 20	
	1020301038-1020302237-1020302637			
	1020303000-1020303037-1020306637			
	1020307337-1020307618-1020307637			
	1020308018-1020308418-1020309918			
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	89,00	M 102.920	190
	Comp. Height	43,20	M 102.921	200
	Total Lenght	81,20	M 102.924	190 E
	Dome Height		M 102.961	200 E
	Bowl Dept	-1,62	M 102.962	200 GE
	Bowl Ø		M 102.963	
	Valve Pocket		M 102.964	
	Pin Diameter	22,00 / 56,00	M 102.965	
	Type of Design			
	Piston Ring Thickness	1,75 x 2,00 x 3,50		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101055	1020301018-1020302318-1020302418	93 613 700	002 15 00	
	1020302718-1020302917-1020303118			
	1020303418-1020303519-1020304018			
	1020304719-1020304817-1020305017			
	1020305318-1020305618-1020306818			
	1020307218-1020307918-1020308417			
	1020308817			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	89,00	M 102.920	190
Comp. Height	43,20	M 102.921	200
Total Lenght	83,20	M 102.961	190 E
Dome Height			
Bowl Dept			
Bowl Ø			
Valve Pocket	- 1,00 / - 2,30		
Pin Diameter	24,00 / 62,00		
Type of Design			
Piston Ring Thickness	1,75 x 2,00 x 3,50		

Cenmak Number	Item		O.E.M. Number	Ø mm
102050	Piston Ring Set Std.			89,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	M 102.920	190
			M 102.921	200
			M 102.924	190 E
	2,00	M	M 102.961	200 E
			M 102.962	200 GE
			M 102.963	
	3,50	DSF CR	M 102.964	
			M 102.965	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
103050	1020110010	89 342 190	002 WV 06	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	89,00	M 102.920	190
	B - Skirt Diameter Ø	92,00	M 102.921	200
	C - Overall Lenght	146,10	M 102.924	190 E
	D - Flange Ø	94,50	M 102.961	200 E
	E - Flange Height	4,60	M 102.962	200 GE
	F - Fire Lip		M 102.963	
			M 102.964	
			M 102.965	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101060				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	90,00		411010
	Comp. Height	37,00		411012
	Total Lenght	67,00		411026
	Dome Height			411034
	Bowl Dept			411043
	Bowl Ø			411510
	Valve Pocket			1965 --->
	Pin Diameter	20,00 / 67,00		
	Type of Design			
	Piston Ring Thickness	2,50 x 2,50 x 4,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101065	1980300117	90 843 600	001 68 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	90,00	OM 401	1975--->
	Comp. Height	35,00	OM 402	
	Total Lenght	57,50	OM 403	
	Dome Height		OM 404	
	Bowl Dept		OM 407	
	Bowl Ø		OM 409	
	Valve Pocket		OM 421	
	Pin Diameter	20,00 / 60,00	OM 422	
	Type of Design		OM 423	
	Piston Ring Thickness	2,50 x 2,50 x 4,00	OM 424	
			OM 442	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	Item		O.E.M. Number	Ø mm
102060	Piston Ring Set Std.			90,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,50	R	OM 401	1975--->
			OM 402	
			OM 403	
	2,50	M	OM 404	
			OM 407	
			OM 409	
	4,00	DSF	OM 421	
			OM 422	
			OM 423	
			OM 424	
			OM 442	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101070		94 043 600		
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	90,00	OM 401	1975--->
	Comp. Height	35,00	OM 402	
	Total Lenght	57,50	OM 403	
	Dome Height		OM 404	
	Bowl Dept		OM 407	
	Bowl Ø		OM 409	
	Valve Pocket		OM 421	
	Pin Diameter	20,00 / 60,00	OM 422	
	Type of Design		OM 423	
	Piston Ring Thickness	2,5x2,5x2,5x4,0	OM 424	
			OM 442	

Cenmak Number	Item		O.E.M. Number	Ø mm
102070	Piston Ring Set Std.			90,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,50	R	OM 401	1975--->
			OM 402	
			OM 403	
	2,50	M	OM 404	
			OM 407	
			OM 409	
	2,50	M	OM 421	
			OM 422	
			OM 423	
	4,00	DSF	OM 424	
			OM 442	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
103060	4031312002	89 196 110	004 WR 06	14-900090-00
	Diamention mm		Used in Engines	Used in Vehicles
	Inside Diameter Ø	90,00	OM 401	1975--->
	A - Skirt Diameter Ø	95,00	OM 402	
	L- Overall Lenght	104,00	OM 403	Dry Type
	H - Flange Height	94,00	OM 404	
			OM 407	
			OM 409	
			OM 421	
			OM 422	
			OM 423	
			OM 424	
			OM 442	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
103065		89 308 110		
	Diamention mm		Used in Engines	Used in Vehicles
	Inside Diameter Ø	90,00	OM 401	1975--->
	A - Skirt Diameter Ø	95,00	OM 402	
	L- Overall Lenght	104,00	OM 403	Water Cooled
	H - Flange Height	94,00	OM 404	
			OM 407	
			OM 409	
			OM 421	
			OM 422	
			OM 423	
			OM 424	
			OM 442	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101075	6160303517-6160304417-6160305917 6160306217-6160306317-6160306717 6170304417	92 800 630	002 44 00	A350232
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	90,90	OM 616.910	240 D, L207 D
	Comp. Height	48,35	OM 616.911	300 D, 300 CD
	Total Lenght	81,85	OM 616.912	542, 421/T
	Dome Height		OM 616.916	L 407D, 4600
	Bowl Dept	-6,27	OM 616.917	L307 D, L309 D
	Bowl Ø		OM 616.918	Unimog 421, U600
	Valve Pocket	0,25	OM 616.919	
	Pin Diameter	26,00 / 74,00	OM 616.934	
	Type of Design	**ALFIN**	OM 617.910	
	Piston Ring Thickness	3,00 x 2,00 x 4,00	OM 617.912	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101080	6160303917-6160304017-6160304117 6160305217-6160305317-6160305517 6160305717-6160305817-6160306017 6160306417-6160306517-6160306617 6160306917	93 444 600	002 49 00	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	90,90	OM 616.910	240 D, L207 D
Comp. Height	48,35	OM 616.912	300 D, 300 CD
Total Lenght	81,85	OM 616.913	542, 421/T
Dome Height		OM 616.918	L 407D, 4600
Bowl Dept	-8,85	OM 616.919	L307 D, L309 D
Bowl Ø		OM 616.934	Unimog 421, U600
Valve Pocket	-1,15	OM 616.936	
Pin Diameter	26,00 / 74,00	OM 616.937	
Type of Design	**ALFIN**	OM 616.938	
Piston Ring Thickness	3,00 x 2,00 x 4,00	OM 616.939	
		OM 617.912	
		OM 617.913	
		OM 617.919	
		OM 617.931	
		OM 617.933	

Cenmak Number	Item		O.E.M. Number	Ø mm
102075	Piston Ring Set Std.			90,90
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,00	R CR	OM 616.910	240 D, L207 D
			OM 616.911	300 D, 300 CD
			OM 616.912	542, 421/T
	2,00	M	OM 616.913	L 407D, 4600
			OM 616.916	L307 D, L309 D
			OM 616.917	Unimog 421, U600
	4,00	DSF CR	OM 616.918	
			OM 616.919	
			OM 616.934	
			OM 616.936	
			OM 616.937	
			OM 616.938	
			OM 616.939	
			OM 617.910	
			OM 617.912	
			OM 617.913	
			OM 617.919	
			OM 617.931	
			OM 617.933	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101085	6160301117-6160301217-6160301317	92 800 600	002 48 00	
	6160301417-6160301617-6160301717			
	6160302017-6160302917-6160303817			
	6160304917-6160307017-6160309517			
	6170300217-6170300317-6170301717			
	6170303817-6180301617			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	91,00	OM 616.910	240 D, L207 D
	Comp. Height	48,35	OM 616.911	300 D, 300 CD
	Total Lenght	81,85	OM 616.912	542, 421/T
	Dome Height		OM 616.916	L 407D, 4600
	Bowl Dept	-6,27	OM 616.919	L307 D, L309 D
	Bowl Ø		OM 617.910	Unimog 421, U600
	Valve Pocket	- 1,05 / - 4,27	OM 617.912	
	Pin Diameter	26,00 / 74,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,00 x 4,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101090				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	91,00	OM 616.910	240 D, L207 D
	Comp. Height	48,35	OM 616.912	300 D, 300 CD
	Total Lenght	81,85	OM 616.913	542, 421/T
	Dome Height		OM 616.918	L 407D, 4600
	Bowl Dept	-6,27	OM 616.919	L307 D, L309 D
	Bowl Ø		OM 616.934	Unimog 421, U600
	Valve Pocket	-0,25	OM 616.936	
	Pin Diameter	26,00 / 74,00	OM 616.937	
	Type of Design	**ALFIN**	OM 616.938	
	Piston Ring Thickness	3,00 x 2,00 x 4,00	OM 616.939	
			OM 617.912	
			OM 617.913	
			OM 617.919	
			OM 617.931	
			OM 617.933	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101095	6160306417			A350400
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	91,00	OM 616.910	240 D, 207 D
	Comp. Height	48,35	OM 616.912	307 D, 0 309 D
	Total Lenght	81,85	OM 616.913	407 D, 507 D
	Dome Height		OM 616.918	U 600/L, U 6000
	Bowl Dept	-8,85	OM 616.934	100 D, MB 100
	Bowl Ø		OM 616.936	209 D, 309 D
	Valve Pocket	-1,15	OM 616.940	409 D, 300 D
	Pin Diameter	26,00 / 74,00	OM 616.963	
	Type of Design	**ALFIN**	OM 617.912	
	Piston Ring Thickness	3,00 x 2,00 x 4,00	OM 617.913	
			OM 617.919	
			OM 617.931	
			OM 617.932	

Cenmak Number	Item		O.E.M. Number	Ø mm
102085	Piston Ring Set Std.			91,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	OM 616.910	100 D, MB 100
			OM 616.911	209 D, 309 D
			OM 616.912	240 D, L207 D
	2,00	M	OM 616.913	240 D, L207 D
			OM 616.916	300 D, 300 CD
			OM 616.918	307 D, 0 309 D
	4,00	DSF CR	OM 616.919	407 D, 507 D
			OM 616.934	409 D, 300 D
			OM 616.936	542, 421/T
			OM 616.937	L 407D, 4600
			OM 616.938	L307 D, L309 D
			OM 616.939	U 600/L, U 6000
			OM 616.940	Unimog 421, U600
			OM 616.963	
			OM 617.910	
			OM 617.912	
			OM 617.913	
			OM 617.919	
			OM 617.931	
			OM 617.932	
			OM 617.933	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
103075	6160110310-6160110510-6160110610	88 681 190	001 WV 04	14-021350-00
	6160110710-6160110810-6160110910			
	6160111010-6160111110-6160111210			

Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	90,90 / 91,00	OM 616.910	100 D, MB 100
B - Skirt Diameter Ø	94,00	OM 616.911	209 D, 309 D
C - Overall Lenght	158,40	OM 616.912	240 D, L207 D
D - Flange Ø	96,00	OM 616.913	240 D, L207 D
E - Flange Height	4,70	OM 616.916	300 D, 300 CD
F - Fire Lip		OM 616.918	307 D, 0 309 D
		OM 616.919	407 D, 507 D
		OM 616.934	409 D, 300 D
		OM 616.936	542, 421/T
		OM 616.937	L 407D, 4600
		OM 616.938	L307 D, L309 D
		OM 616.939	U 600/L, U 6000
		OM 616.940	Unimog 421, U600
		OM 616.963	
		OM 617.910	
		OM 617.912	
		OM 617.913	
		OM 617.919	
		OM 617.931	
		OM 617.932	
		OM 617.933	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101100	1170301917-1170302517	92 888 600	002 51 00	20844
	1170303117-1170303717			

Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	92,00	M 116.984	280 SE
Comp. Height	45,90	M 116.985	280 SEL
Total Lenght	85,90		300 SEL
Dome Height			350 SL
Bowl Dept	-4,20		
Bowl Ø			
Valve Pocket			
Pin Diameter	26,00 / 73,00		
Type of Design			
Piston Ring Thickness	1,75 x 2,50 x 4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	Item		O.E.M. Number	Ø mm
102100	Piston Ring Set Std.			92,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,75	R CR	M 116.984	280 SE
			M 116.985	280 SEL
				300 SEL
	2,50	M CR		350 SL
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101105	1150300319-1150302918-1150303518	92 931 600	002 60 00	19567
	1150304918-1150305218-1150309118			
	1150309918			
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	93,75	M 115.951	0 309 B
	Comp. Height	51,75	M 115.954	
	Total Lenght	81,95	M 115.958	
	Dome Height			
	Bowl Dept	-1,01		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	26,00 / 73,00		
	Type of Design			
	Piston Ring Thickness	1,75 x 2,50 x 4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101110	1150300719-1150301019-1150301519	93 007 600	002 61 00	
	1150301919-1150303218-1150305518			
	1150305818-1150306418-1150306718			
	1150307518-1150303818			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	93,75	M 115.952	230 G
Comp. Height	51,80	M 115.970	L 409
Total Lenght	82,00	M 115.973	L 410
Dome Height			0 309 B
Bowl Dept	-4,40		208
Bowl Ø			308
Valve Pocket			
Pin Diameter	26,00 / 73,00		
Type of Design			
Piston Ring Thickness	1,75 x 2,50 x 4,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
102105	Piston Ring Set Std.			93,75
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	M 115.951	208
			M 115.952	308
			M 115.954	0 309 B
	2,50	M CR	M 115.958	230 G
			M 115.970	L 409
			M 115.973	L 410
	4,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101115	1020301618-1020302018-1020303617	93 495 600	002 70 00	
	1020304017-1020304417-1020304517			
	1020304618-1020306817			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	95,50	M 102.980	230 E
	Comp. Height	43,20	M 102.981	
	Total Lenght	83,20		
	Dome Height			
	Bowl Dept	-1,85		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	24,00 / 62,00		
	Type of Design			
	Piston Ring Thickness	1,75 x 2,50 x 3,50		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101120	1020300237-1020300919-1020301319	93 968 600	002 69 10	
	1020302038-1020306018-1020307037			
	1020308719-1020309437-1020309719			
	1020309737			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	95,50	M 102.980	190 E
	Comp. Height	43,20	M 102.980	230 E
	Total Lenght	76,20	M 102.981	230 GE
	Dome Height		M 102.982	
	Bowl Dept	-1,85	M 102.985	
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	22,00 / 56,00		
	Type of Design			
	Piston Ring Thickness	1,75 x 2,50 x 3,50		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	Item		O.E.M. Number	Ø mm
102115	Piston Ring Set Std.			95,50
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,75	R CR	M 102.980	190 E
			M 102.980	230 E
			M 102.981	230 GE
	2,00	M	M 102.982	
			M 102.985	
	3,50	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101150	3520301419-3520301518-3520301519	90 274 800	004 45 10	A350215V1
	3520301619-3520301918-3520302519			
	3520302619-3520302719-3520302919			
	3520303019-3520303119-3520303317			
	3520303318-3520304018-3520305618			
	3520306018-3520306318-3520306418			
	3520306518-3520306618-3520307818			
	3520308118-3520308218			
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	97,00	OM 314.....	0 302, 0 305
	Comp. Height	65,20	OM 352.....	0 309, 0 311
	Total Lenght	115,70	OM 353.....	0 312, 0 321, 0 322
	Dome Height		1964 --- >	310, 323, 327
	Bowl Dept	-20,00		328, 329, 613
	Bowl Ø			710, 810, 811
	Valve Pocket			813, 911, 913
	Pin Diameter	36,00 / 82,50		1013, 1113, 1213
	Type of Design	**ALFIN**		1313, 1317, 1413
	Piston Ring Thickness	3 x 3 x 3 x 5,5 x 5,5		1417, 1513, 1517
				1613, 1617, 1713

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101155		93 794 700		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	97,00	OM 314.....	0 302, 0 305
	Comp. Height	65,00	OM 352.....	0 309, 0 311
	Total Lenght	115,50	OM 353.....	0 312, 0 321, 0 322
	Dome Height		1964 --- >	310, 323, 327
	Bowl Dept	-20,00		328, 329, 613
	Bowl Ø			710, 810, 811
	Valve Pocket			813, 911, 913
	Pin Diameter	36,00 / 82,50		1013, 1113, 1213
	Type of Design	**ALFIN**		1313, 1317, 1413
	Piston Ring Thickness	3 x 3 x 3 x 5,5 x 5,5		1417, 1513, 1517
				1613, 1617, 1713

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101160	3410300017-3520305717-3520308617	90 276 700	004 46 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	97,00	OM 352 A	810, 911, 1013
	Comp. Height	65,20	OM 353 A	1113, 1213, 1313
	Total Lenght	115,70		1513, 1613, 1813
	Dome Height			917, 1017, 1217
	Bowl Dept	-20,00		1417, 1617, 150
	Bowl Ø			300, 425, 1000
	Valve Pocket	-2,40		1100, 1200, 1300
	Pin Diameter	36,00 / 82,50		1500, 1700
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3 x 3 x 3 x 5,5 x 5,5		

Cenmak Number	Item		O.E.M. Number	Ø mm
102150	Piston Ring Set Std.			97,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	OM 314.....	0 302, 0 305
			OM 352.....	0 309, 0 311
			OM 353.....	0 312, 0 321, 0 322
	3,00	M	1964 --- >	310, 323, 327
			OM 352 A	328, 329, 613
			OM 353 A	710, 810, 811
	3,00	M		813, 911, 913
				1013, 1113, 1213
				1313, 1317, 1413
	5,50	DSF CR		1417, 1513, 1517
				1613, 1617, 1713
	5,50	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101165	3520304419-3520305419	93 750 600	004 54 00	
	3520306419-3520308419			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	97,00	OM 314 A	1017, 1217, 1417
	Comp. Height	65,20	OM 352 A	1617, 1000, 1200
	Total Lenght	105,20	OM 353 A	1250, 1300, 1500
	Dome Height		OM 362 LA	1700, 1419, 1619
	Bowl Dept	-21,50		2219, 1420, 1620
	Bowl Ø			2220
	Valve Pocket			
	Pin Diameter	36,00 / 82,50		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,5 x 2,5 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
102165	Piston Ring Set Std.			97,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	T CR	OM 314 A	1017, 1217, 1417
			OM 352 A	1617, 1000, 1200
			OM 353 A	1250, 1300, 1500
	2,50	M CR	OM 362 LA	1700, 1419, 1619
				2219, 1420, 1620
				2220
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101170	3520300219-3520300519-3520302817	93 709 600	004 51 00	A350176V1
	3520303118-3520303519-3520304219			
	3520304319-3520307518-3520307618			
	3520307718-3520309217			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	97,00	OM 314.....	0 302, 0 305
	Comp. Height	65,20	OM 352.....	0 309, 0 311
	Total Lenght	105,70	OM 353.....	0 312, 0 321, 0 322
	Dome Height		1964 --- >	310, 323, 327
	Bowl Dept	-20,00		328, 329, 613
	Bowl Ø			710, 810, 811
	Valve Pocket			813, 911, 913
	Pin Diameter	36,00 / 82,50		1013, 1113, 1213
	Type of Design	**ALFIN**		1313, 1317, 1413
	Piston Ring Thickness	3 x 3 x 3 x 5,5		1417, 1513, 1517
				1613, 1617, 1713

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	Item		O.E.M. Number	Ø mm
102170	Piston Ring Set Std.			97,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,50	T CR	OM 314.....	0 302, 0 305
			OM 352.....	0 309, 0 311
			OM 353.....	0 312, 0 321, 0 322
	2,50	M	1964 --- >	310, 323, 327
				328, 329, 613
				710, 810, 811
	2,50	M		813, 911, 913
				1013, 1113, 1213
				1313, 1317, 1413
	4,00	DSF CR		1417, 1513, 1517
				1613, 1617, 1713

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101175	3660300017-3660302617-3660303717	93 831 600	002 79 00	
	3660304217-3660304717-3660306217			
	3660306317-3660306817-3760301617			
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	97,50	OM 364A.....	817, 917, 1117
	Comp. Height	62,80	OM 366A.....	1119, 1217, 1317
	Total Lenght	107,80	OM 366LA....	1417, 1617, 1017
	Dome Height			1120, 1320, 1419
	Bowl Dept	-22,35		1420, 1619, 1620
	Bowl Ø			2219, 2220, 2222
	Valve Pocket			0 301, 0 402
	Pin Diameter	36,00 / 82,50		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,5 x 2,5 x 4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101180	3660300217-3660301417-3660301517	93 951 600	002 80 00	
	3660302117-3660303017-3660303117			
	3660303217-3760302417			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	97,50	OM 364.....	609, 709, 809
Comp. Height	62,80	OM 366.....	814, 914, 1114
Total Lenght	107,80		1214, 1314, 1414
Dome Height			1614, 0 301
Bowl Dept	-22,70		0 402
Bowl Ø			
Valve Pocket			
Pin Diameter	36,00 / 82,50		
Type of Design	**ALFIN**		
Piston Ring Thickness	2,5 x 2,5 x 4,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
102175	Piston Ring Set Std.			97,50
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	T CR	OM 364A.....	0 301, 0 402
			OM 366A.....	0 402
			OM 366LA....	1119, 1217, 1317
	2,50	M CR	OM 364.....	1120, 1320, 1419
			OM 366.....	1214, 1314, 1414
				1417, 1617, 1017
	4,00	DSF CR		1420, 1619, 1620
				1614, 0 301
				2219, 2220, 2222
				609, 709, 809
				814, 914, 1114
				817, 917, 1117

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
702150	3520110310-3520111610-3620110110 3620110210-3620110310-3620110510 3620110610-3660110410-3660110510 3660110610	89 177 190	004 WV 09	SU351281

Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	97,00	OM 314 A..	0 301, 0 402
B - Skirt Diameter Ø	100,40	OM 314.....	0 302, 0 305
C - Overall Lenght	222,00	OM 352 A..	0 309, 0 311
D - Flange Ø	103,50	OM 352.....	0 312, 0 321, 0 322
E - Flange Height	5,20	OM 353 A..	1017, 1217, 1417
F - Fire Lip		OM 353.....	1100, 1200, 1300
		OM 362 LA	1113, 1213, 1313
		OM 364.....	1119, 1217, 1317
		OM 364A...	1120, 1320, 1419
		OM 366.....	1214, 1314, 1414
		OM 366A...	1250, 1300, 1500
		OM 366LA.	1313, 1317, 1413
			1417, 1513, 1517
			1013, 1617, 1017
			1420, 1619, 1620
			1500, 1700
			1513, 1613, 1813
			1613, 1617, 1713
			1700, 1419, 1619
			2219, 2220, 2222
			300, 425, 1000
			310, 323, 327
			328, 329, 613
			609, 709, 809
			710, 810, 811
			810, 911, 1013
			813, 911, 913
			817, 917, 1117



Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
702155	3660110010	89 198 190	004 WV 10	14-012260-00
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	97,00 / 97,50	OM 314 A..	0 301, 0 402
	B - Skirt Diameter Ø	100,40	OM 314.....	0 302, 0 305
	C - Overall Lenght	224,00	OM 352 A..	0 309, 0 311
	D - Flange Ø		OM 352.....	0 312, 0 321, 0 322
	E - Flange Height		OM 353 A..	1017, 1217, 1417
	F - Fire Lip		OM 353.....	1100, 1200, 1300
			OM 362 LA	1113, 1213, 1313
			OM 364.....	1119, 1217, 1317
			OM 364A...	1120, 1320, 1419
			OM 366.....	1214, 1314, 1414
			OM 366A...	1250, 1300, 1500
			OM 366LA.	1313, 1317, 1413
				1417, 1513, 1517
				1013, 1617, 1017
				1420, 1619, 1620
				1500, 1700
				1513, 1613, 1813
				1613, 1617, 1713
				1700, 1419, 1619
				2219, 2220, 2222
				300, 425, 1000
				310, 323, 327
				328, 329, 613
				609, 709, 809
				710, 810, 811
				810, 911, 1013
				813, 911, 913
				817, 917, 1117

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101200	3600300317-3600300417-3600301017	91 573 600		A350118
	3600301217-3600301317-3600301417			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	115,00	OM 360	1113, 1313, 1317
	Comp. Height	85,30	1968 --> 1977	1413, 1216, 1417
	Total Lenght	133,30		1517, 1617, 1817
	Dome Height			1319, 1419, 1519
	Bowl Dept	-22,00		1619, 1819, 2219
	Bowl Ø			0 302, 0 305
	Valve Pocket	-0,70		
	Pin Diameter	42,00 / 98,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,5 x 3,0 x 5,50		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101205	3600300117-3600300817-3600302417	93 508 600	005 10 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	115,00	OM 360 A	
	Comp. Height	85,30	03.1978 --> 07.1984	
	Total Lenght	133,30		
	Dome Height			
	Bowl Dept	-22,00		
	Bowl Ø			
	Valve Pocket	-0,70		
	Pin Diameter	42,00 / 98,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,5 x 3,0 x 5,50		

Cenmak Number	Item		O.E.M. Number	Ø mm
102200	Piston Ring Set Std.			115,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,50	T CR	OM 360	1113, 1313, 1317
			1968 --> 1977	1413, 1216, 1417
			OM 360 A	1517, 1617, 1817
	3,00	M CR	03.1978 --> 07.1984	1319, 1419, 1519
				1619, 1819, 2219
				0 302, 0 305
	5,50	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
103200	3600110010	89 043 190	005 WV 03	14-024240-00
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	115,00	OM 360	1113, 1313, 1317
	B - Skirt Diameter Ø	120,00	1968 --> 1977	1413, 1216, 1417
	C - Overall Lenght	253,50	OM 360 A	1517, 1617, 1817
	D - Flange Ø	125,00	03.1978 --> 07.1984	1319, 1419, 1519
	E - Flange Height	5,50		1619, 1819, 2219
	F - Fire Lip			0 302, 0 305

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101250	4030300216-4030300617-4030302817	92 306 600	003 45 00	A350228
	4030303017-4030303117-4030303217			
	4030303317-4030303917-4030304017			
	4030304417-4030304717-4030304817			
	4030304917-4030305117-4030370801			
	4030371401-4030372701-4030373201			
	4030373401-4030373501			





Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	125,00	OM 401…..	1019, 1219, 1419
Comp. Height	87,25	OM 402…..	1619, 1719, 1919
Total Lenght	137,25	OM 403…..	2219, 1626, 1926
Dome Height			2026, 2226, 2626
Bowl Dept	-23,50		2032, 2232, 2632
Bowl Ø			3032, 0 303
Valve Pocket			
Pin Diameter	46,00 / 97,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	3,0 x 3,0 x 6,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101255	4020300617	93 231 600	003 62 00	





Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	125,00	OM 401 LA Euro 1	1831, 1834, 1838
Comp. Height	84,75	OM 402 LA Euro 1	2038, 2358, 2638
Total Lenght	133,85		3238, 3538
Dome Height			
Bowl Dept	- 25,10 / - 9,48		
Bowl Ø	69,00		
Valve Pocket			
Pin Diameter	46,00 / 102,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	3,0 x 3,0 x 6,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101260	4030300717-4040300337	93 332 600	003 42 00	
	4040300617-4040300717			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	125,00	OM 401	
	Comp. Height	81,25	OM 403	
	Total Lenght	126,25	OM 404	
	Dome Height			
	Bowl Dept	-24,50		
	Bowl Ø	69,00		
	Valve Pocket			
	Pin Diameter	46,00 / 97,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 3,0 x 6,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101265	4070300317-4070302817	93 802 600	003 43 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	125,00	OM 407.....h	0 305/G
	Comp. Height	84,75	1977 --> 1980	0 307
	Total Lenght	139,75		
	Dome Height			
	Bowl Dept	-26,00		
	Bowl Ø	70,00		
	Valve Pocket			
	Pin Diameter	46,00 / 97,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 3,0 x 6,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101270	4070300817-4070301517	93 298 600	003 40 00	
	4070301717-4070302217			
	4070303317			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	125,00	OM 407.....h	0 305/G
	Comp. Height	84,85	1980 -->	0 307
	Total Lenght	139,85		0 405
	Dome Height			
	Bowl Dept	-23,00		
	Bowl Ø	75,00		
	Valve Pocket			
	Pin Diameter	46,00 / 97,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 3,0 x 6,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	Item		O.E.M. Number	Ø mm
102250	Piston Ring Set Std.			125,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,00	T CR	OM 401…..	1019, 1219, 1419
			OM 402…..	1619, 1719, 1919
			OM 403…..	2219, 1626, 1926
	3,00	M CR	OM 404…..	2026, 2226, 2626
			OM 401 LA Euro 1	2032, 2232, 2632
			OM 402 LA Euro 1	3032, 0 303
	6,00	DSF CR	OM 407…..h	0 305/G, 0 307
			1980 -->	1831, 1834, 1838
				2038, 2358, 2638
				3238, 3538, 0 405
				0 305/G, 0 307

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101275	1170306817-1170307217	93 585 600	002 87 00	20847
	1170307517-1170308317			
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	125,00	OM 407 A	0 305/G
	Comp. Height	84,85	OM 407 Ha	
	Total Lenght	139,85		
	Dome Height			
	Bowl Dept	-23,90		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	46,00 / 105		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 3,0 x 3,0 x 4,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101280	4040300317-4040301317	93 515 700	003 37 00	
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	125,00	OM 403 A	V 10 Diesel
	Comp. Height	81,25	OM 404 A 901	V 12 Diesel
	Total Lenght	126,25	OM 401 A 905	V 6 Diesel
	Dome Height			
	Bowl Dept	-26,50	Right side of Engine	
	Bowl Ø	67,00		
	Valve Pocket			
	Pin Diameter	46,00 / 105,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 3,0 x 3,0 x 4,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101285	4040300417-4040301217	93 516 700	003 38 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	125,00	OM 403 A	V 10 Diesel
	Comp. Height	81,25	OM 404 A 901	V 12 Diesel
	Total Lenght	126,25	OM 401 A 905	V 6 Diesel
	Dome Height			
	Bowl Dept	-26,50	Left side of Engine	
	Bowl Ø	67,00		
	Valve Pocket			
	Pin Diameter	46,00 / 105,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 3,0 x 3,0 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
102275	Piston Ring Set Std.			125,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	OM 407 A	0 305/G
			OM 407 Ha	
	3,00	M CR	OM 403 A	V 10 Diesel
			OM 404 A 901	V 12 Diesel
			OM 401 A 905	V 6 Diesel
	3,00	M CR		
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
103250	4030111110-4030111610-4030112310	89 181 110	003 WN 14	14-452310-00
	4030112410-4030112510-4030112610			
	4030112710-4030113210			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	125,00	OM 401	1019, 1219, 1419
	B - Skirt Diameter Ø	140,00	OM 402	1619, 1719, 1919
	C - Overall Lenght	253,00	OM 403	2219, 1626, 1926
	D - Flange Ø	152,00	OM 404	2026, 2226, 2626
	E - Flange Height	10,07		2032, 2232, 2632
	F - Fire Lip	1,00		3032, 0 303
			OM 403 A	V 10 Diesel
			OM 404 A 901	V 12 Diesel
			OM 401 A 905	V 6 Diesel

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
103255	4070110510-4070110610-4070110910	89 192 110	003 WN 16	14-452370-00
	4070111010-4070111110			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	125,00	OM 407.....h	0 305/G
	B - Skirt Diameter Ø	140,00	OM 407 A	0 307
	C - Overall Lenght	265,00	OM 407 Ha	0 305/G
	D - Flange Ø	152,00	OM 407.....h	0 405
	E - Flange Height	10,07	1980 -->	
	F - Fire Lip	1,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101300	4220300017-4220301117-4220301517	93 484 602	003 66 00	
	4230300817-4230301817			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	128,00	OM 421.....	1222, 1422, 1622
	Comp. Height	81,35	OM 422.....	1922, 2222, 1425
	Total Lenght	126,35	OM 423.....	1625, 1628, 1928
	Dome Height			2025, 2028, 2225
	Bowl Dept	-24,10		2228, 2525, 2528
	Bowl Ø			3025, 3028, 3028
	Valve Pocket			3328, 2236, 2536
	Pin Diameter	46 x 21 / 99		2636, 3336
	Type of Design	**ALFIN**		0 303
	Piston Ring Thickness	3,0 x 3,0 x 4,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101305	4220301017-4230300617	93 484 702	003 66 10	
	4230300716-4230301117			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	128,00	OM 421.....	1222, 1422, 1622
	Comp. Height	81,35	OM 422.....	1922, 2222, 1425
	Total Lenght	126,35	OM 423.....	1625, 1628, 1928
	Dome Height			2025, 2028, 2225
	Bowl Dept	-24,10		2228, 2525, 2528
	Bowl Ø			3025, 3028, 3028
	Valve Pocket			3328, 2236, 2536
	Pin Diameter	46 x 24 / 99		2636, 3336
	Type of Design	**ALFIN**		0 303
	Piston Ring Thickness	3,0 x 3,0 x 4,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101310	4220300617-4230300717-4230300917	93 485 600	003 67 00	
	4230301317-4230301517			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	128,00	OM 421.....A	1633, 1635, 1933
	Comp. Height	81,35	OM 422.....A, LA	2033, 2035, 2233
	Total Lenght	126,35	OM 423.....A, LA	2235, 2533, 2633
	Dome Height		OM 424.....A, LA	2635, 3333, 1638
	Bowl Dept	-25,40		1644, 1938, 2238
	Bowl Ø			2244, 2638, 638
	Valve Pocket			2644, 3250, 3850
	Pin Diameter	46,00 / 99,00		4050, 0 303
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 3,0 x 4,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101315	4420301317-4420301717-4420301817	94 361 600	003 80 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	128,00	OM 441.....LA	1733, 1635, 1935
	Comp. Height	81,45	OM 442.....A, LA	2235, 2435, 3335
	Total Lenght	126,45		1644, 1748, 1944
	Dome Height			2244, 1644, 0 303
	Bowl Dept	-24,60		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	46,00 / 105,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 3,0 x 4,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101320	4220300717-4220300817-4420300617	90 220 602	003 74 00	
	4420300717-4440301017			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	128,00	OM 441.....LA	1733, 1635, 1935
	Comp. Height	81,35	OM 442.....A, LA	2235, 2435, 3335
	Total Lenght	126,35		1644, 1748, 1944
	Dome Height			2244, 1644, 0 303
	Bowl Dept	-27,50		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	46,00 / 105,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 3,0 x 4,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101325	4470303817	93 171 600	001 08 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	128,00	OM 447.970 HLA Eu 2	0 345 Euro 2 Bus
	Comp. Height	90,00	OM 447.971 HLA Eu 2	0 405 Euro 2 Bus
	Total Lenght	139,85	OM 447.972 HLA Eu 2	
	Dome Height			
	Bowl Dept	-24,00		
	Bowl Ø	75,00		
	Valve Pocket			
	Pin Diameter	46,00 / 105,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 3,0 x 4,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101330	4470303117	91 238 600	003 85 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	128,00	OM 447 A Eu 1	
	Comp. Height	90,00	OM 447 LA Eu 1	
	Total Lenght	140,00		
	Dome Height			
	Bowl Dept	-24,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	46,00 / 105,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 3,0 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
102300	Piston Ring Set Std.			128,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	OM 421…..	0 345 Euro 2 Bus
			OM 422…..	0 405 Euro 2 Bus
			OM 423…..	1222, 1422, 1622
	3,00	M CR	OM 421…..A	1625, 1628, 1928
			OM 422…..A, LA	1633, 1635, 1933
			OM 423…..A, LA	1644, 1748, 1944
	4,00	DSF CR	OM 424…..A, LA	1733, 1635, 1935
			OM 441…..LA	1922, 2222, 1425
			OM 442…..A, LA	2025, 2028, 2225
			OM 447.970 HLA Eu 2	2033, 2035, 2233
			OM 447.971 HLA Eu 2	2228, 2525, 2528
			OM 447.972 HLA Eu 2	2235, 2533, 2633
			OM 447 A Eu 1	2244, 1644, 0 303
			OM 447 LA Eu 1	2635, 3333, 1638
				2636, 3336
				2644, 3250, 3850
				3025, 3028, 3028
				3328, 2236, 2536
				4050, 0 303

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
103300	4420110210-4440110110-4440110210	89 389 110	003 WN 25	14-452030-00
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	128,00	OM 421…..	1222, 1422, 1622
	B - Skirt Diameter Ø	144,50	OM 422…..	1625, 1628, 1928
	C - Overall Lenght	253,00	OM 423…..	1633, 1635, 1933
	D - Flange Ø	153,80	OM 421…..A	1644, 1748, 1944
	E - Flange Height	9,92	OM 422…..A, LA	1644, 1938, 2238
	F - Fire Lip	1,00	OM 423…..A, LA	1733, 1635, 1935
			OM 424…..A, LA	1922, 2222, 1425
			OM 441…..LA	2025, 2028, 2225
			OM 442…..A, LA	2033, 2035, 2233
				2228, 2525, 2528
				2235, 2435, 3335
				2235, 2533, 2633
				2244, 1644, 0 303
				2244, 2638, 638
				2635, 3333, 1638
				2636, 3336
				2644, 3250, 3850
				3025, 3028, 3028
				3328, 2236, 2536
				4050, 0 303

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
103305	4270110110-4270110210-4270110310	89 390 110	003 WN 26	
	4470110110-4470110210			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	128,00	OM 447.970 HLA Eu 2	0 345 Euro 2 Bus
	B - Skirt Diameter Ø	144,50	OM 447.971 HLA Eu 2	0 405 Euro 2 Bus
	C - Overall Lenght	270,00	OM 447.972 HLA Eu 2	
	D - Flange Ø	153,80	OM 447 A Eu 1	
	E - Flange Height	9,92	OM 447 LA Eu 1	
	F - Fire Lip	1,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101335	3460300717-3460303617-3460304617	90 293 700	003 58 00	
	3460305617-3460306617-3460307117			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	128,00	OM 346	1418, 1518, 1620
	Comp. Height	85,26		2020, 2220, 2620
	Total Lenght	161,26		0 317
	Dome Height			
	Bowl Dept	-25,50		
	Bowl Ø			
	Valve Pocket	-1,10		
	Pin Diameter	44,00 / 111,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,5 x 3,5 x 3,5 x 6,5		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101340	3450301017-3450303717-3450304217	93 568 600	003 54 00	
	3450304717-3550307417-3550307917			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	128,00	OM 355	1621, 1921, 1623/6
	Comp. Height	90,26		1923, 2223, 2623
	Total Lenght	161,26		1424, 1624, 1924
	Dome Height			2024, 2224, 2624
	Bowl Dept	-27		0 302, 0 317
	Bowl Ø			
	Valve Pocket	-1,1		
	Pin Diameter	48,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,5 x 3,5 x 3,5 x 6,5		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101345	3450300017-3450300517	92 582 600	003 65 00	
	3450301517-3550301517			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	128,00	OM 355 A	0 302
	Comp. Height	90,26		
	Total Lenght	161,26		
	Dome Height			
	Bowl Dept	-27,00		
	Bowl Ø			
	Valve Pocket	-1,10		
	Pin Diameter	48,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,5 x 3,5 x 3,5 x 6,5		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	Item		O.E.M. Number	Ø mm
102335	Piston Ring Set Std.			128,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,50	T CR	OM 346	1418, 1518, 1620
			OM 355	2020, 2220, 2620
			OM 355 A	1621, 1921, 1623/6
	3,50	M CR		1923, 2223, 2623
				1424, 1624, 1924
				2024, 2224, 2624
	3,50	M CR		0 302, 0 317
	6,50	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
103335	3550110410-3550110710	88 869 190	003 WV 09	14-025890-00
	3550110810-3550110816			
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	128,00	OM 346	1418, 1518, 1620
	B - Skirt Diameter Ø	133,50	OM 355	2020, 2220, 2620
	C - Overall Lenght	287,50	OM 355 A	1621, 1921, 1623/6
	D - Flange Ø	137,50		1923, 2223, 2623
	E - Flange Height	5,50		1424, 1624, 1924
	F - Fire Lip			2024, 2224, 2624
				0 302, 0 317

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
101400	4420300017-4420300417-4420300517	90 614 600	003 78 00	
	4440300017-4440300417			
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	130,00	OM 441	1622, 1628, 1928
	Comp. Height	81,35	OM 442	2228, 3228, 1929
	Total Lenght	16,35	OM 443	2429, 0 303
	Dome Height		OM 444	
	Bowl Dept	-27,20		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	46,00 / 99,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 3,0 x 4,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

MERCEDES BENZ

Cenmak Number	Item		O.E.M. Number	Ø mm
102400	Piston Ring Set Std.			130,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	OM 441	1622, 1628, 1928
			OM 442	2228, 3228, 1929
			OM 443	2429, 0 303
	3,00	M CR	OM 444	
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
103400	4420110010-4420110310-4440110010	89 396 110	003 WN 23	14-456330-00
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	130,00	OM 441	1622, 1628, 1928
	B - Skirt Diameter Ø	144,50	OM 442	2228, 3228, 1929
	C - Overall Lenght	253,00	OM 443	2429, 0 303
	D - Flange Ø	153,80	OM 444	
	E - Flange Height	9,92		
	F - Fire Lip	1,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

OPEL

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1101001	623710-623891-623894	93 867 700	011 27 00	
	90006906-90006916-90076905			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	75,00	13 N OHC	Alfa 75
	Comp. Height	35,80	13 NB OHC	Alfetta
	Total Lenght	62,40		Giullia Ti
	Dome Height			1600 Spider
	Bowl Dept			Sprint
	Bowl Ø			Sprint GT
	Valve Pocket	- 4,40 / - 6,80		1975 --> 1985
	Pin Diameter	20,00 / 65,50		
	Type of Design			
	Piston Ring Thickness	1,50 x 1,50 x 4,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
1102001	Piston Ring Set Std.			75,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	13 N OHC	Alfa 75
			13 NB OHC	Alfetta
				Giullia Ti
	1,50	M		1600 Spider
				Sprint
				Sprint GT
	4,00	DSF CR		1975 --> 1985

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1101005	90140534-624173	93 636 600	011 55 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,00	1,6 Ltr.	Ascona
	Comp. Height	40,00		1982 -->
	Total Lenght	72,00		
	Dome Height			
	Bowl Dept	-5,20		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23,00 / 70,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 1,75 x 4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

OPEL

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1101010	623771-90140519-90140520 90140521-90140522-90140523	93 637 700	011 56 00	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	80,00	16 SH OHC	Kadett
Comp. Height	40,00	1,6 Ltr.	Ascona
Total Lenght	72,00		09.1981 -->
Dome Height			
Bowl Dept	-3,20		
Bowl Ø			
Valve Pocket			
Pin Diameter	23,00 / 70,00		
Type of Design			
Piston Ring Thickness	1,50 x 1,75 x 4,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
1102005	Piston Ring Set Std.			80,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	16 SH OHC	Kadett
			1,6 Ltr.	Ascona
	1,75	M		
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1101015	623021-623804-623809 90010425-90166646	93 578 600	011 54 00	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	80,00	16 D OHC	Kadett D
Comp. Height	44,95	16 DA OHC	Ascona D
Total Lenght	76,95	1.6 D	
Dome Height			
Bowl Dept	-1,40		
Bowl Ø			
Valve Pocket			
Pin Diameter	26,00 / 65,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	2,00 x 2,00 x 3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

OPEL

Cenmak Number	Item		O.E.M. Number	Ø mm
1102015	Piston Ring Set Std.			80,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R CR	16 D OHC	Kadett D
			16 DA OHC	Ascona D
			1.6 D	
	2,00	M		
	3,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1103015	90169127-90169128	89 161 190	011 WV 04	
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	80,00	16 D OHC	Kadett D
	B - Skirt Diameter Ø	83,00	16 DA OHC	Ascona D
	C - Overall Lenght	143,50	1.6 D	
	D - Flange Ø	84,90		
	E - Flange Height	4,50		
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1101020				
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	82,50	1.7 D	Kadett D
	Comp. Height	44,95		Ascona D
	Total Lenght	67,00		
	Dome Height			
	Bowl Dept	-2,60		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	26,00 / 68,80		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,00 x 2,00 x 3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

OPEL

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1101025	623240-90285982-90349074	90 858 600	011 29 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	82,50	17 D OHC II	Kadett D
	Comp. Height	44,95	X 17 DTL	Astra D
	Total Lenght	72,95	1.7 D	Vectra D
	Dome Height			1988 -->
	Bowl Dept	-2,60		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	26,00 / 69,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,00 x 2,00 x 3,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
1102020	Piston Ring Set Std.			82,50
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	17 D OHC II	Kadett D
			X 17 DTL	Astra D
			1.7 D	Vectra D
	2,00	M		1988 -->
	3,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1103020		89 432 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	82,50	17 D OHC II	Kadett D
	B - Skirt Diameter Ø	85,50	X 17 DTL	Astra D
	C - Overall Lenght	142,00	1.7 D	Vectra D
	D - Flange Ø	87,50		1988 -->
	E - Flange Height	4,50		
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

OPEL

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1101030		93 641 700	011 67 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,80	18 E OHC	Kadett GTE
	Comp. Height	40,00	1.8 Ltr.	Ascona E
	Total Lenght	72,00		09.1982 --> 1986
	Dome Height			
	Bowl Dept	-2,60		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23,00 / 70,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 1,75 x 4,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1101035		93 108 600	011 64 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,80	1.8 Ltr.	Kadett i
	Comp. Height	40,00		Ascona i
	Total Lenght	72,00		Record i
	Dome Height			1985 --> 1986
	Bowl Dept	-3,50		
	Bowl Ø			
	Valve Pocket	-2,70		
	Pin Diameter	23,00 / 70,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 1,75 x 4,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1101040	623051	93 890 600	011 65 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,80	18 S OHC	Manta
	Comp. Height	40,00	1.8 Ltr.	Ascona
	Total Lenght	72,00		09.1982 -->
	Dome Height			
	Bowl Dept	-2,80		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23,00 / 70,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 1,75 x 4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

OPEL

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1101045		93 889 600		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,80	18 N OHC	Ascona
	Comp. Height	40,00	1.8 Ltr.	Rekord
	Total Lenght	72,00		1982 --> 1985
	Dome Height			
	Bowl Dept	-4,90		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23,00 / 70,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 1,75 x 4,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
1102030	Piston Ring Set Std.			84,80
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	18 E OHC	Kadett GTE
			1.8 Ltr.	Ascona E
				09.1982 --> 1986
	1,75	M	1.8 Ltr.	Kadett i
				Ascona i
				Record i
	4,00	DSF CR		1985 --> 1986
			18 S OHC	Manta
			1.8 Ltr.	Ascona
				09.1982 -->
			18 N OHC	Ascona
			1.8 Ltr.	Rekord
				1982 --> 1985

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1101050	623598E-623694-623696E	93 683 600	011 61 00	
	90016489-90088569-90108366			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	86,50	20 D	Record D
	Comp. Height	53,75	2.0 Ltr.	Ascona D
	Total Lenght	88,75		1974 --> 1982
	Dome Height			
	Bowl Dept	- 0,35 / - 1,45		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	28,00 / 73,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,00 x 2,00 x 4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

OPEL

Cenmak Number	Item		O.E.M. Number	Ø mm
1102050	Piston Ring Set Std.			86,50
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R CR	20 D	Record D
			2.0 Ltr.	Ascona D
				1974 --> 1982
	2,00	M		
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1103050	90108087-90169120-90169121-90169122	89 044 190	011 WV 01	
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	86,50	20 D	Record D
	B - Skirt Diameter Ø	92,00	2.0 Ltr.	Ascona D
	C - Overall Lenght	172,00		1974 --> 1982
	D - Flange Ø	93,90		
	E - Flange Height	4,50		
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1101055	623703-623706-623886	93 956 600	011 88 00	
	90006708-90006710-90080246			
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	92,00	23 D	Record D
	Comp. Height	53,65	23 YD OHC	Omega D
	Total Lenght	86,65		1978 --->
	Dome Height			
	Bowl Dept	-1,80		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	30,00 / 74,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,00 x 2,00 x 4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

OPEL

Cenmak Number	Item		O.E.M. Number	Ø mm
1102055	Piston Ring Set Std.			92,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R CR	23 D	Record D
			23 YD OHC	Omega D
				1978 --->
	2,00	M		
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1103055	90108089-90169125-90169126-X0341208	89 048 190	011 WV 03	
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	92,00	23 D	Record D
	B - Skirt Diameter Ø	95,00	23 YD OHC	Omega D
	C - Overall Lenght	172,00		1978 --->
	D - Flange Ø	96,90		
	E - Flange Height	4,55		
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1101060	623644-623675-90091278	93 221 600	011 90 00	20842
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	95,00	20 E CIH	Ascona
	Comp. Height	45,00	20 S	Manta
	Total Lenght	87,00	20 S CIH	Rekord
	Dome Height		30 E CIH	Kadett E
	Bowl Dept	-3,50	30 S CIH	Manta E
	Bowl Ø		1975 -->	Ascona E
	Valve Pocket			Rekord E
	Pin Diameter	23,00 / 76,00		Senator E
	Type of Design			Monza E
	Piston Ring Thickness	2,00 x 2,00 x 4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

OPEL

Cenmak Number	Item		O.E.M. Number	Ø mm
1102060	Piston Ring Set Std.			95,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R CR	20 E CIH	Ascona
			20 S	Manta
			20 S CIH	Rekord
	2,00	M	30 E CIH	Kadett E
			30 S CIH	Manta E
			1975 -->	Ascona E
	4,00	DSF CR		Rekord E
				Senator E
				Monza E

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1101065	623978	93 436 600	011 92 00	
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	95,00	22 E	Rekord E
	Comp. Height	41,15	22 E CIH	Senator E
	Total Lenght	67,15	2.2 Ltr.	
	Dome Height			
	Bowl Dept	-4,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23,00 / 76,00		
	Type of Design			
	Piston Ring Thickness	1,75 x 1,50 x 3,50		

Cenmak Number	Item		O.E.M. Number	Ø mm
1102065	Piston Ring Set Std.			95,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,75	R CR	22 E	Rekord E
			22 E CIH	Senator E
			2.2 Ltr.	
	1,50	M		
	3,50	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

OPEL

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1101090	2716930-2716933-2716935-2716936 2716937-2716939-2716940-7173147 7204361-7204362-7204363-7206012 7206015-7206016-9961514-9961516 9961517-9961933-9961983-91002673 91002675-91002676	93 918 700	069 18 10	350083



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	103,18	J 330	Bedford Blitz
Comp. Height	71,50	5330	EJM 2 / 3
Total Lenght	118,70		EJN 3
Dome Height			1974 --> 1979
Bowl Dept	-21,40		
Bowl Ø			
Valve Pocket			
Pin Diameter	34,925 / 88,00		
Type of Design			
Piston Ring Thickness	2,38 x 2,38 x 2,38 x 4,74 x 4,74		

Cenmak Number	Item		GOE Number	Ø mm
1102090	Piston Ring Set Std.		R57140	103,18

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	J 330	Bedford Blitz
			5330	EJM 2 / 3
				EJN 3
	2,38	R		1974 --> 1979
	2,38	NM		
	4,74	D		
	4,74	D		

OPEL

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
1103090	7191 818	88 041 190	069 WV 03	SU497301



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	103,18	J 330	Bedford Blitz
B - Skirt Diameter Ø	107,95	5330	EJM 2 / 3
C - Overall Lenght	216,30		EJN 3
D - Flange Ø	111,13		1974 --> 1979
E - Flange Height	4,76		
F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901001	0114L6	91 388 600	039 60 00	PI4261300
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	70,00	TU9	106
	Comp. Height	33,90	TUC1A	205
	Total Lenght	58,00		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	18,00 / 53,00		
	Type of Design			
	Piston Ring Thickness	1,5 x 1,5 x 3,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
3902001	Piston Ring Set Std.			70,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	TU9	106
			TUC1A	205
	1,50	M		
	3,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903001		89 438 110	039 WN 27	CH5326200
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	70,00	TU9	106
	B - Skirt Diameter Ø	79,50	TUC1A	205
	C - Overall Lenght	122,00		
	D - Flange Ø	89,20		
	E - Flange Height	85,00		
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901005	0114L7	91 390 600	039 59 90	PI663600
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	72,00	TU1	106
	Comp. Height	40,00	TU1M	205
	Total Lenght	67,00		306
	Dome Height	3,00		309
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	19,50 / 62,00		
	Type of Design			
	Piston Ring Thickness	1,5 x 2,0 x 3,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
3902005	Piston Ring Set Std.			72,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	TU1	106
			TU1M	205
				306
	2,00	M		309
	3,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901010	11125-0114C5	90 052 600	039 58 00	PI0321208
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	72,00	XW7	109
	Comp. Height	40,05		205
	Total Lenght	73,70		1983 -->
	Dome Height	4,20		
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	19,50 / 62,00		
	Type of Design			
	Piston Ring Thickness	1,5 x 2,0 x 4,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	Item		O.E.M. Number	Ø mm
3902010	Piston Ring Set Std.			72,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,50	R CR	XW7	106
				205
				1983 -->
	2,00	M		
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903005		89 194 110	039 WN 20	CH5325200
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	72,00	TU1	106
	B - Skirt Diameter Ø	79,50	TU1M	205
	C - Overall Lenght	122,50	XW7	306
	D - Flange Ø	89,20		309
	E - Flange Height	85,00		
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901015	9606785780	90 956 600	039 63 00	PI2801100
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	75,00	TUD 3	106
	Comp. Height	43,00	1.4 D	1991 --->
	Total Lenght	68,96		
	Dome Height			
	Bowl Dept	-1,50		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23,00 / 63,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,25x1,75x3,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	Item		O.E.M. Number	Ø mm
3902015	Piston Ring Set Std.			75,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,25	R CR	TUD 3	106
			1.4 D	1991 --->
	1,75	M		
	3,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903015		89 419 110	039 WN 28	CH337200
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	75,00	TUD 3	106
	B - Skirt Diameter Ø	79,50	1.4 D	1991 --->
	C - Overall Lenght	135,40		
	D - Flange Ø			
	E - Flange Height	90,01		
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901020	11440-11456-0114A4-0114G2	93 427 600	039 71 00	PI0141208
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	78,00	XR 5	305
	Comp. Height	36,10	XR 5 S	305 S
	Total Lenght	73,10		
	Dome Height	0,40		
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,50 / 68,00		
	Type of Design			
	Piston Ring Thickness	1,75x2,00x4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901025	11081-11439-11493-0114A2-0114GO	93 272 600	039 69 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	78	XL 5	304, 305
	Comp. Height	36,1		1976 --> 1988
	Total Lenght	72,7		
	Dome Height		XL 5 S	304 S
	Bowl Dept			1976 --> 1979
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,50 / 68,00		
	Type of Design			
	Piston Ring Thickness	1,75x2,00x4,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
3902020	Piston Ring Set Std.			78
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	XR 5	305
			XR 5 S	305 S
	2,00	M	XL 5	304, 305
				1976 --> 1988
	4,00	DSF CR	XL 5 S	304 S
				1976 --> 1979

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903020		89 027 110	039 WN 18	CH5238200
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	78	XR 5	305
	B - Skirt Diameter Ø	83	XR 5 S	305 S
	C - Overall Lenght	133,5		
	D - Flange Ø	97,4	XL 5	304, 305
	E - Flange Height	100		1976 --> 1988
	F - Fire Lip			
			XL 5 S	304 S
				1976 --> 1979

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901030	11052-11144-11413-11430	92 586 600	039 70 90	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	78,00	XL 4 D	204 D
	Comp. Height	40,00		304 D
	Total Lenght	82,55		1973 --> 1979
	Dome Height			
	Bowl Dept	-1,80		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	22,00 / 69,00		
	Type of Design			
	Piston Ring Thickness	1,75x2,00x3,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
3902030	Piston Ring Set Std.			78,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	XL 4 D	204 D
				304 D
				1973 --> 1979
	2,00	M		
	3,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903030	7932564804	88 844 110	039 WN 07	CH5194200
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	78,00	XL 4 D	204 D
	B - Skirt Diameter Ø	82,00		304 D
	C - Overall Lenght	127,80		1973 --> 1979
	D - Flange Ø	92,60		
	E - Flange Height	7,00		
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901035	11454	93 296 600	039 75 00	PI1271100
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,00	XID 80	304 D
	Comp. Height	41,98	XIDL	305 D
	Total Lenght	84,55		1979 --> 1983
	Dome Height			
	Bowl Dept	-2,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23,00 / 70,20		
	Type of Design			
	Piston Ring Thickness	1,75x2,00x3,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
3902035	Piston Ring Set Std.			80,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	XID 80	304 D
			XIDL	305 D
				1979 --> 1983
	2,00	M		
	3,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903035	7932567997	89 068 110	039 WN 19	CH5207200
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	80,00	XID 80	304 D
	B - Skirt Diameter Ø	84,50	XIDL	305 D
	C - Overall Lenght	133,50		1979 --> 1983
	D - Flange Ø	100,00		
	E - Flange Height	97,50		
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901040	62617	93 784 600	039 78 00	BP1285400
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,00	XUD 7	205 GRD
	Comp. Height	46,80	(161 A)	205 XLD
	Total Lenght	84,50		205 XRD
	Dome Height			205 XAD
	Bowl Dept	-2,00		309
	Bowl Ø			1983 -->
	Valve Pocket			
	Pin Diameter	25,00 69,80		
	Type of Design			
	Piston Ring Thickness	2,00x2,00x3,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
3902040	Piston Ring Set Std.			80,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	XUD 7	205 GRD
			(161 A)	205 XLD
				205 XRD
	2,00	M		205 XAD
				309
				1983 -->
	3,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903040		89 316 190	039 WV 23	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	80,00	XUD 7	205 GRD
	B - Skirt Diameter Ø	83,00	(161 A)	205 XLD
	C - Overall Lenght	154,00		205 XRD
	D - Flange Ø	86,00		205 XAD
	E - Flange Height	4,50		309
	F - Fire Lip			1983 -->

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901045	62815	93 648 600	039 24 00	BP1751400
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	83,00	XUD 9	205 GLD
	Comp. Height	46,80		305 GLD
	Total Lenght	84,30		306 SLD
	Dome Height			309 GRD
	Bowl Dept	-2,20		309 GRX D
	Bowl Ø			405 D
	Valve Pocket			405 GLD
	Pin Diameter	25,00 / 72,00		10.1982 --->
	Type of Design			
	Piston Ring Thickness	2,00x2,00x3,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
3902045	Piston Ring Set Std.			83,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	XUD 9	205 GLD
				305 GLD
				306 SLD
	2,00	M		309 GRD
				309 GRX D
				405 D
	3,00	DSF CR		405 GLD
				10.1982 --->

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903045		89 184 190	039 WV 21	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	83,00	XUD 9	205 GLD
	B - Skirt Diameter Ø	86,00		305 GLD
	C - Overall Lenght	153,50		306 SLD
	D - Flange Ø			309 GRD
	E - Flange Height			309 GRX D
	F - Fire Lip			405 D
				405 GLD
				10.1982 --->

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901050	0114P2	91 017 600	039 81 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	83,00	XU 5-2 CB 2 A	309
	Comp. Height	37,50	1987 --->	405
	Total Lenght	67,50		309 GRX
	Dome Height		XU 52 C	
	Bowl Dept	-2,90	1989 --->	
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	22,00 / 66,20		
	Type of Design			
	Piston Ring Thickness	1,75x1,75x4,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901055	11125-11141-11479-0114N5	93 846 600	039 76 00	PI1611100
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	83,00	XU 5 S	205
	Comp. Height	37,50		305
	Total Lenght	67,50		1984 --->
	Dome Height			
	Bowl Dept	-2,10		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	22,00 / 66,20		
	Type of Design			
	Piston Ring Thickness	1,75x1,75x4,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
3902050	Piston Ring Set Std.			83,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	XU 5-2 CB 2 A	309
			1987 --->	205
				305
	1,75	M	XU 52 C	405
			1989 --->	309 GRX
	4,00	DSF CR	XU 5 S	
			1984 --->	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901060	1140000000-0114F1-0114N9	90 486 600	039 80 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	83,00	XUD 5 J	205 GTI
	Comp. Height	37,50	1984 --->	309 GR
	Total Lenght	67,50		
	Dome Height			
	Bowl Dept	-1,45		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	22,00 / 66,20		
	Type of Design			
	Piston Ring Thickness	1,50x1,50x4,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901065	0114P0	90 382 600	039 79 90	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	83,00	XU 9 2 C	205
	Comp. Height	37,50	XU 9 2 JA	309
	Total Lenght	67,50	1.9 GTI	405
	Dome Height		1986 --->	
	Bowl Dept	-9,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	22,00 / 66,20		
	Type of Design			
	Piston Ring Thickness	1,50x1,50x4,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
3902060	Piston Ring Set Std.			83,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	XUD 5 J	205
			1984 --->	205 GTI
				309
	1,50	M	XU 9 2 C	309 GR
			XU 9 2 JA	405
			1.9 GTI	
	4,00	DSF CR	1986 --->	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903060		89 301 110	039 WN 24	CH5305200
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	83,00	XU 5-2 CB 2 A	205
	B - Skirt Diameter Ø	88,60	1987 --->	305
	C - Overall Lenght	141,00	XU 52 C	309
	D - Flange Ø	97,00	1989 --->	405
	E - Flange Height	95,18	XU 5 S	205 GTI
	F - Fire Lip		1984 --->	309 GR
			XUD 5 J	309 GRX
			1984 --->	
			XU 9 2 C/JA	
			1986 --->	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901070	11022-11096-11181-11445-11486-11487	92 409 600	039 25 00	
	11496-0114H6-0114H8-0114R0-7773445			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,00	XM 7	J7
	Comp. Height	37,80	XM 7 P	504
	Total Lenght	70,25	1971 ---> 1981	
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23,00 / 70,00		
	Type of Design			
	Piston Ring Thickness	1,50x2,00x4,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901075				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,00	XM 7	J7
	Comp. Height	37,30		J9
	Total Lenght	70,70		504
	Dome Height	1,43		505
	Bowl Dept			Pick-up
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23,00 / 70,00		
	Type of Design			
	Piston Ring Thickness	1,50x2,00x4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901080				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,00	XM 7	J7
	Comp. Height	38,10		J9
	Total Lenght	71,70		504
	Dome Height	2,00		505
	Bowl Dept			Pick-up
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23,00 / 70,00		
	Type of Design			
	Piston Ring Thickness	1,50x2,00x4,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
3902070	Piston Ring Set Std.			84,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,50	R CR	XM 7	J7
			XM 7 P	J9
			1971 ---> 1981	504
	2,00	M		505
				Pick-up
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903070		88 634 110	039 WN 10	CH5137200
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	84,00	XM 7	J7
	B - Skirt Diameter Ø	93,00	XM 7 P	J9
	C - Overall Lenght	135,60	1971 ---> 1981	504
	D - Flange Ø	99,20	XC 7	505
	E - Flange Height	90,00	1970 ---> 1979	Pick-up
	F - Fire Lip		XC 7 P	77 E
			1970 ---> 1980	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901085	11109-11113	91 115 700	039 29 00	FP 695120
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,00	XC 5	404
	Comp. Height	41,50	1960 ---> 1965	J7
	Total Lenght	79,30		
	Dome Height	3,80		
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	22,00 / 70,00		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,0 x 4,5		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901090	11011-11023-11097-11169-11180-113440	91 518 700	039 33 00	
	113442-11448-11485-0114H5-0114P9			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,00	XC 5 a	J7
	Comp. Height	41,50	1965 ---> 1972	J9
	Total Lenght	78,90		404
	Dome Height	3,40		504
	Bowl Dept			77 E
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23,00 / 70,00		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,0 x 4,5		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901095	11012-11170-6953430	91 136 600	039 27 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,00	XC 6	404
	Comp. Height	42,55	1965 ---> 1968	
	Total Lenght	80,35		
	Dome Height	3,80		
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	22,00 / 70,00		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,0 x 4,5		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	Item		O.E.M. Number	Ø mm
3902085	Piston Ring Set Std.			84,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R CR	XC 5	J7
			1960 ---> 1965	J9
			XC 5 a	404
	2,00	M	1965 ---> 1972	504
			XC 7 / P	77 E
			1970 ---> 1979	
	4,50	DSF CR	XC 6	
			1965 ---> 1968	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903085		88 352 110	039 WN 11	
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	84,00	XC 5	J7
	B - Skirt Diameter Ø	89,00	1960 ---> 1965	J9
	C - Overall Lenght	136,00	XC 5 a	404
	D - Flange Ø	99,00	1965 ---> 1972	504
	E - Flange Height	6,50	XC 7	77 E
	F - Fire Lip		1970 ---> 1979	
			XC 7 P	
			1970 ---> 1980	
			XC 6	
			1965 ---> 1968	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901100	11002-11444-11447-0114J2	93 428 600	039 57 00	
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	88,00	XN 1 P	J9
	Comp. Height	37,70	1977 --->	
	Total Lenght	70,70		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23,00 / 74,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00 x 4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901105	11003-11065-11099-11421-11443-11446-11488 114000000-0114J3-0114J4-0114R5-0114R6 0114R7-123420	93 316 600	039 53 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	88,00	XN 2	504 TI
	Comp. Height	37,90	1968 ---> 1976	
	Total Lenght	73,45		
	Dome Height	2,55		
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23,00 / 74,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00 x 4,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901110		90 820 600	039 53 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	88,00	XN 1	J9
	Comp. Height	37,90	1976 --->	504
	Total Lenght	73,88	XN 1T	504 TI
	Dome Height	2,98	1981 --->	505
	Bowl Dept		XN 2	
	Bowl Ø		1976 --->	
	Valve Pocket			
	Pin Diameter	23,00 / 74,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 2,00 x 4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	Item		O.E.M. Number	Ø mm
3902100	Piston Ring Set Std.			88,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,50	R CR	XN 1 P	J9
			1977 --->	504
			XN 2	504 TI
	2.00	M	1968 ---> 1976	505
			XN 1	
			1976 --->	
	4,00	DSF CR	XN 1T	
			1981 --->	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903100		88 589 110	039 WN 13	
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	88,00	XN 1 P	J9
	B - Skirt Diameter Ø	93,00	1977 --->	504
	C - Overall Lenght	135,60	XN 2	504 TI
	D - Flange Ø	101,90	1968 ---> 1976	505
	E - Flange Height	90,00	XN 1	
	F - Fire Lip		1976 --->	
			XN 1T	
			1981 --->	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901115	11152	90 063 600	039 43 00	
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	88,00	ZDJL	505 GTI
	Comp. Height	40,50	1984 --->	
	Total Lenght	68,60		
	Dome Height			
	Bowl Dept	-1,55		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23,00 / 74,00		
	Type of Design			
	Piston Ring Thickness	1,75 x 2,00 x 4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	Item		O.E.M. Number	Ø mm
3902115	Piston Ring Set Std.			88,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,75	R CR	ZDJL 1984 --->	505 GTI
	2,00	M		
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903115		89 334 110	039 WN 25	
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	88,00	ZDJL	505 GTI
	B - Skirt Diameter Ø	93,60	1984 --->	
	C - Overall Lenght	148,50		
	D - Flange Ø	104,00		
	E - Flange Height	7,50		
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901120	7932566291	92 791 600	039 54 00	FP 719420
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	88,00	XD 4.88	404 D
	Comp. Height	58,70	1963 ---> 1977	U 6 D
	Total Lenght	95,35	TMD 88	U 8 D
	Dome Height		XD 4.88	U 10 D
	Bowl Dept	-2,00	XDP 88	504 D
	Bowl Ø		1971 ---> 1979	J 7 D
	Valve Pocket			
	Pin Diameter	28,00 / 72,00		
	Type of Design			
	Piston Ring Thickness	2,0x2,0x2,0x4,5		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	Item		O.E.M. Number	Ø mm
3902120	Piston Ring Set Std.			88,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R CR	XD 4.88	404 D
			1963 ---> 1977	U 6 D
			TMD 88	U 8 D
	2,00	M	XD 4.88	U 10 D
			XDP 88	504 D
			1971 ---> 1979	J 7 D
	2,00	NM		
	4,50	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903120	10975-7562976000	88 524 110	039 WN 12	
	7932562976-79375629760			
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	88,00	XD 4.88	404 D
	B - Skirt Diameter Ø	96,00	1963 ---> 1977	U 6 D
	C - Overall Lenght	173,00	TMD 88	U 8 D
	D - Flange Ø	106,30	XD 4.88	U 10 D
	E - Flange Height	7,00	XDP 88	504 D
	F - Fire Lip		1971 ---> 1979	J 7 D

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903125	7581425000	88 214 110	523 WN 03	
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	88,00	XD 4.88	404 D
	B - Skirt Diameter Ø	94,00	1963 ---> 1977	U 6 D
	C - Overall Lenght	173,00	TMD 88	U 8 D
	D - Flange Ø	104,80	XD 4.88	U 10 D
	E - Flange Height	7,00	XDP 88	504 D
	F - Fire Lip		1971 ---> 1979	J 7 D

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901130	11473-7932566259	92 721 600	039 41 00	FP 786440
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	90,00	XDP 4.90	J 7 D
	Comp. Height	57,20	1967 ---> 1978	J 9 D
	Total Lenght	96,35	XDP 6.90	504 D
	Dome Height		1967 ---> 1982	
	Bowl Dept	-2,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	28,00 / 77,00		
	Type of Design			
	Piston Ring Thickness	2,0x2,0x2,0x4,5		

Cenmak Number	Item		O.E.M. Number	Ø mm
3902130	Piston Ring Set Std.			90,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	XDP 4.90	J 7 D
			1967 ---> 1978	J 9 D
			XDP 6.90	504 D
	2,00	M	1967 ---> 1982	
	2,00	NM		
	4,50	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903130	7581545000	88 510 110	039 WN 15	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	90,00	XDP 4.90	J 7 D
	B - Skirt Diameter Ø	96,00	1967 ---> 1978	J 9 D
	C - Overall Lenght	173,00	XDP 6.90	504 D
	D - Flange Ø	106,30	1967 ---> 1982	
	E - Flange Height	7,01		
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901135	62384	93 844 600	031 82 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	93,00	U 25/651	J 5 D
	Comp. Height	52,75	U 25/661	
	Total Lenght	95,00	1983 --->	
	Dome Height			
	Bowl Dept	- 5,45 / - 7,40		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	30,00 / 78,00		
	Type of Design			
	Piston Ring Thickness	2,5 x 2,0 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
3902135	Piston Ring Set Std.			93,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	U 25/651	J 5 D
			U 25/661	
			1983 --->	
	2,00	M		
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903135		89 073 190	031 WV 16	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	93,00	U 25/651	J 5 D
	B - Skirt Diameter Ø	97,50	U 25/661	
	C - Overall Lenght	163,00	1983 --->	
	D - Flange Ø	99,00		
	E - Flange Height	5,00		
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901140	62361	93 625 600	039 51 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	94,00	XD 3 P	505 GLD
	Comp. Height	53,92	1982 --->	505 GRD
	Total Lenght	96,42		
	Dome Height			
	Bowl Dept	-1,80		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	30,00 / 78,80		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,0 x 4,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901145	62347	92 598 600	039 48 00	FP 129130
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	94,00	XD 2	504 D
	Comp. Height	57,42	XD 94	505 D
	Total Lenght	99,92	1976 ---> 1980	J 9 D
	Dome Height			
	Bowl Dept	-1,80		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	28,00 / 81,00		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,0 x 4,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901150	62359	93 520 600	039 50 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	94,00	XD 2	504 D
	Comp. Height	57,42	XD 94	505 D
	Total Lenght	99,92	1981 --->1983	J 9 D
	Dome Height			
	Bowl Dept	-1,80		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	30,00 / 78,80		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,0 x 4,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PEUGEOT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3901155	62333	93 703 600		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	94,00	XD 2 S	505 SRD Turbo
	Comp. Height	57,42	1979 --> 1985	604 D Turbo
	Total Lenght	99,87		
	Dome Height			
	Bowl Dept	-1,95		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	30,00 / 78,80		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,0 x 2,0 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
3902140	Piston Ring Set Std.			94,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	XD 3 P	505 GLD
			1982 --->	505 GRD
			XD 2	504 D
	2,00	M	XD 94	505 D
			1976 ---> 1980	J 9 D
			XD 2 S	505 SRD Turbo
	4,00	DSF CR	1979 --> 1985	604 D Turbo

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3903140	11139-7932582427B	89 033 190	039 WV 16	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	94,00	XD 3 P	505 GLD
	B - Skirt Diameter Ø	97,50	1982 --->	505 GRD
	C - Overall Lenght	170,60	XD 2	504 D
	D - Flange Ø	99,50	XD 94	505 D
	E - Flange Height	3,90	1976 ---> 1980	J 9 D
	F - Fire Lip		XD 2 S	505 SRD Turbo
			1979 --> 1985	604 D Turbo

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301001				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	79,37	4108	
	Comp. Height	50,21		
	Total Lenght	88,20		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	27,00 / 67,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,00 x 2,50 x 4,76		

Cenmak Number	Item		O.E.M. Number	Ø mm
4302001	Piston Ring Set Std.			79,37
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	4108	
	2,50	M		
	4,76	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301005	68318-83419-85016-85758-89215	91 433 600	043 07 00	350305
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	79,37	4108	
	Comp. Height	50,63		
	Total Lenght	88,63		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	26,98 / 68,20		
	Type of Design			
	Piston Ring Thickness	1,99x1,60x1,60x4,74		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	Item		O.E.M. Number	Ø mm
4302005	Piston Ring Set Std.		81891-82154 41158085-41158102	79,37
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,99	R CR	4108	
	1,59	M		
	1,59	M		
	4,76	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301010	31351454-68383			516003V2
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	79,37	4108	
	Comp. Height	50,24		
	Total Lenght	105,41		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	26,98 / 68,20		
	Type of Design			
	Piston Ring Thickness	1,99x1,59x1,59x3,175x4,76		

Cenmak Number	Item		O.E.M. Number	Ø mm
4302010	Piston Ring Set Std.		86764-86764C 41158086 41158086C	79,37
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,99	R CR	4108	
	1,59	M		
	1,59	M		
	3,16	N		
	4,76	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303001	31358117	88 495 190	043 WV 04	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	79,37	4108	
	B - Skirt Diameter Ø	82,55		
	C - Overall Lenght	165,10		
	D - Flange Ø			
	E - Flange Height			
	F - Fire Lip			
	SEMI FINISHED			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303005		89 426 190	043 WV 27	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	79,37	4108	
	B - Skirt Diameter Ø	82,65		
	C - Overall Lenght	165,20		
	D - Flange Ø	85,63		
	E - Flange Height	3,20		
	F - Fire Lip	0,80		
	SEMI FINISHED			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303010	734127M1-31358116			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	79,37	4108	
	B - Skirt Diameter Ø	85,67		
	C - Overall Lenght	163,53		
	D - Flange Ø	93,70		
	E - Flange Height	6,40		
	F - Fire Lip			
	FULL FINISHED			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301030	LFT10001-LFT10002-LFT10004	91 385 600	043 34 00	A350851
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	84,45	Prima M 65	4.20 Marine
	Comp. Height	48,00		
	Total Lenght	77,00		
	Dome Height			
	Bowl Dept	-13,60		
	Bowl Ø			
	Valve Pocket	-0,50		
	Pin Diameter	28,00 / 71,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,00 x 1,75 x 3,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
4302030	Piston Ring Set Std.		M181CF01 M181CF02	84,45
			BDU1562-BDU2177	
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
			Prima M 65	4.20 Marine
	1,99	R CR		
	1,59	M		
	4,76	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301050				350165V1
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	88,92	4154	
	Comp. Height	60,20		
	Total Lenght	115,65		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	31,75 / 75,31		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x2,38x4,76x4,76		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	Item		O.E.M. Number	Ø mm
4302050	Piston Ring Set Std.		86769 86769C 41158116 41158116C	88,92

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	4154	
	2,38	M		
	2,38	NM		
	4,76	DSF CR		
	4,76	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303050	8853792			SU351027

	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	88,92	4154	
	B - Skirt Diameter Ø	96,88		
	C - Overall Lenght	191,21		
	D - Flange Ø	101,02		
	E - Flange Height	3,81		
	F - Fire Lip	0,84		
	SEMI FINISHED			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301055	50043-50044-50215-53583-53585-55585	91 127 600	043 15 00	91513
	55274-55275-55316-55386-55583			
	739845M91-630028-630030			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	88,92	3.144 / P3.144	P3, Phyton
Comp. Height	57,30	4.192 / A4.192	PA, PB, P4, Puma
Total Lenght	108,10	6288	PF, PG, P6, Panther
Dome Height			Marine
Bowl Dept			
Bowl Ø			
Valve Pocket			
Pin Diameter	31,75 / 75,31		
Type of Design			
Piston Ring Thickness	2,38x2,38x3,17x6,35x6,35		

Cenmak Number	Item		O.E.M. Number	Ø mm
4302055	Piston Ring Set Std.		41158063	88,92
			81567-53287	

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	3.144 / P3.144	P3, Phyton
			4.192 / A4.192	PA, PB, P4, Puma
			6288	PF, PG, P6, Panther
	2,38	M		Marine
	3,17	NM		
	4,76	DSF CR		
	4,76	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303055	530002			SU8900
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	88,92	3.144 / P3.144	P3, Phyton
	B - Skirt Diameter Ø	93,71	4.192 / A4.192	PA, PB, P4, Puma
	C - Overall Lenght	216,00	6288	PF, PG, P6, Panther
	D - Flange Ø	94,40		Marine
	E - Flange Height	4,76		
	F - Fire Lip			
	SEMI FINISHED			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303060	530017-31358108-731595M1	88 364 110	043 WV 17	SJ8902
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	88,92	3.144 / P3.144	P3, Phyton
	B - Skirt Diameter Ø	93,71	4.192 / A4.192	PA, PB, P4, Puma
	C - Overall Lenght	216,00	6288	PF, PG, P6, Panther
	D - Flange Ø	94,40		Marine
	E - Flange Height	4,76		
	F - Fire Lip			
	FULL FINISHED			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301100	630079-55778-55779-57634-59634-59635 81512-81565-81566-81870-81874-82113 82136-734460	734460M91	043 23 00	408104
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	91,48	3.152 / A3.152	135, 135V, 2135
	Comp. Height	57,25	4.203 / A4.203	260, 35, 35X
	Total Lenght	108,00	6.305 / A6.305	65, 765
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	31,75 / 75,30		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x3,17x6,35x6,35		

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301105	59618-68315-68332-68335-81112-82111 82137-82147-86705-86706-89214 734466M91-734467M91-743824M91 748365M91	92 772 600	043 24 00	350245
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	91,48	AD 3.152	135, 148, 150
	Comp. Height	61,90	AD 4.203	152, 152 MK111
	Total Lenght	109,50	D 4.203	152S, 154-4, 155
	Dome Height			158, 165, 20B
	Bowl Dept	-18,57		20E, 20F, 230
	Bowl Ø			233, 234S, 240
	Valve Pocket			245, 250, 253
	Pin Diameter	31,75 / 75,30		254, 254-4, 254S
	Type of Design			255, 30E, 30H
	Piston Ring Thickness	2,38x2,38x3,17x6,35x6,35		340, 342, 350
				340, 342, 350
				354, 40, 550, 65, 765

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	Item		O.E.M. Number	Ø mm
4302100	Piston Ring Set Std.		68501-84957 41158057-41158058 745818M91 745819M91	91,48
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,38	R CR	3.152 / A3.152	135,135V, 2135
			4.203 / A4.203	260, 35, 35X
			6.305 / A6.305	65, 765, 148, 150
	2,38	M	AD 3.152	152, 152 MK111
			AD 4.203	152S, 154-4, 155
			D 4.203	158, 165, 20B
	3,17	NM		20E, 20F, 230
				233, 234S, 240
				245, 250, 253
	4,76	DSF CR		254, 254-4, 254S
				255, 30E, 30H
				340, 342, 350
	4,76	D		340, 342, 350
				354, 40, 550, 65, 765

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301110	742621M91-3638405M91-89214-U5LP0034	93 961 700	043 24 00	350330
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	91,48	D 3.152	135, 148, 150,
	Comp. Height	61,63	D 4.203	152, 152 MK111
	Total Lenght	109,23		152S, 154-4, 155
	Dome Height			158, 165, 20D
	Bowl Dept	-18,89		230, 233, 234S
	Bowl Ø			235, 240, 245
	Valve Pocket			250, 253, 254
	Pin Diameter	31,75 / 75,30		254-4, 254S, 255
	Type of Design			30E, 30H, 340,
	Piston Ring Thickness	2,38x2,38x2,38x4,74		342, 350, 354
				550, 65, 765

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301115	31354026-68801			350404
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	91,48	4.203.2	
	Comp. Height	61,69		
	Total Lenght	109,30		
	Dome Height			
	Bowl Dept	-21,87		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	31,75 / 75,30		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x2,38x4,74		

Cenmak Number	Item		O.E.M. Number	Ø mm
4302110	Piston Ring Set Std.		745826M91	91,48
			41158065	
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	D 3.152	135, 148, 150,
			D 4.203	152, 152 MK111
				152S, 154-4, 155
	2,38	M		158, 165, 20D
				230, 233, 234S
				235, 240, 245
	2,38	NM		250, 253, 254
				254-4, 254S, 255
				30E, 30H, 340,
	4,76	DSF CR		342, 350, 354
				550, 65, 765

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301120	3637513M91-U5LP0017	93 970 600		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	91,48	AT3.152	253, 264, 355, 360
	Comp. Height	61,80		
	Total Lenght	109,00		
	Dome Height			
	Bowl Dept	-18,40		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	31,75 / 75,30		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,00 x 2,38 x 3,50		

Cenmak Number	Item		O.E.M. Number	Ø mm
4302120	Piston Ring Set Std.			91,48
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	AT3.152	253, 264, 355, 360
	2,38	M		
	3,50	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303100	31358323-31358381	88 363 190	043 WV 07	SU530201
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	91,48	3.152 / A3.152	135, 20B, 20E
	B - Skirt Diameter Ø	93,71	4.203 / A4.203	20F, 230, 240
	C - Overall Lenght	216,00	6.305 / A6.305	30E, 30H, 35, 40
	D - Flange Ø	96,70		
	E - Flange Height	3,81		
	F - Fire Lip			
	SEMI FINISHED			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303105	3637492M1-31358356			SU628201
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	91,48	D 3.152	
	B - Skirt Diameter Ø	93,76	D 4.203	
	C - Overall Lenght	215,90		
	D - Flange Ø			
	E - Flange Height			
	F - Fire Lip			
	SEMI FINISHED			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303110	31358322-31358345-739043M1	88 552 110	043 WT 08	SJ546900
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	91,48	D 3.152	135, 148, 150,
	B - Skirt Diameter Ø	93,66	D 4.203	152, 152 MK111
	C - Overall Lenght	216,02		152S, 154-4, 155
	D - Flange Ø	96,72		158, 165, 20D
	E - Flange Height	3,81		230, 233, 234S
	F - Fire Lip			235, 240, 245
				250, 253, 254
				254-4, 254S, 255
				30E, 30H, 340,
				342, 350, 354
	FULL FINISHED			550, 65, 765

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303115	732638M1-31358308	88 362 110		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	91,48	3.152 / A3.152	135, 135V, 155
	B - Skirt Diameter Ø	93,63	4.203 / A4.203	158, 165, 2135
	C - Overall Lenght	215,90	6.305 / A6.305	260, 35, 35X, 65
	D - Flange Ø	94,77		765
	E - Flange Height	1,14		
	F - Fire Lip			
	FULL FINISHED			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301200		93 592 600	043 31 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,48	T 4.236	
	Comp. Height	70,25		
	Total Lenght	121,05		
	Dome Height			
	Bowl Dept	-20,35		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	34,925 / 84,10		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38x2,38x4,74		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301205	U5LP0011			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,48	T 4.236	
	Comp. Height	70,10	C 4.236	
	Total Lenght	120,90		
	Dome Height			
	Bowl Dept	-20,20		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	34,925 / 84,10		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38x2,38x4,74		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301210	U5LP0021-U5LP0014-68393	93 177 600	043 62 00	
	747541M91- 748266M91			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,48	6.354.4	1014, 1024, 1114
	Comp. Height	69,80		1250, 2620, 2625
	Total Lenght	120,60		2640, 2645, 2675
	Dome Height			3080, 3090, 3610
	Bowl Dept	-25,40		399, 530 MD, 699
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	34,925 / 84,10		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38x2,38x4,74		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301215	748267M91-U5LP0019			A350339
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,48	6.354.2-A6.354.4	1014, 1134, 24
	Comp. Height	70,04		2680, 2685, 27
	Total Lenght	120,84		2720, 2725, 29
	Dome Height			29XP, 31, 31XP
	Bowl Dept	-25,45		3630, 3650, 399
	Bowl Ø			560 MD, 565, 660 MD
	Valve Pocket			665 MD, 699, 750 MD
	Pin Diameter	34,925 / 84,10		760 MD, 810, 815
	Type of Design	**ALFIN**		820 MD, 825 MD, 830 MD
	Piston Ring Thickness	2,38x2,38x4,74		835 MD, 840 MD, 845 MD

Cenmak Number	Item		O.E.M. Number	Ø mm
4302200	Piston Ring Set Std.		41118017	98,48
			41158017	
			745738M91	
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	T 4.236	1014, 1024, 1114
			T 4.236	1134, 24
			C 4.236	1250, 2620, 2625
	2,38	M CR	6.354.2	2640, 2645, 2675
			6.354.4	2680, 2685, 27
	4,74	DSF CR		2720, 2725, 29
				29XP, 31, 31XP
				3080, 3090, 3610
				3630, 3650, 399
				399, 530 MD, 699
				560 MD, 565, 660 MD
				665 MD, 699, 750 MD
				760 MD, 810, 815
				820 MD, 825 MD, 830 MD
				835 MD, 840 MD, 845 MD

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301220	U5LP0022-31355106-3637360M91	93 562 600	043 59 00	A350794
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,48	T 4.236	1004T, 1007, 3065
	Comp. Height	70,25		3070, 390T, 393TLX
	Total Lenght	108,25		397T, 398, 560
	Dome Height			698T
	Bowl Dept	-20,35		
	Bowl Ø	61,00		
	Valve Pocket			
	Pin Diameter	38,10 / 82,70		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16x2,38x4,74		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301225	745379M91-31355262-68803	93 288 600	043 63 00	A350320
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,48	T 6.354.4	
	Comp. Height	69,82		
	Total Lenght	107,82		
	Dome Height			
	Bowl Dept	-18,82		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	38,10 / 82,70		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16 x 2,38 x 4,74		

Cenmak Number	Item		O.E.M. Number	Ø mm
4302220	Piston Ring Set Std.		41158145-41158005	98,48
			4181A022	
			3638721M91	
			745277M91	
			747602M91	
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,16	T CR	T 4.236	1004T, 1007, 3065
			T 6.354.4	3070, 390T, 393TLX
				397T, 398, 560
	2,38	M CR		698T
	4,74	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
22501230	82158-85024-86720	92 774 600	043 26 00	350003
	738871M91-31354338			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,48	6.354.4	1014, 1100, 24
	Comp. Height	69,91		2620, 2640, 500
	Total Lenght	120,71		500 MD, 510, 510 MD
	Dome Height			515, 515 MD, 520
	Bowl Dept	-25,60		520 MD, 525, 525 MD
	Bowl Ø			530, 535, 541
	Valve Pocket			800, 805
	Pin Diameter	34,925 / 84,10		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x2,38x6,35x6,35		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301235	82279-82878-82879-83414-85765	91 118 600		531102V1
	735187M91			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,48	4236	168, 174, 174-4S
	Comp. Height	70,10		174V, 175, 178
	Total Lenght	121,05		184, 184-4, 184-4S
	Dome Height			240, 265, 273
	Bowl Dept	-20,35		274, 274-4, 274-4SK
	Bowl Ø	61,00		274S, 274SK, 275
	Valve Pocket			283, 284, 284S-4S
	Pin Diameter	34,925 / 84,10		3050, 362, 362N,
	Type of Design			365, 372, 372N
	Piston Ring Thickness	2,38x2,38x2,38x6,35x6,35		373, 373S, 374
				374S, 375, 377
				383, 384S, 387
				565, 575, 675

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301240	3637516M91-743110M91-743111M91			350338
	U5LP0035-68301			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,48	4236	168, 174, 174-4S
	Comp. Height	70,20		174V, 175, 178
	Total Lenght	121,05		184, 184-4, 184-4S
	Dome Height			240, 265, 273
	Bowl Dept	-20,35		274, 274-4, 274-4SK
	Bowl Ø	61,00		274S, 274SK, 275
	Valve Pocket			283, 284, 284S-4S
	Pin Diameter	34,925 / 84,10		3050, 30D, 362
	Type of Design			362N, 365, 372
	Piston Ring Thickness	2,38x2,38x2,38x6,35x6,35		372N, 373, 373S
				374, 374S, 375,
				377, 383, 384S
				387, 50, 50B
				50D, 50E, 565
				575, 675

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301235	82279-82878-82879-83414-85765	91 118 600		531102V1
	735187M91			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,48	4236	168, 174, 174-4S
	Comp. Height	70,10		174V, 175, 178
	Total Lenght	121,05		184, 184-4, 184-4S
	Dome Height			240, 265, 273
	Bowl Dept	-20,35		274, 274-4, 274-4SK
	Bowl Ø	61,00		274S, 274SK, 275
	Valve Pocket			283, 284, 284S-4S
	Pin Diameter	34,925 / 84,10		3050, 362, 362N,
	Type of Design			365, 372, 372N
	Piston Ring Thickness	2,38x2,38x2,38x6,35x6,35		373, 373S, 374
				374S, 375, 377
				383, 384S, 387
				565, 575, 675

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301240	3637516M91-743110M91-743111M91			350338
	U5LP0035-68301			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,48	4236	168, 174, 174-4S
	Comp. Height	70,20		174V, 175, 178
	Total Lenght	121,05		184, 184-4, 184-4S
	Dome Height			240, 265, 273
	Bowl Dept	-20,35		274, 274-4, 274-4SK
	Bowl Ø	61,00		274S, 274SK, 275
	Valve Pocket			283, 284, 284S-4S
	Pin Diameter	34,925 / 84,10		3050, 30D, 362
	Type of Design			362N, 365, 372
	Piston Ring Thickness	2,38x2,38x2,38x6,35x6,35		372N, 373, 373S
				374, 374S, 375,
				377, 383, 384S
				387, 50, 50B
				50D, 50E, 565
				575, 675

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	Item		O.E.M. Number	Ø mm
4302230	Piston Ring Set Std.		41158026	98,48
			41158041	
			3640232M1	
			745760M91	
			745778M91	
			83338	

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	4236	168, 174, 174-4S
				174V, 175, 178
				184, 184-4, 184-4S
	2,38	M		240, 265, 273
				274, 274-4, 274-4SK
				274S, 274SK, 275
	2,38	NM		283, 284, 284S-4S
				3050, 362, 362N,
				365, 372, 372N
	6,35	DSF CR		373, 373S, 374
				374S, 375, 377
				383, 384S, 387
	6,35	D	6.354.4	565, 575, 675
				1014, 1100, 24
				2620, 2640, 500
				500 MD, 510, 510 MD
				515, 515 MD, 520
				520 MD, 525, 525 MD
				530, 535, 541
				800, 805

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301245	738249M91-86721	92 085 600	043 60 00	350018V1

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,48	4212	165, 50, 50B
	Comp. Height	76,50		
	Total Lenght	127,30		
	Dome Height			
	Bowl Dept	-19,10		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	34,925 / 84,10		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x2,38x6,35		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301250				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,48	T 6.354	
	Comp. Height	69,60		
	Total Lenght	120,45		
	Dome Height			
	Bowl Dept	-19,21		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	38,10 / 82,80		
	Type of Design			
	Piston Ring Thickness	3,16x2,38x2,38x6,35		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301255	738368M91-86726			350328
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,48	T 6.354	1105, 1130, 1135
	Comp. Height	69,72		750, 760
	Total Lenght	120,40		
	Dome Height			
	Bowl Dept	-19,27		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	38,10 / 82,80		
	Type of Design			
	Piston Ring Thickness	3,16x2,38x2,38x6,35		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301260	86745-68512			
	3637280M91-3641425M91			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,48	A 6.354.4	1014, 1100, 1105
	Comp. Height	70,10		1200, 500 MD,
	Total Lenght	120,40		510 MD, 515 MD
	Dome Height			520 MD, 525 MD
	Bowl Dept	-25,70		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	34,925 / 84,10		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16x2,38x2,38x6,35		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301265	U5LP0047			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,48	4236	170
	Comp. Height	63,15		180
	Total Lenght	113,95		265
	Dome Height			
	Bowl Dept	-23,35		
	Bowl Ø			
	Pin Diameter	38,10 / 82,80		
	Type of Design			
	Piston Ring Thickness	3,16x2,38x2,38x6,35		

Cenmak Number	Item		O.E.M. Number	Ø mm
4302245	Piston Ring Set Std.		744085M1	98,48
			745751M91	
			41158031	
			69812-86773	
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	4212	165, 50, 50B
			4236	170, 180, 265
			A 6.354.4	1014, 1100, 1105
	2,38	M		1200, 500 MD,
				510 MD, 515 MD
				520 MD, 525 MD
	2,38	NM	T 6.354	1105, 1130, 1135
				750, 760
	6,35	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303200	31358325-31358328-31358332	88 356 110	043 WT 13	SJ351150
	31358334-31358394-31358441			
	736507M3-744948M1			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	98,48	4212	
	B - Skirt Diameter Ø	103,22	4236	
	C - Overall Lenght	227,40	6.354.2	
	D - Flange Ø	106,36	6.354.4	
	E - Flange Height	3,80	A 6.354.4	
	F - Fire Lip	1,00	C 4.236	
			T 4.236	
	FULL FINISHED		T 6.354	
			T 6.354.4	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303205	31358339-31358349-31358351			
	744131M1-31358361-31358393			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	98,48	4212	
	B - Skirt Diameter Ø	103,22	4236	
	C - Overall Lenght	227,40	6.354.2	
	D - Flange Ø	106,36	6.354.4	
	E - Flange Height	3,80	A 6.354.4	
	F - Fire Lip	1,00	C 4.236	
			T 4.236	
	SEMI FINISHED		T 6.354	
			T 6.354.4	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303210	31358324-31358306-31358331-734644M1	88 354 190	043 WV 11	SU538101
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	98,48	4212	
	B - Skirt Diameter Ø	103,20	4236	
	C - Overall Lenght	228,80	6.354.2	
	D - Flange Ø		6.354.4	
	E - Flange Height		A 6.354.4	
	F - Fire Lip		C 4.236	
			T 4.236	
	SEMI FINISHED		T 6.354	
			T 6.354.4	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303215	3135X032-3637032M1-3637332M1			SJ351342
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	98,48	4212	
	B - Skirt Diameter Ø	104,20	4236	
	C - Overall Lenght	226,44	6.354.2	
	D - Flange Ø	107,36	6.354.4	
	E - Flange Height	3,81	A 6.354.4	
	F - Fire Lip		C 4.236	
			T 4.236	
	FULL FINISHED		T 6.354	
			T 6.354.4	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303220	3637331M1-3135X031	89 514 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	98,48	4212	
	B - Skirt Diameter Ø	104,28	4236	
	C - Overall Lenght	226,44	6.354.2	
	D - Flange Ø	107,44	6.354.4	
	E - Flange Height	3,86	A 6.354.4	
	F - Fire Lip		C 4.236	
			T 4.236	
	SEMI FINISHED		T 6.354	
			T 6.354.4	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301300	3638989M91-U5LL0008-U5LL0010 3637035M91-U5LL0015-U5PR0016 U5LL0017			A350769
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	14702	3075, 3085, 3095
	Comp. Height	70,02	1006-6	3115, 4260, 4270
	Total Lenght	108,00		6160, 6170, 6260
	Dome Height			
	Bowl Dept	-20,14		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	34,925 / 83,30		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,5 x 2,5 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
4302300	Piston Ring Set Std.		4181A019 4181A027 4181A041 3637033M91 3641407M91 4222706M91	100,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	14702	3075, 3085, 3095
			1006-6	3115, 4260, 4270
				6160, 6170, 6260
	2,50	M		
	4,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301305	3640593M91-U5LL0014			A350968
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	1004-4T	3075, 3120, 3120T
	Comp. Height	70,02	1006-6T	3125, 3140, 3635
	Total Lenght	108,00		3645, 3655, 6130
	Dome Height			6140, 6150, 6180
	Bowl Dept	-20,14		6190, 6235, 6245
	Bowl Ø			6255, 6265, 6270
	Valve Pocket			6280, 6290, 8110
	Pin Diameter	38,10 / 82,50		8120, 8130, 8140
	Type of Design	**ALFIN**		8150, 8220
	Piston Ring Thickness	3,0 x 2,5 x 4,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301310	U5LL0005-U5LL0009-U5LL0011			A350770
	U5LL0012-U5LL0013-U5PR0013			
	U5PR0034-U5PR0040			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	T4.40	399, 1150, 1155
	Comp. Height	70,02	C4.40	201, 2745, 3114
	Total Lenght	108,00	1006.6T	3125, 3625, 3635
	Dome Height		CC6.60	3645, 3655, 500
	Bowl Dept	-20,14		55, 6180, 6190
	Bowl Ø		Turbocharged	640T, 660, 760
	Valve Pocket		Intercooled	8110, 8120, 8130
	Pin Diameter	38,10 / 82,50		RX100
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0 x 2,5 x 4,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	Item		O.E.M. Number	Ø mm
4302305	Piston Ring Set Std.		4181A021	100,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	1004-4T	3075, 3120, 3120T
			1006-6T	3125, 3140, 3635
				3645, 3655, 6130
	2,50	M		6140, 6150, 6180
				6190, 6235, 6245
				6255, 6265, 6270
	4,00	DSF CR		6280, 6290, 8110
				8120, 8130, 8140
				8150, 8220
			T4.40	399, 1150, 1155
			C4.40	201, 2745, 3114
			1006.6T	3125, 3625, 3635
			CC6.60	3645, 3655, 500
				55, 6180, 6190
			Turbocharged	640T, 660, 760
			Intercooled	8110, 8120, 8130
				RX100

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301315	3135J183	93 267 600		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	T 4.40 Euro 1	
	Comp. Height	70,20	T 6.60 (S) Euro 1	
	Total Lenght	108,10	T 6.60 (T) Euro 1	
	Dome Height			
	Bowl Dept	-21,50		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	39,70 / 78,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,5 x 2,5 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
4302315	Piston Ring Set Std.		4181A026	100,00
			3641316M91	
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,50	T CR	T 4.40 Euro 1	
			T 6.60 (S) Euro 1	
			T 6.60 (T) Euro 1	
	2,50	M		
	4,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301320	4222137M91-U5LP0057	94 543 600		
	3135J241-3135J242-3135J243			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	T 4.40 Euro 2	
	Comp. Height	70,26	T 6.60 Euro 2	
	Total Lenght	108,20		
	Dome Height			
	Bowl Dept	-21,75		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	39,70 / 78,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,5 x 2,5 x3,5		

Cenmak Number	Item		O.E.M. Number	Ø mm
4302320	Piston Ring Set Std.			100,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,50	T CR	T 4.40 Euro 2	
			T 6.60 Euro 2	
	2,50	M		
	3,50	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303300	3135X042			SJ351306
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	100,00	14702	
	B - Skirt Diameter Ø	104,22	1004-4T	
	C - Overall Lenght	226,44	1006.6T	
	D - Flange Ø	107,44	1006-6	
	E - Flange Height	3,60	1006-6T	
	F - Fire Lip		C4.40	
			CC6.60	
	FULL FINISHED		T 4.40 Euro 1	
			T 4.40 Euro 2	
			T 6.60 (S) Euro 1	
			T 6.60 (T) Euro 1	
			T 6.60 Euro 2	
			T4.40	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303305	3135X063	89 527 190		
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	100,00	14702	
	B - Skirt Diameter Ø	104,28	1004-4T	
	C - Overall Lenght	227,40	1006.6T	
	D - Flange Ø	107,44	1006-6	
	E - Flange Height	3,86	1006-6T	
	F - Fire Lip	0,85	C4.40	
			CC6.60	
	SEMI FINISHED		T 4.40 Euro 1	
			T 4.40 Euro 2	
			T 6.60 (S) Euro 1	
			T 6.60 (T) Euro 1	
			T 6.60 Euro 2	
			T4.40	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301350	86780-86940-89207	92 144 800	043 30 10	350322
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	101,05	4248	178, 185, 188
	Comp. Height	70,10		194, 194-4F, 285
	Total Lenght	120,90		290, 293, 294
	Dome Height			294-4, 294-4S, 294S
	Bowl Dept	-20,50		294S-4S, 3060, 382
	Bowl Ø			382N, 383, 383S
	Valve Pocket			387, 390, 393
	Pin Diameter	34,925 / 84,20		394F, 397, 440
	Type of Design			590, 60H, 690
	Piston Ring Thickness	2,38x2,38x2,38x6,35		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301355		93 175 600		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	101,05	6.372.4	
	Comp. Height	70,30		
	Total Lenght	121,10		
	Dome Height			
	Bowl Dept	-26,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	34,925 / 84,20		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x2,38x6,35		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	Item		O.E.M. Number	Ø mm
4302350	Piston Ring Set Std.		86778 4181A009 740535M91 745758M91 747041M91	101,05
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,38	R CR	4248 6.372.4	178, 185, 188 194, 194-4F, 285 290, 293, 294
	2,38	M		294-4, 294-4S, 294S 294S-4S, 3060, 382 382N, 383, 383S
	2,38	NM		387, 390, 393 394F, 397, 440 590, 60H, 690
	6,35	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301360	747050M91-U5LP0009-3135J041	93 569 600	043 30 00	350847
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	101,05	4248	178, 185, 188
	Comp. Height	70,10	05.1982 --->	194, 194-4F, 285
	Total Lenght	120,90		290, 293, 294
	Dome Height			294-4, 294-4S, 294S
	Bowl Dept	-20,50		294S-4S, 3060, 382
	Bowl Ø			382N, 383, 383S
	Valve Pocket			387, 390, 393
	Pin Diameter	34,925 / 84,20		394F, 397, 440
	Type of Design			590, 690
	Piston Ring Thickness	2,50x2,50x5,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
4302360	Piston Ring Set Std.		41158022 747428M91	101,05
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,50	R CR	4248 05.1982 --->	178, 185, 188 194, 194-4F, 285 290, 293, 294
	2,50	M		294-4, 294-4S, 294S 294S-4S, 3060, 382 382N, 383, 383S
	5,00	DSF CR		387, 390, 393 394F, 397, 440 590, 690

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303350	742466M1-31358352			SJ351166
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	101,05	4248	178, 185, 188
	B - Skirt Diameter Ø	104,20		194, 194-4F, 285
	C - Overall Lenght	227,27		290, 293, 294
	D - Flange Ø	107,44		294-4, 294-4S, 294S
	E - Flange Height	3,86		294S-4S, 3060, 382
	F - Fire Lip	0,84		382N, 383, 383S
				387, 390, 393
	FULL FINISHED			394F, 397, 440
				590, 690

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303355	3637334M1-3135X034			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	101,05	4248	178, 185, 188
	B - Skirt Diameter Ø	104,20		194, 194-4F, 285
	C - Overall Lenght	226,44		290, 293, 294
	D - Flange Ø	107,37		294-4, 294-4S, 294S
	E - Flange Height	3,81		294S-4S, 3060, 382
	F - Fire Lip			382N, 383, 383S
				387, 390, 393
	FULL FINISHED			394F, 397, 440
				590, 690

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303360	737214M1-31358343	88 587 190	043 WV 14	SU351026
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	101,05	4248	178, 185, 188
	B - Skirt Diameter Ø	103,26		194, 194-4F, 285
	C - Overall Lenght	223,90		290, 293, 294
	D - Flange Ø			294-4, 294-4S, 294S
	E - Flange Height			294S-4S, 3060, 382
	F - Fire Lip			382N, 383, 383S
				387, 390, 393
	SEMI FINISHED			394F, 397, 440
				590, 690

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303365	31358346-740571M1	89 022 190	043 WV 20	SU351078
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	101,05	4248	178, 185, 188
	B - Skirt Diameter Ø	104,20		194, 194-4F, 285
	C - Overall Lenght	227,20		290, 293, 294
	D - Flange Ø	107,40		294-4, 294-4S, 294S
	E - Flange Height	3,80		294S-4S, 3060, 382
	F - Fire Lip	0,85		382N, 383, 383S
				387, 390, 393
	SEMI FINISHED			394F, 397, 440
				590, 690

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303370	3637333M1-3135X033			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	101,05	4248	178, 185, 188
	B - Skirt Diameter Ø	104,20		194, 194-4F, 285
	C - Overall Lenght	226,44		290, 293, 294
	D - Flange Ø	107,37		294-4, 294-4S, 294S
	E - Flange Height	3,81		294S-4S, 3060, 382
	F - Fire Lip			382N, 383, 383S
				387, 390, 393
	SEMI FINISHED			394F, 397, 440
				590, 690

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
04301400	92508			A350325
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	107,95	V8.540	
	Comp. Height	68,17		
	Total Lenght	114.20		
	Dome Height			
	Bowl Dept	- 19,36		
	Bowl Ø	70,00		
	Valve Pocket			
	Pin Diameter	44,45 / 89,61		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38x2,38x4,76x4,76		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	Item		O.E.M. Number	Ø mm
4302400	Piston Ring Set Std.		41158137	107,95
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,38	R CR	V8.540	
	2,38	R CR		
	4,76	DSF CR		
	4,76	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303400	31358905			SJ351207
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	107,95	V8.540	
	B - Skirt Diameter Ø	113,22		
	C - Overall Lenght	226,06		
	D - Flange Ø	116,66		
	E - Flange Height	2,59		
	F - Fire Lip	0,66		
	FULL FINISHED			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4301450	738106M91-86716			350034
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	114,3	4318	285, 595, 1080
	Comp. Height	70,67		
	Total Lenght	124,61		
	Dome Height			
	Bowl Dept	-24,08		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	36,52 / 98,30		
	Type of Design			
	Piston Ring Thickness	2,38x2,38x4,76x6,35		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

PERKINS

Cenmak Number	Item		O.E.M. Number	Ø mm
4302450	Piston Ring Set Std.		41158118	114,30
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	4318	285, 595, 1080
	2,38	M		
	2,38	M		
	4,76	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303450	745991M1-31358534			SJ351192
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	114,30	4318	285, 595, 1080
	B - Skirt Diameter Ø	117,88		
	C - Overall Lenght	230,78		
	D - Flange Ø	121,13		
	E - Flange Height	2,72		
	F - Fire Lip			
	FULL FINISHED			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
4303455	745990M1-31358533			SU351193
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	114,3	4318	285, 595, 1080
	B - Skirt Diameter Ø	117,93		
	C - Overall Lenght	230,78		
	D - Flange Ø	121,13		
	E - Flange Height	2,72		
	F - Fire Lip			
	SEMI FINISHED			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

RENAULT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2101001	9806243	91 166 700	021 20 00	FP 798210
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	58,00	670	R 2130
	Comp. Height	30,00		R 4
	Total Lenght	64,00		R 2106
	Dome Height			1956 ---> 1969
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	14,00 / 49,50		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,0 x 3,5		

Cenmak Number	Item		O.E.M. Number	Ø mm
2102001	Piston Ring Set Std.			58,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	670	R 2130
				R 4
				R 2106
	2,00	M		1956 ---> 1969
	3,50	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2103001		88 385 110	021 WN 04	CH1914200
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	58,00	670	R 2130
	B - Skirt Diameter Ø	62,50		R 4
	C - Overall Lenght	126,00		R 2106
	D - Flange Ø	72,90		1956 ---> 1969
	E - Flange Height	112,00		
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

RENAULT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2101005	7246804-7701458345 7701465304-7983440	92 073 600	021 22 00	PI7981108
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	58,00	800, /01/02/A7/10	R 4
	Comp. Height	30,00	1968 ---> 1986	R 1221
	Total Lenght	64,00		R 5
	Dome Height			R 6 / 850
	Bowl Dept			R 1123
	Bowl Ø			R 1180
	Valve Pocket			R 2106 / 850
	Pin Diameter	16,00 / 49,00		
	Type of Design			
	Piston Ring Thickness	1,75 x 2,0 x 3,5		

Cenmak Number	Item		O.E.M. Number	Ø mm
2102005	Piston Ring Set Std.			58,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	800, /01/02/A7/10	R 4
			1968 ---> 1986	R 1221
				R 5
	2,00	M		R 6 / 850
				R 1123
				R 1180
	3,50	DSF CR		R 2106 / 850

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2103005		88 574 110	021 WN 05	CH5107200
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	58,00	800, /01/02/A7/10	R 4
	B - Skirt Diameter Ø	62,50	1968 ---> 1986	R 1221
	C - Overall Lenght	126,10		R 5
	D - Flange Ø	69,80		R 6 / 850
	E - Flange Height	112,80		R 1123
	F - Fire Lip			R 1180
				R 2106 / 850

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

RENAULT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2101010	6863445-7701453290-7701454413	92 547 600	021 23 90	
	7701455351-7701459390-7701465308			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	65,00	689, /10	R 5
Comp. Height	40,00		R 1222
Total Lenght	73,10		R 2382
Dome Height	+ 2,00 / + 3,10		1972 ---> 1979
Bowl Dept			
Bowl Ø		1,0 Ltr.	R 5
Valve Pocket			1981 ---> 1985
Pin Diameter	18,00 / 49,00		
Type of Design			
Piston Ring Thickness	1,75 x 2,0 x 3,5		

Cenmak Number	Item		O.E.M. Number	Ø mm
2102010	Piston Ring Set Std.			65,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	689, /10	R 5
				R 1222
				R 2382
	2,00	M		1972 ---> 1979
			1,0 Ltr.	R 5
	3,50	DSF CR		1981 ---> 1985

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2103010	555485900	88 387 110	021 WN 07	



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	65,00	689, /10	R 5
B - Skirt Diameter Ø	75,50		R 1222
C - Overall Lenght	135,00		R 2382
D - Flange Ø	85,80		1972 ---> 1979
E - Flange Height	94,85		
F - Fire Lip		1,0 Ltr.	R 5
			1981 ---> 1985

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

RENAULT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2101015	996001150	93 695 600	021 75 00	PI7131108
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	70,00	688, /01/02/03	R 4, R 5, R 6
	Comp. Height	40,00	/10/11/12/C7	R 8, R 9, R 10
	Total Lenght	68,00		R 11, R 1132
	Dome Height			R 1136, R 1181
	Bowl Dept			R 2132, R 2134
	Bowl Ø			R 2370, R 2420
	Valve Pocket			R 2430, T 800
	Pin Diameter	18,00 / 62,00		1965 --->
	Type of Design		C1 E.F. 15	R 9, R11, Exp.1100
	Piston Ring Thickness	1,75 x 2,0 x 3,5	C1 E-752, 688	1981 ---> 1988

Cenmak Number	Item		O.E.M. Number	Ø mm
2102015	Piston Ring Set Std.			70,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	688, /01/02/03	R 4, R 5, R 6
			/10/11/12/C7	R 8, R 9, R 10
				R 11, R 1132
	2,00	M		R 1136, R 1181
				R 2132, R 2134
				R 2370, R 2420
	3,50	DSF CR		R 2430, T 800
				1965 --->
			C1 E.F. 15	R 9, R11, Exp.1100
			C1 E-752, 688	1981 ---> 1988

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2103015		88 384 110		CH1921200
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	70,00	688, /01/02/03	R 4, R 5, R 6
	B - Skirt Diameter Ø	75,50	/10/11/12/C7	R 8, R 9, R 10
	C - Overall Lenght	135,00		R 11, R 1132
	D - Flange Ø	85,80		R 1136, R 1181
	E - Flange Height	94,85		R 2132, R 2134
	F - Fire Lip			R 2370, R 2420
				R 2430, T 800
				1965 --->
			C1 E.F. 15	R 9, R11, Exp.1100
			C1 E-752, 688	1981 ---> 1988

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

RENAULT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2101020				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	71,50	C1.6	R 19, R 9, R 11
	Comp. Height	37,20		
	Total Lenght	62,50		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 64,00		
	Type of Design			
	Piston Ring Thickness	1,75 x 2,0 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
2102020	Piston Ring Set Std.			71,50
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
			C1.6	R 19, R 9, R 11
	1,75	R CR		
	2,00	M		
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2101025	7701454136	91 650 600	021 34 00	FP 789110
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	73,00	810, /01/02/	R5, R6, R10, R12
	Comp. Height	37,50	/03/10/C7/F7	R1192, R1170
	Total Lenght	62,95	1969 ---> 1980	R1171, R1337
	Dome Height	0,25		R2126, R2136
	Bowl Dept			R2137, Alouette
	Bowl Ø			
	Valve Pocket		810, /05/06/	R5, R12, R15
	Pin Diameter	20,00 / 62,00	/25/26/B7	R1224, R1330
	Type of Design		1971 ---> 1984	R1337
	Piston Ring Thickness	1,75 x 2,0 x 4,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

RENAULT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2101030				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	73,00	810, 01/02/03/05	
	Comp. Height	37,50		
	Total Lenght	62,95		
	Dome Height			
	Bowl Dept	-3,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 62,00		
	Type of Design			
	Piston Ring Thickness	1,75 x 2,0 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
2102025	Piston Ring Set Std.			73,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	810, /01/02/	R5, R6, R10, R12
			/03/10/C7/F7	R1192, R1170
			1969 ---> 1980	R1171, R1337
	2,00	M		R2126, R2136
				R2137, Alouette
	4,00	DSF CR	810, /05/06/	R5, R12, R15
			/25/26/B7	R1224, R1330
			1971 ---> 1984	R1337

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2103025	7700500227	88 544 110	021 WN 09	CH5085200
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	73,00	810, /01/02/	R5, R6, R10, R12
	B - Skirt Diameter Ø	78,50	/03/10/C7/F7	R1192, R1170
	C - Overall Lenght	134,00	1969 ---> 1980	R1171, R1337
	D - Flange Ø	87,50		R2126, R2136
	E - Flange Height	94,85		R2137, Alouette
	F - Fire Lip			
			810, /05/06/	R5, R12, R15
			/25/26/B7	R1224, R1330
			1971 ---> 1984	R1337

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

RENAULT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2101035	7701462153-7701465263-7701465308	93 696 800	021 76 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	76,00	847.20	R5, R18, Fuego
	Comp. Height	37,70	1978 --->1987	T 550/800/1000
	Total Lenght	63,70		
	Dome Height		C1 J.J.15	R9, R11
	Bowl Dept		1981 ---> 1985	
	Bowl Ø			
	Valve Pocket		C2 J.L 17	R5, R9, R11
	Pin Diameter	20,00 / 64,00	C2 J.N 18-AX	
	Type of Design		2J-A 768/-N 718	
	Piston Ring Thickness	1,75 x 2,0 x 4,0	1981 --->	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2103035	7700564872	89 060 110	021 WN 23	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	76,00	847.20	R5, R18, Fuego
	B - Skirt Diameter Ø	80,55	1978 --->1987	T 550/800/1000
	C - Overall Lenght	134,00		
	D - Flange Ø	90,30	C1 J.J.15	R9, R11
	E - Flange Height	95,00	1981 ---> 1985	
	F - Fire Lip		C2 J.L 17	R5, R9, R11
			C2 J.N 18-AX	
			2J-A 768/-N 718	
			1981 --->	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2101040	7007314-7323440-7323443	91 177 600	021 32 00	
	7701451765-7701451767-7701451770			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	76,00	697 / 01	R16, R1150
	Comp. Height	42,00	1965 ---> 1970	
	Total Lenght	69,00		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20,00 / 67,00		
	Type of Design			
	Piston Ring Thickness	1,75 x 2,0 x 4,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

RENAULT

Cenmak Number	Item		O.E.M. Number	Ø mm
2102035	Piston Ring Set Std.			76,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,75	R CR	847.20	R5, R18, Fuego
			1978 --->1987	T 550/800/1000
			C1 J.J.15	R9, R11
	2,00	M	1981 ---> 1985	
			C2 J.L 17	R5, R9, R11
			C2 J.N 18-AX	1981 --->
	4,00	DSF CR	2J-A 768/-N 718	
			697 / 01	R16, R1150
			1965 ---> 1970	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2103040		89 390 110	021 WN 11	
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	76,00	697 / 01	R16, R1150
	B - Skirt Diameter Ø	82,00	1965 ---> 1970	
	C - Overall Lenght	143,00		
	D - Flange Ø	96,00		
	E - Flange Height	92,55		
	F - Fire Lip			

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2103045		88 633 110		
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	A - Inside Diameter Ø	76,00	697 / 01	R16, R1150
	B - Skirt Diameter Ø	82,50	1965 ---> 1970	
	C - Overall Lenght	143,00		
	D - Flange Ø	96,00		
	E - Flange Height	92,55		
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

RENAULT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2101050	7701616607	93 783 600	021 90 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	78,00	F8M-A 700	R5 TD, R9 TD
	Comp. Height	47,25		R11 TD, Exp. D
	Total Lenght	74,50		1983 ---> 1985
	Dome Height			
	Bowl Dept	-1,50		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	24,00 / 66,50		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,0 x 3,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2101055	7701629626	90 468 600	021 08 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	78,00	F8M-A 720/730	R5 TD, R9 TD
	Comp. Height	47,25		R11 TD, Exp. D
	Total Lenght	74,50		1985 --->
	Dome Height			
	Bowl Dept	-1,50		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	24,00 / 66,50		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,0 x 3,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
2102050	Piston Ring Set Std.			78,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	F8M-A 700	R5 TD, R9 TD
				R11 TD, Exp. D
				1983 ---> 1985
	2,00	M		
			F8M-A 720/730	R5 TD, R9 TD
				R11 TD, Exp. D
	3,00	DSF CR		1985 --->

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

RENAULT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2103050		89 318 190	021 WN 21	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	78,00	F8M-A 700	R5 TD, R9 TD
	B - Skirt Diameter Ø	81,00		R11 TD, Exp. D
	C - Overall Lenght	149,00		1983 ---> 1985
	D - Flange Ø	83,50		
	E - Flange Height	4,50	F8M-A 720/730	R5 TD, R9 TD
	F - Fire Lip			R11 TD, Exp. D
				1985 --->

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2101060				PI0303108
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	79,00	841-99 A1M	Traffic P/T/1000/1200
	Comp. Height	41,10		Traction TA/T3
	Total Lenght	66,50		/T4/T5/T6
	Dome Height			Propulsion PA/P3
	Bowl Dept	-4,80		/P5/P6
	Bowl Ø			1981 --->
	Valve Pocket			
	Pin Diameter	21,00 / 69,00		
	Type of Design			
	Piston Ring Thickness	1,75 x 2,00 x 4,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
2102060	Piston Ring Set Std.			79,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	841-99 A1M	Traffic P/T/1000/1200
				Traction TA/T3
				/T4/T5/T6
	2,00	M		Propulsion PA/P3
				/P5/P6
				1981 --->
	4,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

RENAULT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2103060				CH5199200
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	79,00	841-99 A1M	Traffic P/T/1000/1200
	B - Skirt Diameter Ø	84,00		Traction TA/T3
	C - Overall Lenght	143,50		/T4/T5/T6
	D - Flange Ø	96,00		Propulsion PA/P3
	E - Flange Height	92,60		/P5/P6
	F - Fire Lip			1981 --->

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2101065		92 006 600	021 93 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	80,00	F 8 Q	R19, R19 TD
	Comp. Height	42,50	C 7/732/742	/GTD/TDE
	Total Lenght	67,40	1989 --->	R19 Société TD
	Dome Height			/GTD
	Bowl Dept	-0,70		R21 GSD
	Bowl Ø			Clio 1.9 DRT
	Valve Pocket			
	Pin Diameter	24,00 / 63,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,0 x 2,0 x 3,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
2102065	Piston Ring Set Std.			80,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	F 8 Q	R19, R19 TD
			C 7/732/742	/GTD/TDE
			1989 --->	R19 Société TD
	2,00	M		/GTD
				R21 GSD
				Clio 1.9 DRT
	3,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

RENAULT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2103065				CH2333100
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	80,00	F 8 Q	R19, R19 TD
	B - Skirt Diameter Ø	82,60	C 7/732/742	/GTD/TDE
	C - Overall Lenght	153,50	1989 --->	R19 Société TD
	D - Flange Ø	85,50		/GTD
	E - Flange Height	3,90		R21 GSD
	F - Fire Lip			Clio 1.9 DRT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2101070	7701616730	93 791 600	021 82 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,00	F2N-A 700	R9, R11
	Comp. Height	44,10	F2N-E 708	1984 ---> 1986
	Total Lenght	70,10		
	Dome Height		F2N C 710	R9, R11, R21
	Bowl Dept	-13,40		1986 --->
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	21,00 / 65,00		
	Type of Design			
	Piston Ring Thickness	1,75 x 2,00 x 3,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
2102070	Piston Ring Set Std.			81,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	F2N-A 700	R9, R11
			F2N-E 708	1984 ---> 1986
	2,00	M	F2N C 710	R9, R11, R21
				1986 --->
	3,00	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

RENAULT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2101075	7701461337-7701465117-7701466304	93 523 600	021 81 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	86,00	852-A-7-00	R18 TD, R1344
	Comp. Height	51,00	J8S 704	R1354, R2354
	Total Lenght	92,90	1979 --->	R20 TD, R1275
	Dome Height			R135 400, R21 TD
	Bowl Dept	0,55		R 25 TD, P1400 D
	Bowl Ø			Traffic TB13/23
	Valve Pocket			PA 23, PC 82/92
	Pin Diameter	28,00 / 75,00		PA/TA 93, P/T 313
	Type of Design			P 323, T 423, T 800D
	Piston Ring Thickness	2,0 x 2,0 x 4,0		P/T 1000D, P/T 1200D

Cenmak Number	Item		O.E.M. Number	Ø mm
2102075	Piston Ring Set Std.			86,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	852-A-7-00	R18 TD, R1344
			J8S 704	R1354, R2354
			1979 --->	R20 TD, R1275
	2,00	M		R135 400, R21 TD
				R 25 TD, P1400 D
				Traffic TB13/23
	4,00	DSF CR		PA 23, PC 82/92
				PA/TA 93, P/T 313
				P 323, T 423, T 800D
				P/T 1000D, P/T 1200D

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2103075		89 309 110	021 WN 29	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	86,00	852-A-7-00	R18 TD, R1344
	B - Skirt Diameter Ø	93,60	J8S 704	R1354, R2354
	C - Overall Lenght	166,00	1979 --->	R20 TD, R1275
	D - Flange Ø			R135 400, R21 TD
	E - Flange Height	93,05		R 25 TD, P1400 D
	F - Fire Lip			Traffic TB13/23
				PA 23, PC 82/92
				PA/TA 93, P/T 313
				P 323, T 423, T 800D
				P/T 1000D, P/T 1200D

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

RENAULT

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2101080	7701466305	90 436 600	021 84 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	86,00	J8S 714	R18 TD, R20 TD
	Comp. Height	50,99		R21 TD, R 25 TD
	Total Lenght	93,00		R30 TD
	Dome Height			Fuego TD
	Bowl Dept	-4,00		Espace TD
	Bowl Ø			1981 --->
	Valve Pocket			
	Pin Diameter	28,00 / 75,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,5 x 2,5 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
2102080	Piston Ring Set Std.			86,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	J8S 714	R18 TD, R20 TD
				R21 TD, R 25 TD
				R30 TD
	2,50	M		Fuego TD
				Espace TD
				1981 --->
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
2103080				
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	86,00	J8S 714	R18 TD, R20 TD
	B - Skirt Diameter Ø	93,60		R21 TD, R 25 TD
	C - Overall Lenght	167,50		R30 TD
	D - Flange Ø			Fuego TD
	E - Flange Height	93,05		Espace TD
	F - Fire Lip			1981 --->

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101001	383146	90 224 600	061 62 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	115,00	DN 9	92
	Comp. Height	87,35		1985 --->
	Total Lenght	139,35		
	Dome Height			
	Bowl Dept	-22,05		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	50,00 / 92,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38 x 2,38 x 4,74		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101005	258664-275706-309989	93 152 600	061 61 00	A350173
	313272-313272.7-9002008			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	115,00	DS 8	80, 81, 82
	Comp. Height	96,10	1974 ---> 1987	85, 86
	Total Lenght	150,10		
	Dome Height		DSJ 8	82
	Bowl Dept	-18,10	1982 ---> 1987	
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	46,00 / 96,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38 x 2,38 x 4,74		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101010	257707-275707-275767	93 151 600	061 60 00	
	276114-6-313273.5			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	115,00	D 8	80, 81
	Comp. Height	96,10	1977 ---> 1978	85, 86
	Total Lenght	150,10		
	Dome Height			
	Bowl Dept	-21,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	46,00 / 96,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38 x 2,38 x 4,74		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	Item		O.E.M. Number	Ø mm
6102001	Piston Ring Set Std.			115,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,38	R CR	DN 9	92
			1985 --->	
			DS 8	80, 81, 82
	2,38	M	1974 ---> 1987	85, 86
			DSJ 8	82
			1982 ---> 1987	
	4,74	DSF CR	D 8	80, 81
			1977 ---> 1978	85, 86

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101015	1115727-362158	90 221 600	061 63 00	
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	115,00	DS 9.01	82, 92
	Comp. Height	87,35	1985 ---> 1987	
	Total Lenght	139,35		
	Dome Height		DSC 9.01/.02	92
	Bowl Dept	-22,05	1985 --->	
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	50,00 / 92,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16 x 2,38 x 4,74		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101020	1115729-1332749-394404	90 738 600	061 64 00	
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	115,00	DS 9.05	93
	Comp. Height	87,40	DS 9.06	
	Total Lenght	139,40	DS 9.08	
	Dome Height		1987 --->	
	Bowl Dept	-20,23		
	Bowl Ø			
	Valve Pocket	-2,40		
	Pin Diameter	50,00 / 92,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16 x 2,38 x 4,74		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	Item		O.E.M. Number	Ø mm
6102015	Piston Ring Set Std.		550246	115,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,16	T IW CR	DS 9.01	82, 92
			1985 ---> 1987	
	2,38	M	DSC 9.01/.02	92
			1985 --->	
			DS 9.05/.06/.08	93
	4,74	DSF CR	1987 --->	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101025	258664			A350768
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	115,00	DS 801LB14	K414, K414B
	Comp. Height	96,10	DS 801LB15	LB81, LB86
	Total Lenght	150,10	DS 801LB16	LBS86
	Dome Height		1975 ---> 1980	
	Bowl Dept	-18,10		
	Bowl Ø		DS8-05	K414, K414B
	Valve Pocket		DS8-06L1	P82H, P82M
	Pin Diameter	46,00 / 96,00	1981 ---> 1986	T82H, T82M
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38x2,38x2,38x4,74		

Cenmak Number	Item		O.E.M. Number	Ø mm
6102025	Piston Ring Set Std.			115,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	DS 801LB14	K414, K414B
			DS 801LB15	LB81, LB86
			DS 801LB16	LBS86
	2,38	M	1975 ---> 1980	
			DS8-05	K414, K414B
	2,38	NM	DS8-06L1	P82H, P82M
			1981 ---> 1986	T82H, T82M
	4,74	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101030	139923-168124-270926	91 225 600	061 19 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	115,00	D 5	L 55, LS 55
	Comp. Height	101,00	D 7	L 5542 L
	Total Lenght	161,00	1960 ---> 1963	L 5546 L
	Dome Height			L 5550 L
	Bowl Dept	-17,60		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	42,00 / 98,00		
	Type of Design			
	Piston Ring Thickness	3,0x3,0x3,0x3,0x6,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
6102030	Piston Ring Set Std.			115,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	D 5	L 55, LS 55
			D 7	L 5542 L
			1960 ---> 1963	L 5546 L
	3,00	R		L 5550 L
	3,00	R		
	3,00	R		
	6,00	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101035	153578-162798-168112-169743	91 208 600	061 20 00	A430003
	173780-180480-235883-270925			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	115,00	D 5	L 5642, L 5646
	Comp. Height	96,00	D 8	L 5650, L 5638
	Total Lenght	158,20	1962 ---> 1969	L 6642, L 6646
	Dome Height			L 6650, L 6638
	Bowl Dept	-18,10		L 8042, L 8046
	Bowl Ø			L 8050, L 8034
	Valve Pocket			L 8038
	Pin Diameter	42,00 / 98,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,0x3,0x3,0x6,0x6,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101040	153578-162798-168112-169743 173780-180480-235883-270925	91 208 600	061 20 00	A430003



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	115,00	D 5	L 5642, L 5646
Comp. Height	96,00	D 8	L 5650, L 5638
Total Lenght	158,20	1962 ---> 1969	L 6642, L 6646
Dome Height			L 6650, L 6638
Bowl Dept	-18,10		L 8042, L 8046
Bowl Ø			L 8050, L 8034
Valve Pocket			L 8038
Pin Diameter	42,00 / 98,00	With Valve Pocket	
Type of Design	**ALFIN**		
Piston Ring Thickness	3,0x3,0x3,0x6,0x6,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
6102035	Piston Ring Set Std.			115,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	D 5	L 5642, L 5646
			D 8	L 5650, L 5638
			1962 ---> 1969	L 6642, L 6646
	3,00	R		L 6650, L 6638
				L 8042, L 8046
				L 8050, L 8034
	3,00	R		L 8038
	6,00	D		
	6,00	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6103001	245398	89 088 110	061 WN 08	SJ351106V1
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	115,00	DN 9	92
	B - Skirt Diameter Ø	130,00	DS 8	80, 81, 82
	C - Overall Lenght	270,50	DS 801LB14	85, 86
	D - Flange Ø	137,30	DS 801LB15	K414, K414B
	E - Flange Height	8,20	DS 801LB16	K414, K414B
	F - Fire Lip	0,80	DS8-05	LB81, LB86
			DS8-06L1	LBS86
			DSJ 8	P82H, P82M
				T82H, T82M

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6103005	131612-168081-228110-243817	88 402 110	061 WN 01	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	115,00	D 5	80, 81, 82, 85, 86
	B - Skirt Diameter Ø	130,00	D 5	K414, K414B
	C - Overall Lenght	271,00	D 7	K414, K414B
	D - Flange Ø	137,30	D 8	L 55, LS 55
	E - Flange Height	8,00	DS 8	L 5542 L
	F - Fire Lip	0,70	DS 801LB14	L 5546 L
			DS 801LB15	L 5550 L
			DS 801LB16	L 5642, L 5646
			DS8-05	L 5650, L 5638
			DS8-06L1	L 6642, L 6646
			DSJ 8	L 6650, L 6638
				L 8038
				L 8042, L 8046
				L 8050, L 8034
				LB81, LB86
				LBS86
				P82H, P82M
				T82H, T82M

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6103010	1319247-348967	89 385 110	061 WN 11	SJ351292
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	115	DN 9	92
	B - Skirt Diameter Ø	128		1985 --->
	C - Overall Lenght	265,5	DS 9.01	82, 92
	D - Flange Ø	140,76	1985 ---> 1987	
	E - Flange Height	10,3	DSC 9.01/.02	92
	F - Fire Lip	0,8	1985 --->	
			DS 9.05/.06/.08	93
			1987 --->	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101050	170962-170963-170983-170984	93 938 600	061 36 00	A350751
	170985-170986-212021-212022			
	231223-231224-231227-231228			
	235903-235904-235907-243733			
	243734-245683-245684-253043			
	253044-253325-253326-257787			
	257788-257793-257794-261607			
	271133-271134-271137-271138			
	275689-276528-295099-329694			
	348542-358360-358376-364987			
	700090-700091			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	DS 14	140, 145
	Comp. Height	94,67		1969 ---> 1976
	Total Lenght	146,67		141, 142, 146
	Dome Height			1977 --->
	Bowl Dept	-26,20	DSI/DSC 14	142
	Bowl Ø			1983 --->
	Valve Pocket	-2,92		
	Pin Diameter	50,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16 x 2,38 x 4,74		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101055				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	DS 14	Series 140
	Comp. Height	94,67	DS 14.01	1969 --> 1976
	Total Lenght	146,67	DS 14.02	Series 141
	Dome Height		DS 14.06	1977 --->
	Bowl Dept	-26,20	DSC 14	Series 142
	Bowl Ø		DSI 14	1983 --->
	Valve Pocket	-2,92		
	Pin Diameter	50,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16 x 2,38 x 4,74		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101060	372112	90 733 600	061 37 00	A350752
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	DSC 14.05	142
	Comp. Height	94,67	DSC 14.06	1986 --->
	Total Lenght	146,67		
	Dome Height			
	Bowl Dept	-24,00		
	Bowl Ø			
	Valve Pocket	-2,92		
	Pin Diameter	50,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16 x 2,38 x 4,74		

Cenmak Number	Item		O.E.M. Number	Ø mm
6102050	Piston Ring Set Std.		550247	127,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,16	T IW CR	DS 14	140, 145
				1969 ---> 1976
				141, 142, 146
	2,38	M IW		1977 --->
			DSI/DSC 14	142
				1983 --->
	4,74	DSF CR	DSC 14.05	142
			DSC 14.06	1986 --->
			DS 14	Series 140
			DS 14.01	1969 --> 1976
			DS 14.02	Series 141
			DS 14.06	1977 --->
			DSC 14	Series 142
			DSI 14	1983 --->

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101065				A350751
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	D 14	L 140
	Comp. Height	94,67	1971 ---> 1977	BR 145
	Total Lenght	146,67		
	Dome Height			
	Bowl Dept	-26,20		
	Bowl Ø			
	Valve Pocket	-2,92		
	Pin Diameter	50,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38 x 2,38 x 4,74		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101070	228429-232613-253135-253137	93 399 600	061 34 00	A350151
	307080-307081-307082			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	D 11	110, 111
	Comp. Height	98,76		1973 ---> 1981
	Total Lenght	156,20		
	Dome Height			
	Bowl Dept	-27,06		
	Bowl Ø			
	Valve Pocket	-0,50		
	Pin Diameter	50,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38 x 2,38 x 4,74		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101075	1121015-228431-228432-232614	93 398 600	061 35 00	A350315
	253136-253138-305215-305216			
	307027-307079-353017-357014			
	357015-397070-397071-700086			
	79245700			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	127,00	DS 11	111, 112
Comp. Height	98,76		1973 ---> 1975
Total Lenght	156,26	DS 1101	112
Dome Height			1975 ---> 1988
Bowl Dept	-27,06		
Bowl Ø			
Valve Pocket	-2,96		
Pin Diameter	50,00 / 108,00		
Type of Design	**ALFIN**		
Piston Ring Thickness	2,38 x 2,38 x 4,74		

Cenmak Number	Item		O.E.M. Number	Ø mm
6102065	Piston Ring Set Std.		550170	127,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	D 14	L 140
			1971 ---> 1977	BR 145
			D 11	110, 111
	2,38	M IW		1973 ---> 1981
			DS 11	111, 112
				1973 ---> 1975
	4,74	DSF CR	DS 1101	112
				1975 ---> 1988

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101080	353071-397408-397412	90 759 600	061 38 00	A350499
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	DSC 1101	112
	Comp. Height	98,76		1986 --->
	Total Lenght	156,26		
	Dome Height			
	Bowl Dept	-24,50		
	Bowl Ø			
	Valve Pocket	-2,96		
	Pin Diameter	50,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,50 x 2,38 x 4,74		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101085	551357	90 712 600	061 01 90	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	DSC 11	P 113
	Comp. Height	98,76		R 113
	Total Lenght	156,26		1990 --->
	Dome Height			
	Bowl Dept	2,6432		
	Bowl Ø	90,00		
	Valve Pocket	-2,96		
	Pin Diameter	50,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,50 x 2,38 x 4,74		

Cenmak Number	Item		O.E.M. Number	Ø mm
6102080	Piston Ring Set Std.		550247	127,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,50	T IW CR	DSC 11	P 113
				R 113
				1990 --->
	2,38	M IW	DSC 1101	112
				1986 --->
	4,74	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101090	397070			A350315V2
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	DS11-LB05-507	
	Comp. Height	38,76		
	Total Lenght	156,26		
	Dome Height			
	Bowl Dept	-27,06		
	Bowl Ø			
	Valve Pocket	-2,92		
	Pin Diameter	50,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38 x2,38x2,38x4,74		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101100				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	DS 11	111, 112
	Comp. Height	98,76		1973 ---> 1975
	Total Lenght	156,26	DS 1101	112
	Dome Height			1975 ---> 1988
	Bowl Dept	-27,06		
	Bowl Ø			
	Valve Pocket	-0,50		
	Pin Diameter	50,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38 x2,38x2,38x4,74		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101105				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	DS 14	140, 145
	Comp. Height	94,67		1969 ---> 1976
	Total Lenght	146,67		141, 142, 146
	Dome Height			1977 --->
	Bowl Dept	-26,20	DSI/DSC 14	142
	Bowl Ø			1983 --->
	Valve Pocket	-2,92		
	Pin Diameter	50,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38 x2,38x2,38x4,74		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	Item		O.E.M. Number	Ø mm
6100290	Piston Ring Set Std.		550120	127,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,38	R CR	DS 11	111, 112
				1973 ---> 1975
			DS 1101	112
	2,38	M IW		1975 ---> 1988
			DS 14	140, 145
				1969 ---> 1976
	2,38	M IW		141, 142, 146
				1977 --->
			DSI/DSC 14	142
	4,74	DSF CR		1983 --->
			DS11-LB05-507	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101110	159774-159776-168106-168109-268391	91 229 600	061 26 00	A350109
	175743-178819-178822-178825-268392			
	180529-205668-229139-229141			
	229151-229457-229464-246737			
	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	127,00	D 11	110, 6345
	Comp. Height	98,50	DS 11	6429, 7634
	Total Lenght	166,00	1962 ---> 1973	7635, 7638
	Dome Height			7642, 7646
	Bowl Dept	-26,80		7650
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	47,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38 x2,38x2,38x6,35		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101115				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	D 14	L 140
	Comp. Height	94,67		BR 145
	Total Lenght	146,67		1971 ---> 1977
	Dome Height			
	Bowl Dept	-26,20		
	Bowl Ø			
	Valve Pocket	-2,92		
	Pin Diameter	50,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38 x2,38x2,38x6,35		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101120	179404-180454-180532-182544	91 405 600	061 27 00	A350110
	183391-203779-204021-229142			
	229144-229149-229458-229459			
	229461-229466-229468-229469			
	229470-230053-230056-235589			
	235590-235591-235592-235593			
	235596-268394-268396			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	DS11 R01	110, 7642
	Comp. Height	98,50		7646, 7650
	Total Lenght	166,00		1965 ---> 1973
	Dome Height			
	Bowl Dept	-26,80		
	Bowl Ø			
	Valve Pocket	-2,50		
	Pin Diameter	47,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,38 x2,38x2,38x6,35		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	Item		O.E.M. Number	Ø mm
6102110	Piston Ring Set Std.		550115	127,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,38	R CR	D 14	L 140
				BR 145
				1971 ---> 1977
	2,38	M	D 11	110, 6345
			DS 11	6429, 7634
				7635, 7638
	2,38	M		7642, 7646
				7650
				1962 ---> 1973
	6,35	DSF CR	DS11 R01	110, 7642
				7646, 7650
				1965 ---> 1973

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101125				A350801
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	127,00	DS 11	Agricultural
	Comp. Height	98,76	DSI 11	Industrial
	Total Lenght	156,26	DSC 11	
	Dome Height			
	Bowl Dept	-25,41		
	Bowl Ø			
	Valve Pocket	-2,96		
	Pin Diameter	50,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16x2,38x2,38x4,74		

Cenmak Number	Item		AE Number	Ø mm
6102125	Piston Ring Set Std.		R45020	127,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,16	T IW CR	DS 11	Agricultural
			DSI 11	Industrial
			DSC 11	
	2,38	M IW		
	2,38	M IW		
	4,74	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101130				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	D 11	
	Comp. Height	98,50		
	Total Lenght	166,00		
	Dome Height			
	Bowl Dept	-26,80		
	Bowl Ø			
	Valve Pocket	-2,50		
	Pin Diameter	47,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16x3,16x3,16x6,34x6,34		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101135				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	D 11	
	Comp. Height	98,50		
	Total Lenght	166,00		
	Dome Height			
	Bowl Dept	-26,80		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	47,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,16x3,16x3,16x6,34x6,34		

Cenmak Number	Item		AE Number	Ø mm
6102130	Piston Ring Set Std.			127
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,16	R CR	D 11	
	3,16	M IW		
	3,16	M IW		
	6,34	DSF CR		
	6,34	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6101140				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	127,00	315 D 10	
	Comp. Height	103,45		
	Total Lenght	166,20		
	Dome Height			
	Bowl Dept	-26,00		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	47,00 / 108,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,47x3,47x3,47x6,34x6,34		

Cenmak Number	Item		AE Number	Ø mm
6102140	Piston Ring Set Std.			127,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
			315 D 10	
	3,47	T CR		
	4,47	M IW		
	5,47	M IW		
	6,34	DSF CR		
	6,34	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6103050	170690-230151-231276-239151	88 568 110	061 WN 13	SJ351137
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	127,00	DS 14	140, 145
	B - Skirt Diameter Ø	140,00		1969 ---> 1976
	C - Overall Lenght	276,00		141, 142, 146
	D - Flange Ø	156,00		1977 --->
	E - Flange Height	10,05	DSI/DSC 14	142
	F - Fire Lip	0,40		1983 --->
			DSC 14.05	142
			DSC 14.06	1986 --->
			D 14	L 140
				BR 145
				1971 ---> 1977

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6103055	374801	89 411 110	061 WN 12	SJ351293
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	127,00	DSC14-03	R143L
	B - Skirt Diameter Ø	139,92	DSC14-04	R143MA
	C - Overall Lenght	275,25		R143R
	D - Flange Ø	155,79		T143
	E - Flange Height	10,10		1988 --->
	F - Fire Lip	0,46		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6103060	1118368-273759-363302	89 366 110	061 WN 10	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	127,00	D 11	110, 111
	B - Skirt Diameter Ø	140,00		1973 ---> 1981
	C - Overall Lenght	291,00		
	D - Flange Ø	153,80		
	E - Flange Height	7,90		
	F - Fire Lip	0,80		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6103065	1114035-1302095-235828	89 367 110 (88 880)	061 WN 09 (061 WN 08)	SJ351095V1
	79245643-245398-551459			
	295053-348889-363301			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	127,00	DSC 1101	112
	B - Skirt Diameter Ø	140,00		1986 --->
	C - Overall Lenght	291,00	DS11-LB05-507	
	D - Flange Ø	153,80	DS 11	Agricultural
	E - Flange Height	7,90	DSI 11	Industrial
	F - Fire Lip	0,80	DSC 11	
			DS 11	111, 112
				1973 ---> 1975
			DS 1101	112
				1975 ---> 1988

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

SCANIA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
6103070	1120689-156000-219938	88 414 110	061 WN 04	
	230150-363305			
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	127,00	D 11	110, 6345
	B - Skirt Diameter Ø	140,00	DS 11	6429, 7634
	C - Overall Lenght	291,00	1962 ---> 1973	7635, 7638
	D - Flange Ø	153,80		7642, 7646
	E - Flange Height	8,00		7650
	F - Fire Lip	0,80	DS11 R01	110, 7642
				7646, 7650
				1965 ---> 1973

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
16503075	1305095	89 439 110	061 WN 14	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	127,00	DSC 11	P 113
	B - Skirt Diameter Ø	140,00		R 113
	C - Overall Lenght	291,00		1990 --->
	D - Flange Ø	153,80		
	E - Flange Height	7,90		
	F - Fire Lip	0,80		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

STEYR

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
32101050				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	92,00	WD 406	288
	Comp. Height	63,00	1962 ---> 1966	
	Total Lenght	103,50		
	Dome Height			
	Bowl Dept	-0,80		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	32,00 / 78,00		
	Type of Design			
	Piston Ring Thickness	2,5x2,5x2,5x5,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
32102050	Piston Ring Set Std.			92,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R	WD 406	288
			1962 ---> 1966	
	2,50	R		
	2,50	M		
	5,00	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
32103050				
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	92,00	WD 406	288
	B - Skirt Diameter Ø	106,00	1962 ---> 1966	
	C - Overall Lenght	200,00		
	D - Flange Ø	118,00		
	E - Flange Height	9,00		
	F - Fire Lip			

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

STEYR

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
32101001	40800030003	90 912 600	321 09 00	
	40800030005			
	40800030024			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	WD 308.40	540, 545, 548
	Comp. Height	63,40	WD 308.41	
	Total Lenght	103,90	WD 308.45	
	Dome Height			
	Bowl Dept	-19,40	WD 408.40	650, 658
	Bowl Ø		WD 408.41	760, 768
	Valve Pocket		WD 408.42	1968 --->
	Pin Diameter	35,00 / 83,00	WD 408.43	
	Type of Design	**ALFIN**	Old Type	
	Piston Ring Thickness	2,5x2,5x2,5x5,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
32102001	Piston Ring Set Std.			100,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	WD 308.40	540, 545, 548
			WD 308.41	
			WD 308.45	
	2,50	R		
			WD 408.40	650, 658
			WD 408.41	760, 768
	2,50	M	WD 408.42	1968 --->
			WD 408.43	
	5,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
32101005	40800030023	93 192 600	321 75 00	
	40800030700			
	40800030701			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	WD 308.40	540, 545, 548
	Comp. Height	63,40	WD 308.41	
	Total Lenght	103,90	WD 308.45	
	Dome Height			
	Bowl Dept	-19,40	WD 408.40	650, 658
	Bowl Ø		WD 408.41	760, 768
	Valve Pocket		WD 408.42	1968 --->
	Pin Diameter	35,00 / 82,50	WD 408.43	
	Type of Design	**ALFIN**	New Type	
	Piston Ring Thickness	2,5x2,5x4,00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

STEYR

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
32101010				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	WD 311.40/.41	8060
	Comp. Height	58,40	WD 411.41/.42	8070
	Total Lenght	98,90	WD 411.85/.86	8080
	Dome Height		WD 611.40	8100
	Bowl Dept	-20,05	WD 611.85	8120
	Bowl Ø			1970 --->
	Valve Pocket			
	Pin Diameter	35,00 / 82,50		
	Type of Design			
	Piston Ring Thickness	2,5x2,5x4,00		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
32101015	61060030002-61160030002	93 230 600	321 44 00	
	61160030001-61160030701			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	WD 311.40/.41	8060
	Comp. Height	58,40	WD 411.41/.42	8070
	Total Lenght	98,90	WD 411.85/.86	8080
	Dome Height		WD 611.40	8100
	Bowl Dept	-20,05	WD 611.85	8120
	Bowl Ø			1970 --->
	Valve Pocket			
	Pin Diameter	35,00 / 82,50		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2,5x2,5x4,00		

Cenmak Number	Item		O.E.M. Number	Ø mm
32102005	Piston Ring Set Std.			100,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R CR	WD 308.40	540, 545, 548
			WD 308.41	
			WD 308.45	
	2,50	M		
			WD 408.40	650, 658
			WD 408.41	760, 768
	5,00	DSF CR	WD 408.42	1968 --->
			WD 408.43	
			WD 311.40/.41	8060
			WD 411.41/.42	8070
			WD 411.85/.86	8080
			WD 611.40	8100
			WD 611.85	8120
				1970 --->

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

STEYR

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
32103005	407040029	89 006 110	321 WN 15	
	4070429			
	40800040032			

Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	100,00	WD 308.40	540, 545, 548
B - Skirt Diameter Ø	109,40	WD 308.41	
C - Overall Lenght	197,00	WD 308.45	
D - Flange Ø	118,00		
E - Flange Height	9,00	WD 408.40	650, 658
F - Fire Lip	1,00	WD 408.41	760, 768
		WD 408.42	1968 --->
		WD 408.43	
		WD 311.40/.41	8060
		WD 411.41/.42	8070
		WD 411.85/.86	8080
		WD 611.40	8100
		WD 611.85	8120
			1970 --->

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
32101020	40900030001-40900030002-410T00030701	92 158 600	321 85 00	
	410T00030702-410T00030703 410T00030704			
	61000030008-61000030009-61000030704			
	409030001-410T030704-410T030701			
	410T030702-410T030703			

Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	105,00	WD 210.40	430 b
Comp. Height	69,50	WD 410.40	870 b
Total Lenght	125,00		
Dome Height		WD 610.00/.01	586, 590
Bowl Dept	-24,25	/.13/.14/.15/.16	680, 690
Bowl Ø		/.18/.19/.20/.23	790, 890
Valve Pocket		/.40/.42/.43/.44/.50	1090, 1100
Pin Diameter	38,00 / 90,00		1108, 1300
Type of Design			1970 --> 1979
Piston Ring Thickness	3,0x2,5x2,5x5,0x5,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

STEYR

Cenmak Number	Item		O.E.M. Number	Ø mm
32102020	Piston Ring Set Std.			105,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	T CR	WD 210.40	430 b
			WD 410.40	870 b
	2,50	R CR	WD 610.00/.01	586, 590
			/.13/.14/.15/.16	680, 690
			/.18/.19/.20/.23	790, 890
	2,50	M	/.40/.42/.43/.44/.50	1090, 1100
				1108, 1300
				1970 --> 1979
	5,00	DSF CR		
	5,00	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
32101025	61060030010-61060030702-6106003702	92 575 600	321 88 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	105,00	WD 610.60/.68	790, 890
	Comp. Height	69,50	/.69/.70/.72	1390
	Total Lenght	125,00		1970 ---> 1978
	Dome Height			
	Bowl Dept	-24,25		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	40,00 / 89,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3,5x2,5x2,5x5,0x5,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
32102025	Piston Ring Set Std.			105,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,50	T CR	WD 610.60/.68	790, 890
			/.69/.70/.72	1390
				1970 ---> 1978
	2,50	R CR		
	2,50	M		
	5,00	DSF CR		
	5,00	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
32103020	609F040001	88 426 110	321 WT 05	
	609F0401			



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	105,00	WD 210.40	430 b
B - Skirt Diameter Ø	110,00	WD 410.40	870 b
C - Overall Lenght	222,00		
D - Flange Ø	112,00	WD 610.00/.01	586, 590
E - Flange Height	4,70	/.13/.14/.15/.16	680, 690
F - Fire Lip		/.18/.19/.20/.23	790, 890
		/.40/.42/.43/.44/.50	1090, 1100
			1108, 1300
			1970 --> 1979
		WD 610.60/.68	790, 890
		/.69/.70/.72	1390
			1970 ---> 1978

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

TOYOTA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60701001				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	72,00	2 K, 4PSC	Publica 1000
	Comp. Height	36,00		KP 36 L
	Total Lenght	72,00		1969 --->
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	18,00 / 58,00		
	Type of Design			
	Piston Ring Thickness	2,0 x 2,0 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
60702001	Piston Ring Set Std.			72,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	2 K, 4PSC	Publica 1000
				KP 36 L
				1969 --->
	2,00	M		
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60701005				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	75,00	K	Corolla 1100
	Comp. Height	36,00		1966 ---> 1969
	Total Lenght	75,00	3 K, 3 KB, 3 KD	Corolla 1200
	Dome Height			Sprinter 1200
	Bowl Dept			Starlet 1200
	Bowl Ø			Publica 1200
	Valve Pocket			Hi De Luxe
	Pin Diameter	18,00 / 61,00		1967 ---> 1982
	Type of Design		2 M	Crown 2300
	Piston Ring Thickness	2,0 x 2,0 x 4,0		1969 ---> 1969

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

TOYOTA

Cenmak Number	Item		O.E.M. Number	Ø mm
60702005	Piston Ring Set Std.			75,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R CR	K	Corolla 1100
				1966 ---> 1969
			3 K, 3 KB, 3 KD	Corolla 1200
	2,00	M	1967 ---> 1982	Sprinter 1200
				Starlet 1200
				Publica 1200
	4,00	DSF CR		Hi De Luxe
			2 M	Crown 2300
				1969 ---> 1969

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60701010				
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	80,50	12 R	Hiace 1600
	Comp. Height	39,00		Hi-Lux
	Total Lenght	80,00		Corona 1600
	Dome Height			RH 20 LV
	Bowl Dept			RH 11 LV
	Bowl Ø			RT 81-91
	Valve Pocket			RY 10-12
	Pin Diameter	20,00 / 66,00		RN 13-16
	Type of Design			1971 ---> 1974
	Piston Ring Thickness	2,0 x 2,0 x 4,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
60702010	Piston Ring Set Std.			80,50
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	2,00	R CR	12 R	Hiace 1600
				Hi-Lux
				Corona 1600
	2,00	M		RH 20 LV
				RH 11 LV
				RT 81-91
	4,00	DSF CR		RY 10-12
				RN 13-16
				1971 ---> 1974

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

TOYOTA

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
60701015				

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	88,00	5 R	Crown 2000
	Comp. Height	39,00	1968 ---> 1975	Dyna, Stout
	Total Lenght	85,00		40-2FG20
	Dome Height			40-2FG25
	Bowl Dept			40-2FGC10
	Bowl Ø			40-2FGC15
	Valve Pocket			40-3FG10
	Pin Diameter	22,00 / 75,00		40-3FGC15
	Type of Design			40-3FGC29
	Piston Ring Thickness	2,0 x 2,0 x 4,0		40-3FG25

Cenmak Number	Item		O.E.M. Number	Ø mm
60702015	Piston Ring Set Std.			88,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,00	R CR	5 R	Crown 2000
			1968 ---> 1975	Dyna, Stout
				40-2FG20
	2,00	M		40-2FG25
				40-2FGC10
				40-2FGC15
	4,00	DSF CR		40-3FG10
				40-3FGC15
				40-3FGC29
				40-3FG25

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLKSWAGEN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3001001	068107065AN-068107065A-068107065B	93 085 600	029 80 00	A350178
	069107065B-68107065			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	76,51	1,5 Ltr.	Golf D
	Comp. Height	44,90	1976 ---> 1980	Passat D
	Total Lenght	76,90		Rabbit D
	Dome Height			Dasher D
	Bowl Dept	-1,80		
	Bowl Ø		Industrie 068.02, 128	
	Valve Pocket		1986 ---> 1981	
	Pin Diameter	22,00 / 63,90		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	1,75 x 2,0 x 3,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3001005	068107065AB-068107065AJ-068107065AH	93 260 600	029 55 00	A350821
	068107065BC-068107065BA-068107065H			
	068107065D-068107065E-068107065F			
	068103101E-075107101H-069107065C			
	69107065-E70700			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	76,51	1,6 Ltr.	Golf D
	Comp. Height	41,70	1980 --->	Jetta D
	Total Lenght	71,70		Passat D
	Dome Height			Santana D
	Bowl Dept	-1,60		Rabbit D
	Bowl Ø			Quantum D
	Valve Pocket			Transporter/Bus
	Pin Diameter	24,00 / 64,00		245, 247, 251
	Type of Design	**ALFIN**		253, 255
	Piston Ring Thickness	1,75 x 2,0 x 3,0		
			2,4 Ltr.	LT 28, 31, 35, 40
			1978 --->	45, 50 D
				Allrad
			Industrie 068.5	
			Industrie 076.1	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLKSWAGEN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3001010	068107071AD-068107071AP-068107071B 068107071C-068107071G	93 479 600		
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	76,51	1,6 Ltr.	Golf TD
	Comp. Height	41,70		Jetta TD
	Total Lenght	71,70		Passat TD
	Dome Height			Santana TD
	Bowl Dept	-1,60		Rabbit TD
	Bowl Ø			Trasporter Bus 245
	Valve Pocket			247/251/253/255
	Pin Diameter	24,00 / 64,00		1982--->
	Type of Design	**ALFIN**		
	Piston Ring Thickness	1,75 x 2,0 x 3,0		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3001015		93 434 600	029 56 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	76,51	2,4 Ltr.	LT 28/31/25
	Comp. Height	41,70	1983 --->	/40/45/50
	Total Lenght	71,70		TD
	Dome Height			
	Bowl Dept	-1,60		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	24,00 / 64,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	1,75 x 2,0 x 3,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLKSWAGEN

Cenmak Number	Item		O.E.M. Number	Ø mm
3002001	Piston Ring Set Std.		068198151C	76,51
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	1,5 Ltr.	Golf D
			1976 ---> 1980	Passat D
				Rabbit D
	2,00	M		Dasher D
			1,6 Ltr.	Golf D
			1980 --->	Jetta D
	3,00	DSF CR		Passat D
				Santana D
				Rabbit D
				Quantum D
				Transporter/Bus
				245, 247, 251
				253, 255
			1,6 Ltr.	Golf TD
			1982--->	Jetta TD
				Passat TD
				Santana TD
				Rabbit TD
				Trasporter Bus 245
				247/251/253/255
			2,4 Ltr.	LT 28, 31, 35, 40
			1978 --->	45, 50 D
				Allrad
			2,4 Ltr.	LT 28/31/25
			1983 --->	/40/45/50 TD
			Industrie 068.5	
			Industrie 076.1	
			Industrie 068.02, 128	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3001020	068107081AC-068107081AK-068107081AQ	93 541 630	029 55 21	
	068107081E-068107081R-068107081S			
	06810781G-069107081C-075107107E			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	77,01	1,6 Ltr.	Golf TD
	Comp. Height	41,45		Jetta TD
	Total Lenght	71,70		Passat TD
	Dome Height			Santana TD
	Bowl Dept	-1,60		Rabbit TD
	Bowl Ø			Trasporter Bus 245
	Valve Pocket			247/251/253/255
	Pin Diameter	24,00 / 64,00		1982--->
	Type of Design	**ALFIN**		
	Piston Ring Thickness	1,75 x 2,0 x 3,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLKSWAGEN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3001025		93 687 630	029 79 02	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	77,01	1,6 Ltr.	Golf TD
	Comp. Height	41,45		Jetta TD
	Total Lenght	71,70		Passat TD
	Dome Height			Santana TD
	Bowl Dept	-1,60		Rabbit TD
	Bowl Ø			Trasporter Bus 245
	Valve Pocket			247/251/253/255
	Pin Diameter	24,00 / 64,00		1982--->
	Type of Design	**ALFIN**		
	Piston Ring Thickness	1,75 x 2,0 x 3,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
3002020	Piston Ring Set Std.			77,01
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	1,6 Ltr.	Golf D
			1980 --->	Jetta D
				Passat D
	2,00	M		Santana D
				Rabbit D
				Quantum D
	3,00	DSF CR		Transporter/Bus
				245, 247, 251
				253, 255
			1,6 Ltr.	Golf TD
			1982--->	Jetta TD
				Passat TD
				Santana TD
				Rabbit TD
				Trasporter Bus 245
				247/251/253/255
			2,4 Ltr.	LT 28, 31, 35, 40
			1978 --->	45, 50 D
				Allrad
			Industrie 068.5	
			Industrie 076.1	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLKSWAGEN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3003001		89 163 600	029 WV 13	SU351284
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	76,51	1,6 Ltr.	Golf D
	B - Skirt Diameter Ø	79,50	1980 --->	Jetta D
	C - Overall Lenght	145,00		Passat D
	D - Flange Ø	81,50		Santana D
	E - Flange Height	4,70		Rabbit D
	F - Fire Lip			Quantum D
				Transporter/Bus
				245, 247, 251
				253, 255
			1,6 Ltr.	Golf TD
				Jetta TD
				Passat TD
				Santana TD
				Rabbit TD
				Trasporter Bus 245
				247/251/253/255
				1982--->
			2,4 Ltr.	LT 28, 31, 35, 40
			1978 --->	45, 50 D
				Allrad
			2,4 Ltr.	LT 28/31/25
			1983 --->	/40/45/50 TD
			Industrie 068.5	
			Industrie 076.1	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3001030		93 039 600	034 63 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	79,51	1,6 Ltr.	Golf GTI
	Comp. Height	40,70	1976 ---> 1982	Jetta GLI
	Total Lenght	72,70		Scirocco GTI
	Dome Height			Passat GTI
	Bowl Dept	-8,30		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	22,00 / 63,00		
	Type of Design			
	Piston Ring Thickness	1,75 x 2,0 x 4,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLKSWAGEN

Cenmak Number	Item		O.E.M. Number	Ø mm
3002030	Piston Ring Set Std.			79,51
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,75	R CR	1,6 Ltr.	Golf GTI
			1976 ---> 1982	Jetta GLI
				Scirocco GTI
	2,00	M		Passat GTI
	4,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3001035	028107065CF-028107065F-028107101H	91 386 600	029 82 00	
	028107101J-028107101N			
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	79,51	1 X	California, T4
	Comp. Height	39,65	1 Y	Golf III / IV
	Total Lenght	65,70	3 D	Caddy
	Dome Height		AAB	Passat
	Bowl Dept	-1,90	AAB	Vento
	Bowl Ø		AAS	Polo (RA)
	Valve Pocket		AEF	Seat Ibiza
	Pin Diameter	24,00 / 64,00	AJA	Seat Inca
	Type of Design	**ALFIN**	1,9 D	Seat Toledo
	Piston Ring Thickness	1,75 x 2,0 x 3,0	1990 --->	Seat Cordoba
				Skoda Felicia
				Skoda Octavia
				Audi 80, 100

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3001040	028107065H	91 429 600	029 96 00	
	Diamention mm		**Used in Engines**	**Used in Vehicles**
	Diameter Ø	79,51	AAZ	Audi 80
	Comp. Height	45,65	1991 --->	Golf (USA)
	Total Lenght	71,70	Turbo Diesel	Golf III, IV
	Dome Height			Jetta (USA)
	Bowl Dept	-1,90	ABL	Passat, Vento
	Bowl Ø		1992 --->	Passat (USA)
	Valve Pocket		Turbo Diesel	T4, California
	Pin Diameter	26,00 / 66,00	Catalytic converter	Seat Cordoba
	Type of Design	**ALFIN**		Seat Ibiza
	Piston Ring Thickness	1,75 x 2,0 x 3,0		Seat Toledo

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLKSWAGEN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3001045	033 107 065	93 921 600	029 81 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	79,51	KY	Transporter
	Comp. Height	41,70	1986 ---> 1992	Caravella
	Total Lenght	71,70	1.7 D	T2
	Dome Height			
	Bowl Dept	-1,60		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	24,00 / 64,00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	1,75 x 2,0 x 3,0		

Cenmak Number	Item		O.E.M. Number	Ø mm
3002035	Piston Ring Set Std.			79,51
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	1 X	California, T4
			1 Y	Golf III / IV
			3 D	Caddy
	2,00	M	AAB	Passat
			AAB	Vento
			AAS	Polo (RA)
	3,00	DSF CR	AEF	Seat Ibiza
			AJA	Seat Inca
			1,9 D	Seat Toledo
			1990 --->	Seat Cordoba
				Skoda Felicia
				Skoda Octavia
				Audi 80, 100
			AAZ	Audi 80
			1991 --->	Golf (USA)
			Turbo Diesel	Golf III, IV
				Jetta (USA)
			ABL	Passat, Vento
			1992 --->	Passat (USA)
			Turbo Diesel	T4, California
			Catalytic converter	Seat Cordoba
				Seat Ibiza
				Seat Toledo
			KY	Transporter
			1986 ---> 1992	Caravella
			1.7 D	T2

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLKSWAGEN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3003030		89 434 190	029 WV 20	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	79,51	1 X	California, T4
	B - Skirt Diameter Ø	82,50	1 Y	Golf III / IV
	C - Overall Lenght	152,00	3 D	Caddy
	D - Flange Ø	85,50	AAB	Passat
	E - Flange Height	4,70	AAB	Vento
	F - Fire Lip		AAS	Polo (RA)
			AEF	Seat Ibiza
			AJA	Seat Inca
			1,9 D	Seat Toledo
			1990 --->	Seat Cordoba
				Skoda Felicia
				Skoda Octavia
				Audi 80, 100
			AAZ	Audi 80
			1991 --->	Golf (USA)
			Turbo Diesel	Golf III, IV
				Jetta (USA)
			ABL	Passat, Vento
			1992 --->	Passat (USA)
			Turbo Diesel	T4, California
			Catalytic converter	Seat Cordoba
				Seat Ibiza
				Seat Toledo

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3001050	026107065A-026107065M	93 872 600	034 76 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,01	1,6 Ltr.	Audi 80
	Comp. Height	35,60	1 F	Caddy
	Total Lenght	66,80	ABM	Golf
	Dome Height	2,20	ABN	Golf II
	Bowl Dept	-2,30	DT	Golf III
	Bowl Ø		EW	Jetta
	Valve Pocket		EZ	Passat
	Pin Diameter	20,00 / 57,00	EZA	Polo
	Type of Design		JU	Santana
	Piston Ring Thickness	1,50 x 1,75 x 3,0	PN	Scirocco
			RE	Seat CordobA
			RF	Seat Ibiza
				Seat Inca
				Seat Toleda
				Skoda Felicia

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLKSWAGEN

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3001050	026107065B-026107065D	93 928 600	034 75 00	
	026107065P-026107065R			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,01	1.8 Ltr.	Seat Toledo
	Comp. Height	32,20	1 P 2 H	Audi 80, 90, 100
	Total Lenght	62,50	ABS, ADZ	Golf (CH)
	Dome Height	1,30	DS, DX, DZ	Jetta (CH)
	Bowl Dept	-4,40	EV, GU, GX	Jetta, Golf II, III
	Bowl Ø		GZ, HT, HV	Santana
	Valve Pocket		JH, JV, KT	Scirocco
	Pin Diameter	20,00 / 57,00	NE, PB, PF	Seat Cordoba
	Type of Design		RH	Seat Ibiza
	Piston Ring Thickness	1,50 x 1,75 x 3,0		Vento

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3001055	026107065C-026107065Q-026107065H	93 875 600	034 78 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,01	1.8 Ltr.	Jetta
	Comp. Height	32,20	AAM	Golf II, III
	Total Lenght	62,50	ADF	Passat
	Dome Height	1,30	DR	Santana
	Bowl Dept	-8,10	JN	Vento
	Bowl Ø		MG	Audi 80, 90, 100
	Valve Pocket		PM	Audi 4000 (USA)
	Pin Diameter	20,00 / 57,00	RP	Audi Fox (USA)
	Type of Design		RU	Quantum
	Piston Ring Thickness	1,50 x 1,75 x 3,0	SF	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3001060	026107065E	93 871 600	034 53 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	81,01	2.0 Ltr.	Audi 80, 90, 100
	Comp. Height	35,60	ABB	Passat
	Total Lenght	66,80	JS	Santana
	Dome Height	2,20	KP	
	Bowl Dept		PS	
	Bowl Ø		RT	
	Valve Pocket			
	Pin Diameter	20,00 / 57,00		
	Type of Design			
	Piston Ring Thickness	1,50 x 1,75 x 3,0		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLKSWAGEN

Cenmak Number	Item		O.E.M. Number	Ø mm
3002050	Piston Ring Set Std.			80,01
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,75	R CR	1,6 Ltr.	Audi 80
			1 F	Caddy
			ABM	Golf
	2,00	M	ABN	Golf II
			DT	Golf III
			EW	Jetta
	3,00	DSF CR	EZ	Passat
			EZA	Polo
			JU	Santana
			PN	Scirocco
			RE	Seat CordobA
			RF	Seat Ibiza
				Seat Inca
				Seat Toleda
				Skoda Felicia
			1.8 Ltr.	Seat Toledo
			1 P 2 H	Audi 80, 90, 100
			ABS, ADZ	Golf (CH)
			DS, DX, DZ	Jetta (CH)
			EV, GU, GX	Jetta, Golf II, III
			GZ, HT, HV	Santana
			JH, JV, KT	Scirocco
			NE, PB, PF	Seat Cordoba
			RH	Seat Ibiza
				Vento
			1.8 Ltr.	Jetta
			AAM	Golf II, III
			ADF	Passat
			DR	Santana
			JN	Vento
			MG	Audi 80, 90, 100
			PM	Audi 4000 (USA)
			RP	Audi Fox (USA)
			RU	Quantum
			SF	
			2.0 Ltr.	Audi 80, 90, 100
			ABB, JS	Passat
			KP, PS, RT	Santana

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801001	272085-272086	90 732 600	029 79 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	76,50	D 24	240 D6
	Comp. Height	71,70		244 D6
	Total Lenght			245 D6
	Dome Height			740 D6
	Bowl Dept	- 1.60		760 D6
	Bowl Ø			01.1979 -->
	Valve Pocket			
	Pin Diameter	24.00 / 64.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	1.75 x 2.00 x 3.00		

Cenmak Number	Item		O.E.M. Number	Ø mm
3802001	Piston Ring Set Std.			76,50
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	D 24	240 D6
				244 D6
				245 D6
	2,00	M		740 D6
				760 D6
				01.1979 -->
	3,00	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3803001		89 163 190	029 WV 13	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	76,50	D 24	240 D6
	B - Skirt Diameter Ø	79,50		244 D6
	C - Overall Lenght	145,00		245 D6
	D - Flange Ø	81,50		740 D6
	E - Flange Height	4,70		760 D6
	F - Fire Lip			01.1979 -->

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801005	275 024-275 037-275 037	91 355 600	037 41 90	
	727 502-727 502 4-727 503			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	95,25	D 50 A/B	F 84
Comp. Height	79,40	1968 --> 1974	F 85
Total Lenght	124,40		
Dome Height		TD 50 A/B	F84
Bowl Dept	- 24.20	1965 --> 1975	F 85
Bowl Ø			
Valve Pocket			
Pin Diameter	40.00 / 77.30		
Type of Design	**ALFIN**		
Piston Ring Thickness	2.38x3.16x3.16x4.747		

Cenmak Number	Item		O.E.M. Number	Ø mm
3802005	Piston Ring Set Std.			95,25
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	D 50 A/B	F 84
			1968 --> 1974	F 85
	3,16	M	TD 50 A/B	F84
			1965 --> 1975	F 85
	3,16	M		
	4,75	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801010	411650-411653-411654-411655	91 357 600	037 39 00	A351171
	411656-411657-503326			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	95,25	D 50 A/B	F 84
Comp. Height	79,40	1968 --> 1974	F 85
Total Lenght	124,40		
Dome Height		TD 50 A/B	F84
Bowl Dept	- 24.20	1965 --> 1975	F 85
Bowl Ø			
Valve Pocket			
Pin Diameter	40.00 / 77.30		
Type of Design	**ALFIN**		
Piston Ring Thickness	2.38x3.16x3.16x4.747x4.747		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	Item		O.E.M. Number	Ø mm
3802010	Piston Ring Set Std.			95,25
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R	D 50 A/B	F 84
			1968 --> 1974	F 85
	3,16	M	TD 50 A/B	F84
			1965 --> 1975	F 85
	3,16	M		
	4,75	DSF		
	4,75	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3803010	420090-420094	88 470 110	037 WN 06	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	95,25	D 50 A/B	F 84
	B - Skirt Diameter Ø	108,00	1968 --> 1974	F 85
	C - Overall Lenght	234,50		
	D - Flange Ø	117,10	TD 50 A/B	F84
	E - Flange Height	11,61	1965 --> 1975	F 85
	F - Fire Lip	0,73		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801015	270566	93 114 600	037 64 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	96,00	B 230 A/K	240
	Comp. Height	39,70	B 230 E	740
	Total Lenght	64,70		240 GLE
	Dome Height			740 GLE
	Bowl Dept	- 0.60		760 GRE
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23.00 / 65.00		
	Type of Design			
	Piston Ring Thickness	1.75 x 1.75 x 3.50		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801020	271329-272122	93 116 600	037 66 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	96,00	B 230 F	240 GLE
	Comp. Height	39,70		740 GLE
	Total Lenght	64,70		760 GLE
	Dome Height			
	Bowl Dept	- 2.20		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	23.00 / 65.00		
	Type of Design			
	Piston Ring Thickness	1.75 x 1.75 x 3.50		

Cenmak Number	Item		O.E.M. Number	Ø mm
3802015	Piston Ring Set Std.			96,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	1,75	R CR	B 230 A/K	240
			B 230 E	740
				240 GLE
	1,75	M		740 GLE
				760 GRE
	3,5	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801025	275049-275065-275388	93 154 600	037 43 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,43	TD 60 A	F 613
	Comp. Height	79,40		1975 --> 1978
	Total Lenght	124,40		
	Dome Height			
	Bowl Dept	- 23.80		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	40.00 / 77.20		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38 x 3.16 x 4.75		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801030	465290	93 153 600	037 44 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,43	D 60	F 609
	Comp. Height	79,40		F 611
	Total Lenght	124,40		680
	Dome Height			846
	Bowl Dept	- 22.15		1975 -->
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	40.00 / 77.20		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38 x 3.16 x 4.75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801035	275057-275066-275389	93 474 600	037 42 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	98,43	TD 60	F 610, F 611
	Comp. Height	79,40	1978 --> 1985	F 612, 200 CH
	Total Lenght	124,40		F 613, F 614
	Dome Height		TD 60 C	F 615, F 616
	Bowl Dept	- 21.80	1978 --> 1985	B 6 FA
	Bowl Ø			
	Valve Pocket		TD 61 G/S	
	Pin Diameter	40.00 / 77.20	TD 61 F	
	Type of Design	**ALFIN**	1986 -->	
	Piston Ring Thickness	2.38 x 3.16 x 4.75		

Cenmak Number	Item		O.E.M. Number	Ø mm
3802025	Piston Ring Set Std.			98,43
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,16	R CR	TD 60 A	680, 846
			1975 --> 1978	B 6 FA
				F 609, F 611
	2,38	M CR	D 60	F 610, F 611
			1975 -->	F 612, 200 CH
				F 613, F 614
	4,75	DSF CR	TD 60	F 615, F 616
			1978 --> 1985	
			TD 60 C	
			1978 --> 1985	
			TD 61 F/G/S	
			1986 -->	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3803025	420534-465808	89 352 110	037 WN 27	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	98,43	TD 60 A	F 613
	B - Skirt Diameter Ø	110,00		1975 --> 1978
	C - Overall Lenght	237,40		
	D - Flange Ø	119,10	TD 60	F 610, F 611
	E - Flange Height	9,66	1978 --> 1985	F 612, 200 CH
	F - Fire Lip	3,60		F 613, F 614
			TD 60 C	F 615, F 616
			1978 --> 1985	B 6 FA
			TD 61 G/S	
			TD 61 F	
			1986 -->	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3803030	465 170 P 06	89 016 110	037 WN 07	14 400 510
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	98,43	TD 60 A	F 613
	B - Skirt Diameter Ø	110,00		1975 --> 1978
	C - Overall Lenght	234,50		
	D - Flange Ø	119,10	D 60	F 609, F 611
	E - Flange Height	11,61		680, 846
	F - Fire Lip	0,73		1975 -->
			TD 60	F 610, F 611
			1978 --> 1985	F 612, 200 CH
				F 613, F 614
			TD 60 C	F 615, F 616
			1978 --> 1985	B 6 FA
			TD 61 G/S	
			TD 61 F	
			1986 -->	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801100				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	104,77	TD 70 A	F 86
	Comp. Height	88,45	TD 70 B	FB 86
	Total Lenght	141,05	TD 70 C	N 7
	Dome Height		TD 70 E	
	Bowl Dept	- 26.20		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	45.00 / 85.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x3.16x4.75x4.75		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801105				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	104,77	TD 70 A	F 86
	Comp. Height	88,45	TD 70 B	FB 86
	Total Lenght	141,05	TD 70 C	N 7
	Dome Height		TD 70 E	
	Bowl Dept	- 26.20		
	Bowl Ø			
	Valve Pocket	- 1.00		
	Pin Diameter	45.00 / 85.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x3.16x4.75x4.75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801110	466070-466071-466072-466073	91 354 600	037 53 00	A350133
	466074-466075-466076-7466070			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	104,77	D 70 A/B	N 86
	Comp. Height	88,45	MD 70 B	F 86
	Total Lenght	141,05		1965 -->1975
	Dome Height			
	Bowl Dept	- 26.70		
	Bowl Ø	55.00		
	Valve Pocket			
	Pin Diameter	45.00 / 85.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x3.16x4.75x4.75		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801115	421110-421111-421112-421113-421114 421115-466080-466081-466082-466083 466084-466085-466086-533124	91 353 600	037 54 10	A350130



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	104,77	D 70 A/B	N 86
Comp. Height	88,45	MD 70 B	F 86
Total Lenght	141,05		1965 -->1975
Dome Height			
Bowl Dept	- 26.20		
Bowl Ø	60.00		
Valve Pocket			
Pin Diameter	45.00 / 85.00		
Type of Design	**ALFIN**		
Piston Ring Thickness	2.38x3.16x3.16x4.75x4.75		

Cenmak Number	Item		O.E.M. Number	Ø mm
3802100	Piston Ring Set Std.			104,75

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	TD 70 A	F 86
			TD 70 B	FB 86
			TD 70 C	N 7
	3,16	M	TD 70 E	
			D 70 A/B	N 86
	3,16	M	MD 70 B	F 86
				1965 -->1975
	4,75	D		
	4,75	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801120				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	104,77	TD 70 ES	F 86
	Comp. Height	88,45		F 7
	Total Lenght	141,05		N 7
	Dome Height			
	Bowl Dept	- 26.20		
	Bowl Ø			
	Valve Pocket	- 1.00		
	Pin Diameter	45.00 / 85.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x3.16x4.75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801125	466320-466321-466322-466323	93 166 600	037 55 10	A350157
	466324-466325-466326			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	104,77	TD 70 ES	F 86
	Comp. Height	88,45		F 7
	Total Lenght	141,05		N 7
	Dome Height			
	Bowl Dept	- 26.20		
	Bowl Ø	60.00		
	Valve Pocket	- 1.00		
	Pin Diameter	45.00 / 85.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x3.16x4.75		

Cenmak Number	Item		O.E.M. Number	Ø mm
3802120	Piston Ring Set Std.			104,75
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	TD 70 ES	F 86
				F 7
				N 7
	3,16	M		
	3,16	M		
	4,75	DSF		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801130				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	104,77	TD 71 G/F/S	F 7
	Comp. Height	88,45	1985 -->	B 57
	Total Lenght	141,00		
	Dome Height			
	Bowl Dept	- 20.95		
	Bowl Ø	64.90		
	Valve Pocket	- 1.00		
	Pin Diameter	45.00 / 85.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x4.75		

Cenmak Number	Item		O.E.M. Number	Ø mm
3802130	Piston Ring Set Std.			104,75
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	TD 71 G/F/S	F 7
			1985 -->	B 57
	3,16	M		
	4,75	DSF		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3803100	421430P04-421431A-421432D-421433C 421434D-421435E-466260A-466261A 466260PO3-466260P05-466262B-466263C 466264D-466265E-466266F	88 868 110	037 WN 11	14 573 140



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	104,75	TD 70 A	F 86
B - Skirt Diameter Ø	117,00	TD 70 B	FB 86
C - Overall Lenght	257,00	TD 70 C	N 7
D - Flange Ø	127,00	TD 70 E	
E - Flange Height	11,66		
F - Fire Lip	0,73	D 70 A/B	N 86
		MD 70 B	F 86
			1965 -->1975
		TD 70 ES	F 86
			F 7
			N 7

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3803105	471710	89 370 110	037 WN 26	SJ351291



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	104,75	TD 71 G/F/S	F 7
B - Skirt Diameter Ø	117,00	1985 -->	B 57
C - Overall Lenght	259,00		
D - Flange Ø	127,00		
E - Flange Height	9,63		
F - Fire Lip	3,52		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801200	422530-422531-422532-422533 422534-422535-422536	91 359 600	037 74 00	A350131
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	120,65	TD 100 A	N 88, F 88, NB 88
	Comp. Height	109,45	1965 --> 1975	FB 88, N10
	Total Lenght	166,45		
	Dome Height		TD 100 D	B 10, B 58, B 59
	Bowl Dept	- 27.65	1975 --> 1982	300 CH, 400 CH
	Bowl Ø	71.00		
	Valve Pocket	- 1.00 / - 1.30		
	Pin Diameter	52.00 / 106.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x3.16x4.75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801205	275038	91 360 600	037 73 00	A350132
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	120,65	D 100 A/B	N 88, F 88
	Comp. Height	109,45	MD 100 B	LN 88, LF 88
	Total Lenght	166,45	HD 100 A	
	Dome Height		1965 --->	
	Bowl Dept	- 29.15		
	Bowl Ø	71.00	THD 100 A	B 58, B 59
	Valve Pocket	- 1.00	TMD 100 A	
	Pin Diameter	52.00 / 106.00	1969 --> 1974	
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x3.16x4.75		

Cenmak Number	Item		O.E.M. Number	Ø mm
3802200	Piston Ring Set Std.			120,65
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	TD 100 A	N 88, F 88, NB 88
			1965 --> 1975	FB 88, N10
	3,16	M	TD 100 D	B 10, B 58, B 59
			1975 --> 1982	300 CH, 400 CH
	3,16	M	D 100 A/B	N 88, F 88
			MD 100 B	LN 88, LF 88
			HD 100 A	
	4,75	DSF CR	1965 --->	
			THD 100 A	B 58, B 59
			TMD 100 A	1969 --> 1974

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3803200	422090P06-422093-540167	88 476 110	037 WN 18	SJ351088
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	120,65	TD 100 A	N 88, F 88, NB 88
	B - Skirt Diameter Ø	134,00	1965 --> 1975	FB 88, N10
	C - Overall Lenght	294,00		
	D - Flange Ø	147,00	TD 100 D	B 10, B 58, B 59
	E - Flange Height	11,74	1975 --> 1982	300 CH, 400 CH
	F - Fire Lip	0,80		
			D 100 A/B	N 88, F 88
			MD 100 B	LN 88, LF 88
			HD 100 A	
			1965 --->	
			THD 100 A	B 58, B 59
			TMD 100 A	
			1969 --> 1974	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801210	422910-469920	93 660 600	037 77 10	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	120,65	THD 100 D/EB	B 10, 400 CH
	Comp. Height	109,45	1982 -->	
	Total Lenght	166,45		
	Dome Height		THD 101 KB/KC	B 10, C 10
	Bowl Dept	- 22.20	1984 -->	
	Bowl Ø	74,00		
	Valve Pocket	- 1.95		
	Pin Diameter	52.00 / 106.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x4.75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801215				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	120,65	THD 100 D/EB	B 10, 400 CH
	Comp. Height	109,45	1982 -->	
	Total Lenght	166,45		
	Dome Height			
	Bowl Dept	- 22.20		
	Bowl Ø	74,00		
	Valve Pocket	- 1.95		
	Pin Diameter	52.00 / 106.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x4.75		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801220	275068-275077-275083-275396	93 734 600	037 76 90	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	120,65	TD 100 F/G	F 10, N 10
	Comp. Height	109,40	TD 101 G	
	Total Lenght	166,40	1981 --> 1986	
	Dome Height			
	Bowl Dept	- 23.15	TD 101 F/FA/FD	F10 Intercoller
	Bowl Ø	76,00	1983 --> 1986	
	Valve Pocket	- 1.90		
	Pin Diameter	52.00 / 106.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x4.75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801225	422534-467420-467421-467422	93 334 600	037 75 00	A350158
	467423-467424-467425-467426			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	120,65	TD 100 B/BG	F 10, N 10
	Comp. Height	109,40	1976 --> 1980	F 88, FB 88
	Total Lenght	166,40		
	Dome Height			
	Bowl Dept	- 28.00		
	Bowl Ø	76,00		
	Valve Pocket	- 2.90		
	Pin Diameter	52.00 / 106.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x4.75		

Cenmak Number	Item		O.E.M. Number	Ø mm
3802210	Piston Ring Set Std.			120,65
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	THD 100 D/EB	B 10, 400 CH
			1982 -->	
			THD 101 KB/KC	B 10, C 10
	3,16	M CR	1984 -->	
			TD 100 F/G	F 10, N 10
			TD 101 G	
	4,75	DSF CR	1981 --> 1986	
			TD 101 F/FA/FD	F10 Intercoller
			1983 --> 1986	
			TD 100 B/BG	F 10, N 10
			1976 --> 1980	F 88, FB 88

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801230				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	120,65		
	Comp. Height	109,45		
	Total Lenght	166,45		
	Dome Height			
	Bowl Dept	- 24.20		
	Bowl Ø	76,00		
	Valve Pocket	- 2.15		
	Pin Diameter	52.00 / 106.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	3.50 x 3.50 x 4.74		

Cenmak Number	Item		O.E.M. Number	Ø mm
3802230	Piston Ring Set Std.			120,65
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,50	T CR		
	3,50	T CR		
	4,75	DSF CR		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3803210	1545045	89 175 110	037 WN 23	SJ351216V1
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	120,65	THD 100 D/EB	B 10, 400 CH
	B - Skirt Diameter Ø	134,00	1982 -->	
	C - Overall Lenght	296,50		
	D - Flange Ø	147,00	THD 101 KB/KC	B 10, C 10
	E - Flange Height	11,52	1984 -->	
	F - Fire Lip	3,50		
			TD 100 F/G	F 10, N 10
			TD 101 G	
			1981 --> 1986	
			TD 101 F/FA/FD	F10 Intercoller
			1983 --> 1986	
			TD 100 B/BG	F 10, N 10
			1976 --> 1980	F 88, FB 88

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3803220	467380P06	89 087 110	037 WN 21	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	120,65	TD 100 B/BG	F 10, N 10
	B - Skirt Diameter Ø	134,00	1976 --> 1980	F 88, FB 88
	C - Overall Lenght	294,00		
	D - Flange Ø	147,00		
	E - Flange Height	11,74		
	F - Fire Lip	0,80		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3803230	479600-479604	89 427 110	037 WN 34	SJ351294
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	120,65	THD 100 D/EB	B 10, 400 CH
	B - Skirt Diameter Ø	134,00	1982 -->	
	C - Overall Lenght	296,50		
	D - Flange Ø	147,00	THD 101 KB/KC	B 10, C 10
	E - Flange Height	11,52	1984 -->	
	F - Fire Lip	3,50		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801360	275634	90 081 600	038 05 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	130,17	TD 122 F (USA)	
	Comp. Height	109,45	TD 122 FH	
	Total Lenght	175,20	TD 122 FL	
	Dome Height			
	Bowl Dept	- 24.12		
	Bowl Ø	79,00		
	Valve Pocket	- 2.60		
	Pin Diameter	55.00 / 114.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x4.75		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801300	423310-468750-468751-468752 468753-468754-468755-468756-468757	93 250 600	037 82 00	A350186
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	130,17	TD 120 A	F 89, N 12
	Comp. Height	114,20	1970 --> 1975	
	Total Lenght	175,20		
	Dome Height		TD 120 A	H 12, CH 230
	Bowl Dept	- 31.55	TMD 120 A	
	Bowl Ø	75,00	1977 --> 1981	
	Valve Pocket	- 1.90		
	Pin Diameter	55.00 / 114.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x4.75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801305	423310-468750-468751-468752 468753-468754-468755-468756-468757	93 250 600	037 82 00	A350186
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	130,17	TD 120 A	F 89, N 12
	Comp. Height	114,20	1970 --> 1975	
	Total Lenght	175,20		
	Dome Height		TD 120 A	H 12, CH 230
	Bowl Dept	- 31.55	TMD 120 A	
	Bowl Ø	75,00	1977 --> 1981	
	Valve Pocket	- 1.90		
	Pin Diameter	55.00 / 114.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x4.75	TOP IS LONG TYPE	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801310	468590-468591-468592-468593 468594-468595-468596-468597	93 249 600	037 83 00	A350307
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	130,17	TD 120 C/D/E	F 12, 230 CH
	Comp. Height	114,20	TAMD 120 D	1977 --> 1981
	Total Lenght	175,20		
	Dome Height			
	Bowl Dept	- 27.10		
	Bowl Ø	83,00		
	Valve Pocket	- 2.60		
	Pin Diameter	55.00 / 114.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x4.75		
Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801315	468590-468591-468592-468593 468594-468595-468596-468597	93 249 600	037 83 00	A350307
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	130,17	TD 120 C/D/E	F 12, 230 CH
	Comp. Height	114,20	TAMD 120 D	1977 --> 1981
	Total Lenght	175,20		
	Dome Height			
	Bowl Dept	- 27.10		
	Bowl Ø	83,00		
	Valve Pocket	- 2.60		
	Pin Diameter	55.00 / 114.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x4.75		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801320	470170-470174-470954-478181	93 369 700	038 01 00	
	478182-478191-478192			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	130,17	TD 120 G	F 12, N 10
	Comp. Height	114,20	1980 --> 1986	N 12, CH 230
	Total Lenght	175,20		
	Dome Height		TD 120 F	F12 Intercoller
	Bowl Dept	- 27.90	TD 121 F	CH 230
	Bowl Ø	79,00	1979 --> 1988	
	Valve Pocket	- 2.60		
	Pin Diameter	55.00 / 114.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x4.75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801325	470170-470174-470954-478181	93 369 700	038 01 00	
	478182-478191-478192			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	130,17	TD 120 G	F 12, N 10
	Comp. Height	114,20	1980 --> 1986	N 12, CH 230
	Total Lenght	175,20		
	Dome Height		TD 120 F	F12 Intercoller
	Bowl Dept	- 27.90	TD 121 F	CH 230
	Bowl Ø	79,00	1979 --> 1988	
	Valve Pocket	- 2.60		
	Pin Diameter	55.00 / 114.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x4.75	TOP IS LONG TYPE	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801330	478101-478102-478110	90 924 600	038 04 00	
	478190-478191-6770			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	130,17	TD 122 F	F 12
	Comp. Height	114,20	TD 122 FS	FS 10
	Total Lenght	175,20	1987 -->	FS 12
	Dome Height			
	Bowl Dept	- 25.40		
	Bowl Ø	79,00		
	Valve Pocket	- 2.60		
	Pin Diameter	55.00 / 114.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x4.75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801335	478101-478102-478110	90 924 600	038 04 00	
	478190-478191-6770			
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	130,17	TD 122 F	F 12
	Comp. Height	114,20	TD 122 FS	FS 10
	Total Lenght	175,20	1987 -->	FS 12
	Dome Height			
	Bowl Dept	- 25.40		
	Bowl Ø	79,00		
	Valve Pocket	- 2.60		
	Pin Diameter	55.00 / 114.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x4.75	TOP IS LONG TYPE	

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801340	275635	90 925 600	038 01 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	130,17	TD 121 G/GD	F 12, N 12
	Comp. Height	114,20	07.1986 -->	
	Total Lenght	175,20		
	Dome Height			
	Bowl Dept	- 27.90		
	Bowl Ø	79,00		
	Valve Pocket	- 2.60		
	Pin Diameter	55.00 / 114.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x4.75		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801345	275635	90 925 600	038 01 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	130,17	TD 121 G/GD	F 12, N 12
	Comp. Height	114,20	07.1986 -->	
	Total Lenght	175,20		
	Dome Height			
	Bowl Dept	- 27.90		
	Bowl Ø	79,00		
	Valve Pocket	- 2.60		
	Pin Diameter	55.00 / 114.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x4.75	TOP IS LONG TYPE	
Cenmak Number	Item		O.E.M. Number	Ø mm
3802300	Piston Ring Set Std.			130,17
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	TD 122 F (USA)	
			TD 122 FH	
			TD 122 FL	
	3,16	M CR		
			TD 120 G	F 12, N 10
			1980 --> 1986	N 12, CH 230
	4,75	DSF CR		
			TD 120 F	F12 Intercoller
			TD 121 F	CH 230
			1979 --> 1988	
			TD 120 A	F 89, N 12
			1970 --> 1975	
			TD 120 A	H 12, CH 230
			TMD 120 A	
			1977 --> 1981	
			TD 122 F	F 12
			TD 122 FS	FS 10
			1987 -->	FS 12
			TD 121 G/GD	F 12, N 12
			07.1986 -->	
			TD 120 C/D/E	F 12, 230 CH
			TAMD 120 D	1977 --> 1981

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801350	423370	92 644 600	037 80 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	130,17	D 120 D	F 88, F 89
	Comp. Height	114,20	1970 -->	
	Total Lenght	175,20		
	Dome Height			
	Bowl Dept	- 31.74		
	Bowl Ø	75.00		
	Valve Pocket	- 1.90		
	Pin Diameter	55.00 / 114.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x3.16x4.75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3801355	423370	92 644 600	037 80 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	130,17	D 120 D	F 88, F 89
	Comp. Height	114,20	1970 -->	
	Total Lenght	175,20		
	Dome Height			
	Bowl Dept	- 31.74		
	Bowl Ø	75,00		
	Valve Pocket	- 1.90		
	Pin Diameter	55.00 / 114.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x3.16x4.75	TOP IS LONG TYPE	

Cenmak Number	Item		O.E.M. Number	Ø mm
3802350	Piston Ring Set Std.			130,17
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	D 120 D	F 88, F 89
			1970 -->	
	3,16	M		
	3,16	M		
	4,75	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3803300	275051-468836-540351-545671	89 084 110	037 WN 22	SJ351115V1
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	130,17	TD 120 A	F 89, N 12
	B - Skirt Diameter Ø	143,90	1970 --> 1975	
	C - Overall Lenght	311,00		
	D - Flange Ø	157,60	TD 120 A	H 12, CH 230
	E - Flange Height	13,52	TMD 120 A	1977 --> 1981
	F - Fire Lip	0,76		
			D 120 D	F 88, F 89
			1970 -->	
			TD 121 G/GD	F 12, N 12
			07.1986 -->	
			TD 120 G	F 12, N 10
			1980 --> 1986	N 12, CH 230
			TD 120 F	F12 Intercoller
			TD 121 F	CH 230
			1979 --> 1988	
			TD 120 C/D/E	F 12, 230 CH
			TAMD 120 D	1977 --> 1981

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
3803310	470286	89 328 110	037 WN 25	SJ351295
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	130,17	TD 122 F (USA)	
	B - Skirt Diameter Ø	143,90	TD 122 FH	
	C - Overall Lenght	311,00	TD 122 FL	
	D - Flange Ø	157,60		
	E - Flange Height	10,52	TD 121 G/GD	F 12, N 12
	F - Fire Lip	0,70	07.1986 -->	
				
			TD 120 G	F 12, N 10
			1980 --> 1986	N 12, CH 230
			TD 120 F	F12 Intercoller
			TD 121 F	CH 230
			1979 --> 1988	
			TD 120 C/D/E	F 12, 230 CH
			TAMD 120 D	1977 --> 1981

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO / BM

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
33101001	787044	93 371 600	331 10 00	350078
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	105,57	D 42	Tractor 650
	Comp. Height	84,1	1970 --> 1975	LM 621
	Total Lenght	135,1		
	Dome Height			
	Bowl Dept	- 23.10		
	Bowl Ø	54,5		
	Valve Pocket			
	Pin Diameter	40.00 / 88.00		
	Type of Design			
	Piston Ring Thickness	2.38x3.16x3.16x4.75		
Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
33101005	787808	93 173 600	331 08 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	105,57	D 42	Tractor 650
	Comp. Height	84,1	1976 -->	LM 621
	Total Lenght	135,1		
	Dome Height			
	Bowl Dept	- 23.10		
	Bowl Ø	54,5		
	Valve Pocket			
	Pin Diameter	42.00 / 87.00		
	Type of Design			
	Piston Ring Thickness	2.38x3.16x3.16x4.75		
Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
33101010	787802	93 174 700	331 09 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	105,57	TD 42	
	Comp. Height	84,1		
	Total Lenght	135,1		
	Dome Height			
	Bowl Dept	- 24.85		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	42.00 / 87.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x3.16x4.75		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO / BM

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
33101015		93 544 600	331 12 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	105,57	D 45	Bagger 616 B
	Comp. Height	80,10		1980 -->
	Total Lenght	131,10		
	Dome Height			
	Bowl Dept	- 23.50		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	42.00 / 87.00		
	Type of Design			
	Piston Ring Thickness	2.38x3.16x3.16x4.75		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
33101020		93 545 600	331 06 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	105,57	TD 45	Bagger 646
	Comp. Height	80,10	1980 --->	Radlager 4300
	Total Lenght	131,10		
	Dome Height			
	Bowl Dept	- 19.70		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	42.00 / 87.00		
	Type of Design	**ALFIN**		
	Piston Ring Thickness	2.38x3.16x3.16x4.75		

Cenmak Number	Item		O.E.M. Number	Ø mm
33102001	Piston Ring Set Std.			105,57

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	D 42	Tractor 650
			1970 --> 1975	LM 621
	3,16	M	D 42	Tractor 650
			1976 -->	LM 621
	3,16	M	TD 42	
			D 45	Bagger 616 B
	4,75	DSF CR		1980 -->
			TD 45	Bagger 646
			1980 --->	Radlager 4300

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO / BM

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
33103001	785928-785929-1191	88 602 110	331 WN 02	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	105,57	D 42	Tractor 650
	B - Skirt Diameter Ø	118,00	1970 --> 1975	LM 621
	C - Overall Lenght	245,00	D 42	Tractor 650
	D - Flange Ø	127,50	1976 -->	LM 621
	E - Flange Height	14,10	TD 42	
	F - Fire Lip	0,70	D 45	Bagger 616 B
				1980 -->
			TD 45	Bagger 646
			1980 --->	Radlager 4300

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
33101030	781218	90 147 600	331 11 00	350081
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	111,13	1113	Tractor 350, 470
	Comp. Height	85,50	1114	
	Total Lenght	148,50		
	Dome Height			
	Bowl Dept	- 26.50		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	40.00 / 90.30		
	Type of Design			
	Piston Ring Thickness	2.38x3.16x3.16x4.75x4.75		

Cenmak Number	Item		O.E.M. Number	Ø mm
33102030	Piston Ring Set Std.			111,13
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R CR	1113	Tractor 350, 470
			1114	
	3,16	M		
	3,16	M		
	4,75	DSF CR		
	4,75	DSF CR		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

VOLVO / BM

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
33103030	772797	88 045 110	331 WN 03	
	780565			



Diamention mm		Used in Engines	Used in Vehicles
A - Inside Diameter Ø	111,13	1113	Tractor 350, 470
B - Skirt Diameter Ø	126,00	1114	
C - Overall Lenght	258,50		
D - Flange Ø	132,00		
E - Flange Height	14,08		
F - Fire Lip	0,70		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

WESTINGHOUSE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20501001	7922000064-4110046202	91 362 600	205 18 00	
	4115036202-7922000064			
	1300117-1300417			

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	60,00	79 P 4	
	Comp. Height	27,00	187 P 4	
	Total Lenght	54,00		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	15.00 / 46.00		
	Type of Design			
	Piston Ring Thickness	2.50 x 2.50 x 4.00		

Cenmak Number	Item		O.E.M. Number	Ø mm
20502001	Piston Ring Set Std.			60,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	M	79 P 4	
			187 P 4	
	2,50	M		
	4,00	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20501005				

	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	75	HDR	
	Comp. Height	35	HDS	
	Total Lenght	65	1979 -->	
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	15.00 / 46.00		
	Type of Design			
	Piston Ring Thickness	1.75 x 2.00 x 4.00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

WESTINGHOUSE

Cenmak Number	Item		O.E.M. Number	Ø mm
20502005	Piston Ring Set Std.			75,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	1,75	R	HDR HDS 1979 -->	
	2,00	M		
	4,00	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20501010		91 368 600	205 24 00	



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	75,00		
Comp. Height	35,00		
Total Lenght	65,00		
Dome Height			
Bowl Dept			
Bowl Ø			
Valve Pocket			
Pin Diameter	15.00 / 46.00		
Type of Design			
Piston Ring Thickness	3.00x3.00x3.00x5.00		

Cenmak Number	Item		O.E.M. Number	Ø mm
20502010	Piston Ring Set Std.			75,00
Ring Type	**Diamention mm**		**Used in Engines**	**Used in Vehicles**
	3,00	M		
	3,00	M		
	3,00	M		
	5,00	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

WESTINGHOUSE				
Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20501015	5322000064-4110036202-4110036212 4110416202-4110416222-4115016202 4115226202-4115226212-4115226222 5322000064-8701335582 1300017-248368	91 367 600	205 26 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	75,00		
	Comp. Height	35,00		
	Total Lenght	65,00		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	15.00 / 46.00		
	Type of Design			
	Piston Ring Thickness	3.00 x 3.00 x 5.00		
Cenmak Number	Item		O.E.M. Number	Ø mm
20502015	Piston Ring Set Std.			75,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R		
	3,00	M		
	5,00	D		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

WESTINGHOUSE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20501020				
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	75,00		
	Comp. Height	35,00		
	Total Lenght	65,00		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	15.87 / 60.50		
	Type of Design			
	Piston Ring Thickness	2.38 x 2.38 x 3.947		

Cenmak Number	Item		O.E.M. Number	Ø mm
20502020	Piston Ring Set Std.			75,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,38	R		
	2,38	M		
	3,95	D		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20501025	4111426202	94 086 600	205 37 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	90,00	NDR	
	Comp. Height	32,00	05.1981 --->	
	Total Lenght	62,00		
	Dome Height			
	Bowl Dept			
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	20.00 / 60.00		
	Type of Design			
	Piston Ring Thickness	2.50 x 2.50 x 4.00		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

WESTINGHOUSE

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
20501030	4110426204-4110426202-4110576202	92 353 600	205 36 00	
	1300817-1301117			



Diamention mm		Used in Engines	Used in Vehicles
Diameter Ø	90,00	411 010	
Comp. Height	37,00	411 012	
Total Lenght	67,00	411 026	
Dome Height		411 034	
Bowl Dept		411 043	
Bowl Ø		411 510	
Valve Pocket		1965 -->	
Pin Diameter	20.00 / 60.00		
Type of Design			
Piston Ring Thickness	2.50 x 2.50 x 4.00		

Cenmak Number	Item		O.E.M. Number	Ø mm
20502030	Piston Ring Set Std.			90,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	2,50	R	NDR	
			05.1981 --->	
			411 010	
	2,50	M	411 012	
			411 026	
			411 034	
	4,00	D	411 043	
			411 510	
			1965 -->	

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

ZETOR

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
59501001	55010305-55010334	93 725 600	595 05 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	95,00	2001	20011, 2511, 2023
	Comp. Height	66,00		
	Total Lenght	114,00	3001	3011, 3511, 3513
	Dome Height			3545
	Bowl Dept	- 18.40		
	Bowl Ø		4001	4011, 4511,4611
	Valve Pocket			
	Pin Diameter	35.00 / 77.00	5501	5511, 5611, 5711
	Type of Design			5516, 5545, 5645
	Piston Ring Thickness	3.00x3.00x3.00x5.00		5745, 5547, 5647
				5648

Cenmak Number	Item		O.E.M. Number	Ø mm
59502001	Piston Ring Set Std.			95,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	2001	20011, 2511, 2023
			3001	3011, 3511, 3513
	3,00	M		3545
			4001	4011, 4511,4611
	3,00	M		
			5501	5511, 5611, 5711
				5516, 5545, 5645
	5,00	DSF		5745, 5547, 5647
				5648

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
59503001	3950116-950116	88 480 110	595 WN 01	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	95,00	2001	20011, 2511, 2023
	B - Skirt Diameter Ø	111,00		
	C - Overall Lenght	210,00	3001	3011, 3511, 3513
	D - Flange Ø	122,00		3545
	E - Flange Height	10,00		
	F - Fire Lip	0,50	4001	4011, 4511,4611
			5501	5511, 5611, 5711
				5516, 5545, 5645
				5745, 5547, 5647
				5648

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

ZETOR

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
59501005	59010382-67010331-67010335	93 726 600	595 09 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	100,00	4701	4711, 4712, 4718
	Comp. Height	66,00		
	Total Lenght	116,00	6701	5911, 6211, 6711
	Dome Height			6718, 5945, 6245
	Bowl Dept	- 18.60		
	Bowl Ø			
	Valve Pocket			
	Pin Diameter	35.00 / 86.00		
	Type of Design			
	Piston Ring Thickness	3.00x3.00x3.00x5.00		

Cenmak Number	Item		O.E.M. Number	Ø mm
59502005	Piston Ring Set Std.			100,00

Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	4701	4711, 4712, 4718
			6701	5911, 6211, 6711
	3,00	M		6718, 5945, 6245
	3,00	M		
	5,00	DSF		

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
59503005	59010156-67010124	88 829 110	595 WN 02	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	100,00	4701	4711, 4712, 4718
	B - Skirt Diameter Ø	111,00		
	C - Overall Lenght	210,00	6701	5911, 6211, 6711
	D - Flange Ø	122,00		6718, 5945, 6245
	E - Flange Height	10,00		
	F - Fire Lip	0,50		

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

ZETOR

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
59501010	72010303-5951200	93 285 600	595 11 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	102,00	4901	4911, 5211
	Comp. Height	66,50		4945, 5245
	Total Lenght	116,50		
	Dome Height		6901	6211, 6911
	Bowl Dept	- 22.50		7211, 6245
	Bowl Ø			6945, 7245
	Valve Pocket			
	Pin Diameter	35.00 / 86.00		
	Type of Design			
	Piston Ring Thickness	3.00x3.00x3.00x5.00		
Cenmak Number	Item		O.E.M. Number	Ø mm
59502010	Piston Ring Set Std.			102,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	4901	4911, 5211
				4945, 5245
	3,00	M	6901	6211, 6911
				7211, 6245
				6945, 7245
	3,00	M		
	5,00	DSF		
Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
59503010	11801105-69010153-69010168	89 058 110	595 WN 04	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	102,00	4901	4911, 5211
	B - Skirt Diameter Ø	116,00		4945, 5245
	C - Overall Lenght	225,70		
	D - Flange Ø	124,00	6901	6211, 6911
	E - Flange Height	10,07		7211, 6245
	F - Fire Lip	0,70		6945, 7245

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.

ZETOR

Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
59501020	80003021-80003023	91 642 600	595 15 00	
	Diamention mm		Used in Engines	Used in Vehicles
	Diameter Ø	110,00	GM 01	8011, 8045
	Comp. Height	76,00	GZ 01	
	Total Lenght	128,00	8001	
	Dome Height			
	Bowl Dept	- 21.50	8601	8611, 12011
	Bowl Ø			12045, 12145
	Valve Pocket			
	Pin Diameter	40.00 / 93.00		
	Type of Design			
	Piston Ring Thickness	3.00x3.00x3.00x6.00		
Cenmak Number	Item		O.E.M. Number	Ø mm
59502020	Piston Ring Set Std.			110,00
Ring Type	Diamention mm		Used in Engines	Used in Vehicles
	3,00	R CR	GM 01	8011, 8045
			GZ 01	
			8001	
	3,00	M		
			8601	8611, 12011
				12045, 12145
	3,00	M		
	6,00	DSF		
Cenmak Number	O.E.M. Number	KS Number	Mahle Number	AE Number
59503020	280002002-80002002-89002002	88 877 110	595 WN 03	
	Diamention mm		Used in Engines	Used in Vehicles
	A - Inside Diameter Ø	110	GM 01	8011, 8045
	B - Skirt Diameter Ø	116	GZ 01	
	C - Overall Lenght	225,7	8001	
	D - Flange Ø	124		
	E - Flange Height	10,07	8601	8611, 12011
	F - Fire Lip	0,7		12045, 12145

Parts numbers are quoted for references purposes only. Our parts and accessories are not original.